

Understanding Redirect Rules

<https://campus.barracuda.com/doc/12194967/>

Use the **WEBSITES > Redirect Rules** page to define rules to redirect client requests to a specific URL or to a domain appending the requested URL for a selected Service:

Add Redirect Rule Help

Rule Name	<input type="text"/>	<div style="border: 1px solid #ccc; padding: 5px; font-size: 0.9em;">Create a rule to redirect requests to a specific URL.</div>
Enable	<input checked="" type="radio"/> Yes <input type="radio"/> No	
Host Match	<input type="text" value="*"/>	<div style="border: 1px solid #ccc; padding: 5px; font-size: 0.9em;">Matches the host in the request. Examples: *, *.example.com, www.example.com</div>
URL Match	<input type="text" value="/*"/>	<div style="border: 1px solid #ccc; padding: 5px; font-size: 0.9em;">Matches the URL in the request. Should start with a "/" and can include at most one "*" (wildcard).</div>
Extended Match	<input type="text" value="*"/>	<div style="border: 1px solid #ccc; padding: 5px; font-size: 0.9em;">Matches specified values in the HTTP header. Click Edit to create the expression.</div>
Extended Match Sequence	<input type="text" value="1"/>	<div style="border: 1px solid #ccc; padding: 5px; font-size: 0.9em;">The order in which this Extended Match is evaluated when a request matches multiple rules based on URL and host.</div>
Redirect URL	<input type="text"/>	<div style="border: 1px solid #ccc; padding: 5px; font-size: 0.9em;">The location to redirect if the match is successful. It can be a fully qualified URL (like http://www.example.com/index.html) or a full path (like /index.html).</div>
Comments	<div style="border: 1px solid #ccc; height: 40px; width: 100%;"></div>	

A redirect rule consists of three patterns: *host match*, *URL match*, and *extended match*.

If there are multiple rules for a Service, the most specific host and URL match is executed. For example, if a Service has these two rules:

- Rule A - host `www.home.com`, URL `/images/*`
- Rule B - host `www.home.com`, URL `/images/*.png`

and if the incoming request is for `www.home.com/images/x.png`, then the most specific matching rule, which is Rule B, is executed. If a rule has the most specific host and URL for a request, any Extended Match expressions for that rule are evaluated in the order established by the Extended Match Order field. If the request does not match any Extended Match expression for the rule then the request is considered to have failed to match any rule.

You can include %s in the URL to redirect to the domain (URL) specified appending the same requested URL. For example,

- Service: `http://www.home.com`
- URL Match: `/*`
- Redirect URL: `http://www.redirect.com%s`

When a request such as `http://www.home.com/a.html` is sent, it is redirected to `http://www.redirect.com/a.html`

You can also use % in the URL to offset characters. For example,

- Service: `http://www.home.com/abc`
- URL Match: `/*`
- Redirect URL: `http://www.redirect.com/test/*`

If you use %s, the redirected URL would be `http://www.redirect.com/test/abc` instead of `http://www.redirect.com/test/*`.

In this case, specify the Redirect URL as `http://www.redirect.com/%4s`. This format will copy anything in the URL match after 4 characters.

Rule Key

Each redirect rule can be specified using a Rule key. The key is comprised of the URL, host and an optional extended match rule (that is, a value or expression for the header parameter). The matching Rule is determined by a best match algorithm using the host, URL and extended match fields in specified sequential order. In most cases, host and URL may only be used to specify a Rule. The Barracuda Load Balancer optimizes the search for the most common case by implementing a parallel search algorithm on all Rules. The best matching Rule is the Rule with closest matching host and URL keys. To configure a more complex Rule based on certain fields in the request such as a client IP or an HTTP header, use extended match rules. Not all extended match rules are considered for evaluation. Only the ones specified for the matching host and URL are used for evaluation. If more than one such rule is specified, they are evaluated based on the specified extended match sequence, and the lower the extended match sequence the higher the priority of the rule in the sequence.

For more information on building a redirect rule, log into the Barracuda Load Balancer web interface, go to the **WEBSITES > Redirect Rules** page, and click the **Help** button.

For details on Extended Match and Condition expressions, HTTP request rewrite rules, and HTTP response rewrite rules, refer to the article [How to Use Extended Match and Condition](#)

[Expressions.](#)

For details on adding Content Rules to a Service, refer to the article [Understanding Content Rules.](#)

Figures

1. add_redirect_rule.png

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.