
FTP and FTP SSL Service

<https://campus.barracuda.com/doc/18874402/>

FTP Service

Create an FTP Service to enable the Barracuda Load Balancer ADC to process FTP traffic from clients to servers. An FTP client connects to an FTP server typically to either upload or download files to that server. Both passive and active FTP are supported.

If passive FTP is used, and if the Barracuda Load Balancer ADC is behind a firewall performing NAT, you should specify an IP address and one or more ports that are sent in the response to a PASV request from a client. The client connects to the specified IP address and port to receive the data. Usually this address is the external IP address that is translated by the firewall to the Virtual IP address of the FTP Service. The port(s) are those allowed by the firewall. Enter the IP address and port(s) on the **Add Service** popup window.

FTP SSL Service

Create an FTP SSL Service to enable the Barracuda Load Balancer ADC to process encrypted FTP traffic from clients to servers. Only passive FTP is supported, not active FTP.

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.