

Keyword Expressions

https://campus.barracuda.com/doc/2490384/

This article refers to <u>Barracuda Message Archiver Legacy Release</u> firmware or higher.

See also: Keyword Expressions in How To Videos

Keyword expressions allow you to construct your own complex queries in Advanced Search, letting you combine multiple keyword-based search terms that follow this basic syntax: **search_field:phrase**. For example, to search for all messages containing "Alert" or "Notification" anywhere in the **Subject** field,

- 1. Click the **BASIC** > **Search** tab, and then click **Advanced**.
- 2. Select **Email** as the item type, and then select **Keyword Expression** as the parameter.
- 3. In the text field, type: subject: "Alert" OR subject: "Notification"



4. Click **Search** to return all matching search results.

Table 1. Commonly used search_field values.

Term	Search Type	
to	Search is limited to the To and Cc fields of each message	Text
from	Search is limited to the From field of each message	Text
domain	Search is limited to the domain names in the From, To, and Cc fields of each message	Domain
subject	Search is limited to the Subject line of each message	
Searches are performed in the Body of each message as well as in the contents of any message attachments		Text

Keyword Expressions 1/5



Search is limited to the contents of message attachments		Text	
Searches all fields and all data contained in each message		Text	
stored_size	The actual message size on disk	Integer number	
size	The raw size of the message		
The date header from the mail		Text	
header_barracuda_envelope_rcpt_pretty_name	The envelope recipient's pretty name	Text	
header_barracuda_envelope_rcpt_user	The envelope recipient	Text	
header_bcc	The Bcc: header	Text	
header_to	The To: header	Text	
header_in_reply_to	The In reply to: header	Text	
header_barracuda_envelope_rcpt_domain	The domain of the envelope recipient	Text	
header_from	The From: header	Text	
header_barracuda_envelope_rcpt_message_mode	Inbound / Outbound / Internal	Text	
header_barracuda_envelope_rcpt_addr	Email address of envelope recipient	Text	
header_subject	Subject of the email	Text	
header_message_id	The message ID header	Text	
object_type	Type of entry (calendar, mail, etc.)		
body_excerpt	The body of the email	Text	
attachment_name	The attachment name	Text	
attachment_mimetype	The attachment MIME type	Text	
attachment_extension	The attachment's extension	Text	

You may specify other search_field values as long as the correct name for the field is used. Consult Barracuda Networks Technical Support if you are unsure of the exact syntax.

The *phrase* can only contain a single item. However, that one item can be any one of the following:

• a single <u>Text-based</u> string;

Keyword Expressions 2 / 5

Barracuda Message Archiver



- a single <u>Integer number-based</u> string;
- a single Wildcarded string;
- a single <u>Domain-based</u> string (for **to** and **from** search field only);
- a single <u>compound</u> search string created by combining multiple strings with the keywords **AND** and **OR**, and grouping the phrases with parentheses to control the logic.

Important

When creating compound search strings, the keywords 'AND' and 'OR' must be capitalized.

Table 2. Sample keyword expressions.

to:chrislee	All messages that have "chrislee" in the To or Cc fields.
to:patbrown@mycompany.com	All messages containing "patbrown@mycompany.com" anywhere in the To field.
to:chrislee AND NOT to:patbrown	All message that have "chrislee" and does not have "patbrown" in the To field.
to:chrislee AND !to:patbrown	All message that have "chrislee" and does not have "patbrown" in the To field.
subject:"Barracuda Message Archiver"	All messages that contain the exact phrase "Barracuda Message Archiver" anywhere in the Subject line.
domain:(barracuda.com OR barracudanetworks.com)	All messages that were sent to or from any user in either the "barracuda.com" or "barracudanetworks.com" domain.
header_barracuda_envelope_rcpt_domain:sub.mycompany.com	All messages sent to any user in the @sub.mycompany.com domain.
size:[100000000 TO MAX]	All messages larger than 100MB.
size:[MIN TO 100000]	All messages smaller than 100KB.

Proximity Syntax Form

For the keyword proximity syntax form, each *keyword* must be in a single <u>Text-based</u> string. Enter

Keyword Expressions 3 / 5

Barracuda Message Archiver



the keyword proximity syntax as <code>search_field:"keyword keyword"~NumericValue</code>, where <code>search_field</code> is the part of the email to search through.

Note that proximity searches do not support wildcards.

Table 3. Sample proximity syntax.

All messages containing "release" and "Barracuda" in the Subject field within four words of each other.		
All messages containing "Zac" and "Britt" anywhere in the To field within four words of each other.		

Fuzzy Search Syntax Form

Fuzzy search allows you to find words that are similar to a specified search term. For the fuzzy search syntax, enter a single keyword followed by the tilde (\sim). For the fuzzy search syntax form, the *keyword* must be in a single <u>Text-based</u> string.

Table 4. Sample fuzzy search syntax.

1	II				_		
roam	IIAII maccadae d	antainina wa	vrde cimilar	taraam	for ovan	anla faan	roomel
ıı ∪aııı~	All messages of	Julicali III iu wc	ภนร รูแบบสเ	to roaiii.	iui exaii	ible, ibali	ı, I Uallıs.ı

Keyword Expressions 4 / 5

Barracuda Message Archiver



Figures

1. keyword_search.png

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

Keyword Expressions 5 / 5