


SMTP or SMTP Relay Deployment Overview

<https://campus.barracuda.com/doc/2490479/>

When journaling on your email server is not available or is not a practical option, you can use a combination of the Barracuda Message Archiver and the Barracuda Email Security Gateway to capture both external and internal emails via SMTP. To capture messages sent from external Internet users, you can leverage the journaling capabilities of the Barracuda Email Security Gateway to copy messages to your Barracuda Message Archiver. To capture messages sent from inside your organization, you can configure internal email clients to use the Barracuda Message Archiver as an SMTP relay placed in front of your internal email server.

If you are migrating to a newer version of Exchange Server, refer to the [Barracuda Message Archiver and Microsoft Exchange Server Migration](#) overview for more information.

The following image illustrates SMTP relay deployment:



The Barracuda Email Security Gateway *only* forwards messages that it does *not* block to the Barracuda Message Archiver. For more information, refer to Barracuda Email Security Gateway article [Archiving Encrypted Messages](#) and the [Barracuda Networks Knowledgebase Solution #00002396](#).

Figures

1. bma-smtp_deployment_new.png

© Barracuda Networks Inc., 2020 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.