

How to Launch Barracuda Message Archiver from Microsoft Outlook Web Access

<https://campus.barracuda.com/doc/31392684/>

This article refers to [Barracuda Message Archiver Legacy Release](#) firmware or higher, Microsoft Exchange Server 2007 or 2010, and Microsoft Outlook Web Access (OWA).

Exchange 2013 and higher do not support adding the Barracuda icon to the navigation bar.

See [Exchange Manifest for Office Add-Ins](#) to add the Barracuda Message Archiver Office Add-In to your Exchange Server 2013 or higher, or Microsoft 365.

Note : The Office add-in and OWA integration is only supported with the Barracuda Message Archiver.

You can customize Microsoft OWA to include the [Barracuda icon](#) in the navigation bar and launch the Barracuda Message Archiver directly from OWA.

Requirements

You must have the following privileges to complete these steps:

- Administrative privileges to your Microsoft Exchange Server
- Barracuda Message Archiver login credentials

Note that single sign-on (SSO) for OWA is not available at this time.

Use the following steps to add the Barracuda icon to the Microsoft OWA navigation bar:

1. Add the Barracuda icons to the following directory based on your Exchange Server version:
 - **Exchange 2010** – C:\Program Files\Microsoft\Exchange Server\V14\ClientAccess\Owa\forms\Customization
 - **Exchange 2007** – C:\Program Files\Microsoft\Exchange Server\ClientAccess\Owa\forms\Customization
2. On your Exchange Server, browse to the **Customizations** folder where the icons are saved.
3. Locate and copy the file **UIExtensions.xml.template**, and rename the copied file **UIExtensions.xml**.
4. Open the **UIExtensions.xml** file in a text editor, and add the following content under the entry `<MainNavigationBarEntry`, replacing the URL `https://example.company.com:443` with your Barracuda Message Archiver URL including the protocol and port number:


```
<MainNavigationBarExtensions>
  <MainNavigationBarEntry
    LargeIcon="LargeCuda.gif"
    SmallIcon="SmallCuda.gif"
    URL=" https://example.company.com:443 ">
    <string language="en-us" text="Archived Mail"/>
  </MainNavigationBarEntry>
</MainNavigationBarExtensions>
```

5. At a command line, run the following command to restart **Internet Information Service (IIS)**:
`iisreset`

IIS Restart

Users logged into OWA may be disconnected from their session when IIS is restarted.

6. Open Internet Explorer, and log in to OWA.
7. At the end of your folder list, verify the Barracuda icon displays:



Figures

1. MainNavigationBarEntry.png
2. example_company.png
3. UIExtensionsCode.png
4. owa_cuda.png

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.