

## Hardware Specifications

<https://campus.barracuda.com/doc/39813134/>

Unless you are instructed to do so by Barracuda Networks Technical Support, you will void your warranty and hardware support if you open your Barracuda Networks appliance or remove its warranty label.

[Barracuda Networks Appliance Safety Instructions.](#)



### Hardware specifications of the various Barracuda SSL VPN models

The hardware configuration list in this table was valid at the time this content was created. The listed components are subject to change at any time, as Barracuda Networks may change hardware components due to technological progress. Therefore, the list may not reflect the current hardware configuration of the Barracuda SSL VPN.

	Barracuda SSL VPN Model					
	180	280	380	480	680	880
Recommended Maximum Concurrent Users	15	25	50	100	500	1,000
Hardware						
Rackmount Chassis	1U Mini	1U Mini	1U Mini	1U Mini	1U Full-size	1U Full-size
Dimensions (inches)	16.8 x 1.7 x 9	16.8 x 1.7 x 9	16.8 x 1.7 x 14	16.8 x 1.7 x 14	16.8 x 1.7 x 22.6	17.4 x 3.5 x 25.5
Weight (lbs)	8	8	12	12	26	46
Ethernet	1 x 10 / 100	1x Gigabit	1x Gigabit	1x Gigabit	2x Gigabit	2x Gigabit
AC Input Current (Amps)	1.0	1.0	1.2	1.4	1.8	4.1
Redundant Disk Array (RAID)	No	No	No	Yes	Yes	Yes

ECC Memory	No	No	No	No	Yes	Yes
Redundant Power Supply	No	No	No	No	No	Hot Swap
<b>Features</b>						
SSL Tunneling	Yes	Yes	Yes	Yes	Yes	Yes
Barracuda Network Connector	Yes	Yes	Yes	Yes	Yes	Yes
Intranet Web Forwarding	Yes	Yes	Yes	Yes	Yes	Yes
Windows Explorer Mapped Drives	Yes	Yes	Yes	Yes	Yes	Yes
Citrix XenApp/VNC/NX/Telnet/SSH/RDP Applications	Yes	Yes	Yes	Yes	Yes	Yes
Remote Desktop Single Sign-On	Yes	Yes	Yes	Yes	Yes	Yes
Antivirus	Yes	Yes	Yes	Yes	Yes	Yes
L2TP/IPsec, PPTP Mobile Device Support	Yes	Yes	Yes	Yes	Yes	Yes
Client Access Controls	Yes	Yes	Yes	Yes	Yes	Yes
Active Directory/LDAP Integration	Yes	Yes	Yes	Yes	Yes	Yes
Layered Authentication Schemes	Yes	Yes	Yes	Yes	Yes	Yes
Remote Assistance	No	No	Yes	Yes	Yes	Yes
Multiple User Realms	No	No	Yes	Yes	Yes	Yes
Barracuda SSL VPN Server Agent	No	No	Yes	Yes	Yes	Yes
Hardware Token Support	No	No	Yes	Yes	Yes	Yes
RADIUS Authentication	No	No	Yes	Yes	Yes	Yes
Syslog Logging	No	No	Yes	Yes	Yes	Yes
SNMP/API	No	No	No	Yes	Yes	Yes
Clustering/High Availability	No	No	No	Yes	Yes	Yes

## Figures

1. sslvpn.png

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.