

## 30 Day Evaluation Guide

<https://campus.barracuda.com/doc/41094266/>

This article refers to [Barracuda Message Archiver Legacy Release](#) firmware or higher. If you are deploying the virtual appliance, refer to the [Barracuda Message Archiver Vx Deployment](#).

This article assumes you are logged in using the admin role, except where noted.

Use this article as a sample road map for setting up and testing the Barracuda Message Archiver appliance in your organization's environment:



### Step 1. Initial Setup and Configuration

If you are deploying a virtual Barracuda Message Archiver, go to the **Barracuda Message Archiver Virtual Deployment** section.

Complete the steps in the [Getting Started](#) section; configure [manually](#) or [using the Setup Wizard](#).

Once you complete your deployment configuration, mail begins forwarding to the Barracuda Message Archiver. Log in to the web interface as the administrator, and go to the **BASIC > Status** page. Processed mail displays in the **Message Statistics** table.

#### Archived Data Backup

Once you are storing data, you need to back up the Barracuda Message Archiver data. You can back up your raw email data as well as data directories that house statistics, index, and other metadata snapshots generated by the Barracuda Message Archiver about your content. For

details, refer to [How to Back Up Archives](#).

## Step 2. Add a User to a User Role

The Barracuda Message Archiver supports four user roles:

- **User** – The *user* can view and search content associated with their own mailbox and any shared mailboxes.
- **Auditor** – The *auditor* can view all items from any user, and can create and activate policies. Note that the auditor role can be restricted to specific domains by the Admin role.
- **IT Admin** – The *IT admin* can make system and network configuration changes only.
- **Admin** – The *admin* can view all items from any user, create and activate policies, and make system and network changes.

### USE CASE - Add a User in the Auditor Role Including a Saved Search Filter


In this example, the administrator adds Ryan in the auditor role including a Saved Search used to filter his search results for email related to the word "petition" from the domain **@corporatenamehere.com**. The administrator uses the following steps to add Ryan and set up the Saved Search:

#### Step 1: Create a Saved Search

1. On the **BASIC > Search** page, click **Advanced**. Select **Email > Entire Message > contains**, and type `petition*` as the first set of search criteria.


Using the asterisk (\*) wildcard returns the words petition, petitions, petitioned, petitioner, and petitioning.

2. Click the **+** symbol to the left of the search parameter, select **Email > Domain > contains**, and type `@corporatenamehere.com`



The screenshot shows the search configuration interface. At the top, there are tabs for 'Standard', 'PSTs & Tags', 'Saved Searches', and 'Tasks'. Below the tabs, it says 'Search sources: greyhound (This archiver) Change'. There are two search criteria rows. The first row has a '+' icon, 'Email' selected in a dropdown, 'Entire Message' selected in a dropdown, 'contains' selected in a dropdown, and 'petition\*' in the text input field. The second row has a '+' icon, 'Email' selected in a dropdown, 'Domain' selected in a dropdown, 'contains' selected in a dropdown, and '@corporatenamehere.com' in the text input field. There are 'AND' and 'Search' buttons to the right of the first row, and a 'Save Search' button below the second row.

3. Click **Search** to execute the search and verify that the provided search parameters return the expected results.
4. Click **Save Search**, enter `Petition Audit` as the Search Name:



5. Click **OK**; the search is added to the **Saved Searches** page.

### Step 2: Add User

1. On the **USERS > User Add/Update** page, type the user's email address: `rdouglas@corporateid.com`
2. Click **No** for **Use Email Address as Account Name**, and then type `rdouglas` in the **Account Name** field.
3. Click **Populate** to retrieve a list of **User Aliases** from the LDAP server for the entered **Email Address**; Ryan's user aliases populate the table.
4. Enter the user's new login password, and select **Auditor** from the **Role** drop-down menu.
5. Leave the **Domain** field blank to allow Ryan to access all items from all domains.
6. From the **Saved Search** drop-down menu, select **Petition Audit**:

*Use this section to manually create or update an account. Note: To update an account, go to the Local Accounts tab and click on the Edit link next to the user's account entry.*

Email Address:   
The user's email address. Welcome Email Status: Enabled.

Use Email Address as Account Name:  Yes  No  
Whether the account name should be the same as the email address associated with this account.

Account Name:   
Name of the account. This can be an email address or a username.

Retrieve User Aliases from LDAP:   
Retrieves the list of User Aliases from LDAP for the specified Email Address.

User Aliases: 

audit_lead@corporateid.com
----------------------------

  
Enter all email addresses used as aliases for this user. One alias per line.

Password:   
The desired password for the account.

Role:   
Role for the account.

Domains:   
Domains for which the auditor can view mail.

Saved Search:   
Saved Search used to filter the auditor's search results.

7. Click **Save** at the top of the page to add the new user.

Ryan is added as a user with the auditor role in the **Accounts** page, and the Saved Search criteria defined in **Petition Audit** is automatically applied to all searches performed by Ryan.

### Step 3. Notification Alert Policies

For more information, refer to the article [Policy Alerts](#), or log in to your Barracuda Message

Archiver, go to the **POLICY > Alerts** page, and click **Help**.

You can enable policy alerts to send a notification to the administrator when corporate email is being used inappropriately or for non-business matters. Each time a message matching the specified criteria enters the Barracuda Message Archiver, an automatic email notification is sent based on the selected **Alert Frequency** on the **POLICY > Alerts** page.

To set up policy alerts, log in to the web interface, and on the **POLICY > Alerts** page, set **Enable Built-In Policies** to **Yes**, and click **Save**. Built-In Policies include:


- **Personal Info** – Looks for Personally Identifiable Information inside messages. It scans for various formats of Social Security numbers, credit card numbers, and other types of potentially sensitive information.
- **Foul Language** – Looks for messages containing specific words that have been identified as *Foul Language*.
- **Personal Email** – Looks for messages sent to and from various sites that have been classified as non-business sites, such as recreation or gambling sites.

In addition to built-in policies, you can define custom policies based on a Saved Search that you create on the **BASIC > Search** page.

#### USE CASE - Custom Alert Policy

In this example, Sena is an administrator for the Barracuda Message Archiver at a local law firm. She wants to set up an alert whenever messages in the social media site 'Facebook' are encountered. Sena defines a custom alert policy in the Barracuda Message Archiver using the following steps:

1. On the **BASIC > Search** page, click **Advanced**.
2. Select **Social Media > Site** as the search criteria:



The screenshot shows the search interface with the following elements:

- Navigation tabs: Standard, PSTs & Tags, Saved Searches, Tasks
- Search sources: greyhound (This archiver) Change
- Search criteria: Social Media (Site) Facebook
- Buttons: Save Search, Search, Basic

3. Click **Search** to execute the search and verify that the provided search parameters return the expected results.
4. Click **Save Search**, enter Social Media Filter for the name of the saved search, and click **OK**.
5. Go to the **POLICY > Alerts** page, enter Social Media as the **Policy Name**, select **Social Media Filter** from the **Saved Search** drop-down menu, enter the alert email address

skendrick@mylawfirmname.com, and set **Dashboard** to **On** so that the custom policy statistics display in the **Policy Statistics** table on the **BASIC > Status** page.

6. Click **Add** to save and activate the Policy Alert, and then click **Save**:

POLICY ALERTS					Help
Enable Built-In Policies:		<input checked="" type="radio"/> Yes <input type="radio"/> No <small>If enabled, the Barracuda Message Archiver will enforce policies for Personal Info, Foul Language, and Personal Email. Recommended: Yes</small>			
POLICY NAME	SAVED SEARCH	SYSTEM ALERTS EMAIL ADDRESS	ALERT FREQUENCY	DASHBOARD	
	admin		Daily Digest	<input type="checkbox"/>	<input type="button" value="Add"/>
Personal Info	Built-In		Daily Digest	<input checked="" type="checkbox"/>	<input type="button" value="Search"/>
Foul Language	Built-In		Daily Digest	<input checked="" type="checkbox"/>	<input type="button" value="Search"/>
Personal Email	Built-In		Daily Digest	<input checked="" type="checkbox"/>	<input type="button" value="Search"/>
Social Media	Social Media Filter	skendrick@mylawfirmname.com	Hourly Digest	<input checked="" type="checkbox"/>	<input type="button" value="Search"/> <input type="button" value="Delete"/>

Once activated, each time an email containing the social media site 'Facebook' is encountered, an alert notification is generated and sent to **skendrick@mylawfirmname.com**.

If the Saved Search is deleted from the **Saved Search** tab on the **BASIC > Search** page, the custom alert policy is automatically deleted from the **POLICY > Alerts** page.

## Step 4. Litigation Holds - Auditor Role Only

### Additional Resources

For more information, refer to the article [Litigation Holds](#), or log in to your Barracuda Message Archiver using the Auditor role, and go to either of the following pages:

- **POLICY > Retention** page, and click **Help**
- **BASIC > Search > Saved Search** page, and click **Help**

A user with auditor role can create litigation holds which prevent messages matching the criteria of a specific Saved Search from being removed from the Barracuda Message Archiver. On the **BASIC > Search > Saved Search** page, litigation hold details include:

- **Auditor** - The account name of the auditor who created the Litigation Hold
- **Saved Search** - The name of the Saved Search associated with this Litigation Hold
- **Hold End Date** - The date and time when this Litigation Hold expires


Before an auditor can set up a litigation hold, the administrator must first enable litigation holds by completing the following steps:

1. Log in to the Barracuda Message Archiver, and go to the **POLICY > Retention** page.
2. Set **Enable Litigation Holds** to **Yes**, and click **Save**.

### USE CASE - Litigation Hold

In this example, Sue is a user with auditor role at a large corporation, and has been asked to set up a litigation hold to retain all emails related to the user 'Dallen' from their client 'CorpName'. Sue uses the following steps to set up the litigation hold:

1. Log in to the Barracuda Message Archiver in the auditor role.
2. Go to the **BASIC > Search** page, and click **Advanced**.
3. Select **Email > Domain > contains**, and type @corpname.com as the domain name. Click the + symbol to the left of the search parameter.
4. Select **Email > From/To/Cc > contains**, and type dallen as the second set of search criteria:



The screenshot shows the 'ARCHIVE SEARCH' interface with the following configuration:

- Search sources: twohearted (This archiver) [Change](#)
- Criteria 1: Email > Domain > contains > @corpname.com
- Criteria 2: Email > From/To/Cc > contains > dallen
- Buttons: Save Search, Search, AND, Basic


5. Click **Search** to execute the search and verify that the provided search parameters return the expected results.
6. Click **Save Search**, and type dallen – Litigation Hold as the **Saved Search** name:



The 'Save Search' dialog box shows the following configuration:

- Search Name: dallen - Litigation Hold
- Buttons: OK, Cancel

7. Click **OK**. Click the **Saved Searches** tab:



The screenshot shows the 'ARCHIVE SEARCH' interface with the 'Saved Searches' tab selected. The table below displays the saved search configuration:

Saved Search	Description	Last Modified	Actions
dallen - Litigation Hold	Email Domain contains '@corpname.com' AND Email From/To/Cc contains 'dallen'		<a href="#">Search</a>   <a href="#">Edit</a>   <a href="#">Delete</a>   <a href="#">Apply Litigation Hold</a>

8. In the **Actions** column, click **Apply Litigation Hold**. In the **Apply Litigation Hold** window, to hold the associated emails indefinitely, click **None**, or you can specify a specific expiry date. For this example, select **Specific Date**, click the **Calendar** icon, and select the date to end the litigation hold.
9. Click **OK** to apply the litigation hold.

Once a litigation hold is added, it displays in the **Litigation Holds** section on the **POLICY > Retention** page when a user is *logged in using the admin role*:

**LITIGATION HOLDS** Help

Enable Litigation Holds:  Yes  No

*Allow auditors to create Litigation Holds. Items designated by a Litigation Hold are not subject to deletion by Retention Policies.*

*Litigation Holds created by system auditors. Messages matching these Saved Searches will be retained through the Hold End Date.*

AUDITOR	SAVED SEARCH	EXPIRATION DATE	
skarr	dallen - Litigation Hold	2014-08-21 23:59:59	

## Step 5. Retention Policies

For more information, refer to the article [Retention Policies](#), or log in to your Barracuda Message Archiver, go to the **POLICY > Retention** page, and click **Help**.

By default, automated archived message purging on the Barracuda Message Archiver is disabled. If you enable this ability, the Global Retention Policy and any Saved-Search retention policies are compared to all archived messages once a week. You can choose to rotate mail to the cloud when the age of any message exceeds the maximum age allowed by all Saved Search retention policies. Otherwise, you can allow these messages to be deleted from the Barracuda Message Archiver based on the Saved Search retention policies. Messages rotated to the cloud may be retained for a configured number of days, after which they are permanently deleted from the cloud; or they can be retained on the cloud forever; or they can be retained a specified additional number of days in the cloud. Note that before you can create a Saved Search retention policy, you must create at least one Saved Search in the **BASIC > Search > Advanced Search** page.


A Saved Search retention policy enables you to automatically expire messages matching a specified saved search. Use this feature to create exceptions to the global Retention Policy.

- The Global Retention Policy setting does not apply to any messages that match a Saved-Search retention policy. If the age of any message exceeds the maximum age allowed by all Saved-Search retention policies that apply to the message, that message is *permanently deleted from the Barracuda Message Archiver*.
- Saved searches containing tags, folders, or discovery fields cannot be used in a Saved Search retention policy and do not appear in the list of available Saved Searches.
- If a message matches more than one Saved Search-based policy, then the message is kept according to the longest policy length. If it matches a Saved Search-based policy and the global retention policy, then the Saved Search policy takes precedence.
- Once the Global Retention Policy is set, archived messages are automatically deleted from the Barracuda Message Archiver.

## USE CASE - Saved Search Retention Policy

In this example, Kari is the administrator and wants to set the maximum age of a set of archived messages before they are permanently purged from the archive. Kari uses the following steps to set up a retention policy based on a Saved Search:

1. Go to the **BASIC > Search** page, and create a Saved Search with the desired criteria.
2. Go to the **POLICY > Retention** page, and set **Allow automatic message deletion** to **Yes**.
3. Note the value of the **Policy Length** set for the Global Retention Policy.
4. Click **Add Retention Policy**, and set the retention policy criteria:



- 5.
6. Click **Submit** to save the Saved Search retention policy, and click **Save** in the **POLICY > Retention** page and add it to the table.

## Step 6. Search Mail Using the Web Interface

### Additional Resources

All user roles can view and search content associated with their own mailbox and any shared mailboxes.

For more information, refer to the article [Search Options and Configuration](#), or log in to your Barracuda Message, go to the **BASIC > Search** page, and click **Help**.

If you are deploying multiple Barracuda Message Archivers, or using Cloud Storage to rotate or mirror data from the Barracuda Message Archiver to the Barracuda Cloud, you can use Federated Search to configure search across multiple Barracuda Message Archivers. For more information, see the [Federated Search](#) section.



There are two search modes on the **BASIC > Search** page:

- **Basic** – Run a search based on a word or phrase across all messages accessible by your account.
- **Advanced** – Run a complex search query based on multiple criteria; note that you can save queries for future use.


When you initially go to the **BASIC > Search** page, all messages accessible by your account display in the message list in the **Standard** tab.

Use the Basic Search mode to perform a quick search across all of your messages. Use Advanced Search mode to perform complex search queries based on selected attributes.

### USE CASE - Export Messages


In this example, Uma works in a real estate office. She recently closed a sale for property on Hernandez Avenue with M. Beckly. The procedure in the office is to burn a CD with all correspondence regarding a sale once the sale is complete. Uma needs to search for all messages related to the sale, and then export the messages to a **.zip** file:

1. Log in to the Barracuda Message Archiver as a user.
2. Go to the **BASIC > Search** page, and click **Advanced**.
3. Select **Email > From/To/Cc > contains**, type beckly as the first set of search criteria, and click the **+** symbol to the left of the search parameter.
4. To the right of the first set of search criteria, click **AND** to toggle to **OR**.
5. Select **All > Entire Message > contains**, and type hernandez:



The screenshot shows the 'ARCHIVE SEARCH' interface. At the top, there are tabs for 'Standard', 'PSTs & Tags', 'Saved Searches', and 'Tasks'. Below the tabs, it says 'Search sources: tomahawk (This archiver), centennial, Cloud Storage' with a 'Change' link. The search criteria are defined in two rows. The first row has a plus sign, 'Email' in a dropdown, 'From/To/Cc' in a dropdown, 'contains' in a dropdown, and 'beckly' in a text field. To the right of this row is an 'OR' button and a 'Search' button. The second row has a plus sign, 'Email' in a dropdown, 'Entire Message' in a dropdown, 'contains' in a dropdown, and 'hernandez' in a text field. Below the search criteria is a 'Save Search' button. The word 'Basic' is visible in the top right corner of the search area.

6. Click **Search** to execute the search and verify that the provided search parameters return the expected results.
7. In the results window, use **Ctrl-** and **Shift-**click to select all of the messages to include in the **.zip** file.
8. Click the **Tools** menu, and select **Export Messages**; in the **Export Messages** dialog box, specify the export details as follows:



The 'Export Messages' dialog box is shown with the following settings:

- Export name: beckly\_hernandez\_sale
- Format:  PST  ZIP
- Content:  Current Search Results  10 Selected Messages
- Naming Scheme: Numerical
- Export to:  Barracuda Message Archiver  Copy.com
- Chunk Size: 800MB - CD-ROM

Buttons: OK, Cancel

- Click **OK**. Go to the **Tasks** tab to view the download progress. Once the download is complete, click **Download** to save the **.zip** file to your local system.


UMA can now burn the **.zip** file to a CD to place in M. Beckly's customer file.

### USE CASE - Authorized Search of Another User's Email

In this example, Abe is a legal assistant for Dale. Dale often needs Abe to search through his email on his behalf. To avoid sharing Dale's ldap credentials with Abe, the administrator creates a local user account with entitlements so that Abe can access Dale's email:

#### Step 1. Administrator Creates a Local User Account

- Log in to the Barracuda Cloud Archiving Service as the account administrator.
- Go to the **USERS > LDAP User Add/Update** page.
- Type Abe's email address, `abe@corporate.com`, in the **Email Address** field, and select **User** from the **Role** drop-down menu.
- In the **Include These Addresses** field, type Dale's email address, `dale@corporate.com`:



The 'LDAP USER ADD/UPDATE' form is shown with the following fields and values:

- LDAP User/Group: `abe@corporate.com`
- Role: User
- INCLUDE THESE ADDRESSES: `dale@corporate.com`

Buttons: Add, Add


Help

- Click **Add**, and click **Save**.

#### Step 2. Abe Searches Dale's Email

Dale asks Abe to search his account for all email correspondence with MarilynCorp during May, 2013.

1. Abe logs in to the Barracuda Message Archiver.
2. Go to the **BASIC > Search** page, and click **Advanced**.
3. Select **Email > Entire Message**, and type MarilynCorp as the first set of search criteria.
4. Click the + symbol to the left of the search parameter. To the right of the first set of search criteria, leave the value as **AND**.
5. Select **Email > Date > on or after**, click in the associated field, and type or select the date **2013-05-01**.
6. Click the + symbol to the left of the search parameter. To the right of the first set of search criteria, leave the value as **AND**.
7. Select **Email > Date > on or before**, click in the associated field, and type or select the date **2013-05-31**:



The screenshot shows the 'ARCHIVE SEARCH' interface. At the top, there are tabs for 'Standard', 'PSTs & Tags', 'Saved Searches', and 'Tasks'. Below the tabs, the search sources are listed as 'CorpArchive (This Archiver)'. The search criteria are defined as follows:

- Row 1: Email > Entire Message > contains > MarilynCorp > AND
- Row 2: Email > Date > on or after > 2013-05-01 > AND
- Row 3: Email > Date > on or before > 2013-05-31


Buttons for 'Save Search', 'Search', and 'Basic' are visible.

8. Click **Search** to execute the search.

### Step 3. Abe Saves Search Results

Abe now saves the search results as a **.csv** file that his manager, Dale, can download from the **Tasks** tab.

1. Once the search results are returned, from the **Tools** menu, click **Save Results as CSV**.
2. In the **Export Name** field, type MarilynCorpArchive:



The screenshot shows a dialog box titled 'Save Search Results as CSV'. The 'Export name:' field contains the text 'MarilynCorpArchive'. There are 'OK' and 'Cancel' buttons at the bottom.

3. Click **OK**. The **.csv** file is now available for download from the **Tasks** tab.
4. Dale selects the item in the table, and clicks **Download** to save the **.csv** file to his local system.

## Step 7. View Reports

### Additional Resources

For more information, refer to the article [Reports](#), or log in to your Barracuda Message Archiver, go to the **BASIC > Reports** page, and click **Help**.

The built-in reports on the Barracuda Message Archiver provide statistics on various operational, legal, and storage aspects. Default reports include message archive growth, policy violations, archive traffic, and cost analysis and projected archive storage growth.

On the **BASIC > Reports** page you can generate the following reports:

- **Email Activity Report** – View Barracuda Message Archiver email activity by user
- **Top Storage Users Report** – View Barracuda Message Archiver storage usage by user
- **Policy Violations Report** – View Barracuda Message Archiver email policy violations by user
- **Global Searches Report** – View the top Barracuda Message Archiver global searches by user
- **Usage Report** – Generate an overview of Barracuda Message Archiver cost analysis and projected archive storage growth

#### USE CASE - Automatically Generate Daily Reports

In this example, Wiley, the system administrator, receives automated reports. His boss, Francis, wants to receive an automated report of policy violations at his email address 'francis@corporateid.com':

1. Log in to the Barracuda Message Archiver, and go to the **BASIC > Reports** page.
2. In the **Automated Reports** section, Wiley adds Francis' email address to the **Policy Violations Report**:

AUTOMATED REPORTS		Help
<i>Reports that are to be generated automatically. For each desired report, enter the email addresses to which it should be sent. Those with no email addresses specified will not be automatically generated. Automated reports are generated beginning at 12:00am.</i>		
Email Activity Report:	Send To:	<input type="text" value="wiley@corporateid.com"/>
Top Storage Users Report:	Send To:	<input type="text" value="wiley@corporateid.com"/>
Policy Violations Report:	Send To:	<input type="text" value="wiley@corporateid.com, francis@corporateid.com"/>
Global Searches Report:	Send To:	<input type="text" value="wiley@corporateid.com"/>

3. Click **Save**.

Francis will now receive a daily report of all policy violations, and the number of times each policy was violated, by user for the previous day. This report includes custom policies, and all built-in policies when enabled on the **POLICY > Alerts** page.

## Step 8. View Statistics

AddiFor more information, refer to the article [Viewing Performance Statistics](#) or log in to your Barracuda Message Archiver, go to the **BASIC > Status** page, and click **Help**.

View operating status on the **BASIC > Status** page when you log in to the Barracuda Message Archiver using either the auditor or administrator role as described in the following table:

Status Type	Description
<b>Message Statistics</b>	A snapshot of archived email, appointments, contacts, distribution lists, notes, and tasks.
<b>Policy Statistics</b>	Statistics for built-in and custom policies configured and selected on the <a href="#">POLICY &gt; Alerts</a> page.
<b>Performance Statistics</b> <sup>(1)</sup>	Current operating status and performance of the Barracuda Message Archiver including system load, firmware and mail/log storage, RAID disk array status, indexed queue length, storage percentages, and status of the connection to Barracuda Cloud Control.
<b>Storage Statistics</b> <sup>(1)</sup>	Statistics on the amount of data stored on the Barracuda Message Archiver by hour, day, and total.
<b>Subscription Status</b> <sup>(1)</sup>	Current status of your Energize Updates subscription, and the optional Instant Replacement and Premium Support subscriptions.
<b>Cluster Status</b> <sup>(1)</sup>	Number of messages awaiting processing on the Barracuda Message Archiver and its mirror, if one has been configured on the <b>ADVANCED &gt; Clustering</b> page.
<b>Hourly Statistics</b>	Breakdown of message traffic and policy violations for the last 24 hours.
<b>Daily Statistics</b>	Breakdown of message traffic and policy violations for the last 30 days.
Note: <sup>(1)</sup> Statistics for this item are not visible when a user is logged in with the auditor role.	

## Step 9. Tools and Add-Ins

For more information, log in to your Barracuda Message Archiver, go to the **USERS > Client Downloads** page, and click **Help**.

You can download and install Barracuda Message Archiver tools and add-ins to your local system and mobile devices.

### Mobile Applications

The Barracuda Message Archiver mobile application is available for Android, and iPhone, iPod Touch, and iPad.

#### Barracuda Message Archiver Mobile Application for Android

The Barracuda Message Archiver mobile applications allow you to perform various actions with your messages that are stored on your organization's Barracuda Message Archiver, including:

- Search for archived messages based on email content, or constrain the search to a date range, a specific sender, or subject line content;
- Search deleted messages and emails no longer visible in your mail application;
- View and interact with (reply to, reply all, or forward) archived messages;
- Redeliver messages to your mailbox using the **Resend to Me** option.

These actions are available directly from your Android phone, allowing transparent access to, and interaction with, your archived messages.

For configuration requirements, set up, and search options, refer to the [Barracuda Message Archiver Mobile Application for Android](#) article.

## **Barracuda Message Archiver Mobile Application for iPhone, iPod Touch, and iPad**

The Barracuda Message Archiver mobile applications allow you to perform various actions with your messages stored on your organization's Barracuda Message Archiver, including:

- Search for archived messages based on email content, or constrain the search to a date range, a specific sender, or subject line content;
- Search deleted messages and emails no longer visible in your mail application;
- View and interact with (reply to, reply all, or forward) archived messages.

These actions are available directly from your iPhone, iPod Touch, or iPad, allowing transparent access to, and interaction with, your archived messages.

For configuration requirements, set up, and search options, refer to the [Barracuda Message Archiver Mobile Application for iPhone, iPod Touch, and iPad](#) article.

## **Barracuda Archive Search for Outlook**

Barracuda Archive Search for Outlook allows users to perform various functions with messages that are stored on your organization's Barracuda Message Archiver, including:

- Synchronization of your archived folders with Outlook
- Search for archived messages and other Microsoft Outlook data, such as Contacts
- View and interact with (forward, reply to, etc.) all of your archived Outlook items
- Access stubbed attachments

- Archive messages

These functions are available directly from Outlook, allowing transparent access to your messages and attachments, all with no browser interaction required. All that is needed is a network connection to your organization's mail server and to the Barracuda Message Archiver.

- For deployment options, refer to [Barracuda Archive Search for Outlook Deployment](#).
- For installation and configuration, refer to [Installing and Configuring Barracuda Archive Search for Outlook](#).
- For details on searching and archiving messages, refer to [How to Search and Archive Messages Using Barracuda Archive Search for Outlook](#).

## **Barracuda Archive Search**

The Barracuda Archive Search provides access to the search features of the Barracuda Message Archiver for [Mac OS X](#) and [Microsoft Windows](#) users. This utility allows users to search through their own archived messages directly from their desktop without needing to log in to the Barracuda Message Archiver web interface, and perform actions such as forwarding or replying to the located messages.

For installation, configuration, and deployment details, refer to [Barracuda Archive Search](#), or log in to your Barracuda Message Archiver, go to the **USERS > Client Downloads** page, and click **Help**.

## Figures

1. 30DayEval.png
2. SavedSearchDomain.png
3. savedSearch02.png
4. AddRDouglas.png
5. SocialMedia.png
6. policy\_alert01.png
7. litigation02.png
8. litigation03.png
9. litigation04.png
10. litigation07.png
11. BCASeval06.png
12. archive\_search.png
13. export\_msg.png
14. Example6.png
15. shared\_email.png
16. export\_csv.png
17. automated\_reports.png

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.