

Hardware Models

<https://campus.barracuda.com/doc/41115888/>

The Barracuda NG Firewall is available in multiple hardware models that meet different networking requirements, ranging from the Barracuda NG Firewall F10 for small or home offices to the Barracuda NG Firewall F1000 for large data centers.

When a hardware model is updated, it is released as a new revision. For example, the second version of the Barracuda NG Firewall F800 is released as the Barracuda NG Firewall F800 Revision B. When a new revision is launched, the preceding revision is phased out. The sticker on the back of your Barracuda NG Firewall includes information on the model revision. E.g: **Rev.C** BAR-NG-123456.

Barracuda NG Firewall Hardware Appliances

Barracuda NG Model	Revision	Available	HW Release Date	Form Factor	Required Firmware	Ports
Barracuda NG Firewall F10	Revision B	yes	MAR/2012	Desktop	5.2.x or higher	4 x 10/100/1000 RJ45
Barracuda NG Firewall F18	Revision A	yes	SEP/2015	Desktop	6.0.3 or higher 6.1.1 or higher	4 x 10/100/1000 RJ45
Barracuda NG Firewall F80	Revision A	yes	SEP/2015	Desktop	6.0.3 or higher 6.1.1 or higher	4 x 10/100/1000 RJ45 WiFi 802.11 b/g
Barracuda NG Firewall F100	Revision B	yes	EoS DEC/2015	Desktop	5.2.x or higher	4 x 10/100/1000 RJ45
Barracuda NG Firewall F101	Revision B	yes	EoS DEC/2015	Desktop		4 x 10/100/1000 RJ45 WiFi 802.11 b/g

Barracuda NG Firewall F180	Revision A	yes	SEP/2015	Desktop	6.0.3 or higher 6.1.1 or higher	6 x 10/100/1000 RJ45 internal 8 port switch as port 7 WiFi 802.11 b/g
Barracuda NG Firewall F200	Revision C	yes	EoS DEC/2015	Desktop		4 x 10/100/1000 RJ45
Barracuda NG Firewall F201	Revision C	yes	EoS DEC/2015	Desktop		4 x 10/100/1000 RJ45 WiFi 802.11 b/g
Barracuda NG Firewall F280	Revision B	yes	SEP/2015	Desktop	6.0.3 or higher 6.1.1 or higher	6 x 10/100/1000 RJ45 internal 8 port switch as port 7 WiFi 802.11 b/g
	Revision A	yes	EoS	Desktop		4 x 10/100/1000 RJ45
Barracuda NG Firewall F300	Revision B	yes	EoS	1U Rackmount		4 x 10/100/1000 RJ45 4 x 10/100 RJ45
Barracuda NG Firewall F301	Revision B	yes	EoS	1U Rackmount	5.2.x or higher	4 x 10/100/1000 RJ45 4 x 10/100 RJ45 WiFi 802.11 b/g
Barracuda NG Firewall F380	Revision A	yes	JULY/2014	1U Rackmount	5.4.2 or higher	8 x 10/100/1000 RJ45
Barracuda NG Firewall F400	Revision B	yes	DEC/2012	1U Rackmount	5.2.6 or higher	8 x 10/100/1000 RJ45

Barracuda NG Firewall F600	Revision C	yes	MAY/2013	1U Rackmount	5.2.7 or higher 5.4.1 or higher	C10/20:12 x 10/100/1000 RJ45 F10/20: 8 x 10/100/1000 RJ45 4 x 1 GbE Fibre SFP E20: 8 x 10/100/1000 RJ45 2 x 10 GbE Fibre SFP+
Barracuda NG Firewall F800	Revision C	yes	MAY/2017	1U Rackmount	• 6.0.6 or higher • 6.1.4 or higher • 6.2.2 or higher • 7.0.1 or higher	Model CCC • 24x 1GbE Copper Model CFF • 16x 1GbE Copper • 8x 1GbE SFP Model CCE • 16x 1GbE Copper • 4x10 GbE SFP+
Barracuda NG Firewall F900	Revision B	yes	DEC/2016	1U Rackmount	• 6.0.6 or higher • 6.1.4 or higher • 6.2.2 or higher • 7.0.1 or higher	Model CCC • 32x 1GbE Copper Model CCE • 16x 1GbE Copper • 8x 10GbE SFP+ Model CFE • 8x 1GbE Copper • 8x 1GbE SFP • 8x 10GbE SFP+
Barracuda NG Firewall F1000	Revision A	yes	OCT/2014	2U Rackmount	5.4.5 or higher 6.0.0 or higher	1 x 10/100/1000 RJ45 (MGMT) CE0: 16x1 GbE RJ45 and 4x10GbE SFP+ Fiber CE2: 32x1GbE RJ45 Copper and 8x10GbE SFP+ Fiber CFE: 16x1GbE RJ45 Copper16x1GbE SFP Fiberand 8x10GbE SFP+ Fiber
Barracuda NG Control Center C400	Revision A	yes	MAR/2010	1U Rackmount		2 x 10/100/1000 RJ45

Barracuda NG Control Center C610	Revision A	yes	MAR/2010	2U Rackmount		2 x 10/100/1000 RJ45

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.