

Step 3 - Set Up Barracuda PST Enterprise

<https://campus.barracuda.com/doc/42042441/>


This article refers to the Barracuda PST Enterprise version 3.1 or higher. Before configuring Barracuda PST Enterprise, complete [Step 2 - Install Barracuda PST Enterprise](#).

If you are upgrading PST Enterprise, see [Upgrading PST Enterprise](#) for additional setup steps.

Step 1. Launch PST Enterprise Administration Website

To launch the Barracuda PST Enterprise website, on the PST Enterprise server, go to **Start > All Programs > PST Enterprise**. You will need to login as a user who is a member of the PSTEnterpriseUsers group. By default, the installing user is a member of this group.

The Barracuda PST Enterprise Help page displays upon initial launch:



To view this page at a subsequent launch, click **View Help** at the top of any page in the web interface. This page explains how to deploy the PST Enterprise Client to machines you wish to scan and process PST files on. The PST Enterprise Client must be run in order for PST files to be processed (see **Step 4. Global Configuration** below). See [How to Deploy the PST Enterprise Client](#) for further information.

Step 2. Licensing

PST Enterprise installs with an evaluation licence for 30 days for 5 mailboxes. If you have purchased PST Enterprise and have received your licence file, you can apply your full licence following the process on [Licensing](#).

Step 3. Client Configuration

Before running the PST Enterprise Client to start discovering and processing PST files, review the [Client Configuration](#) as this dictates the behavior of the Client in particular where it searches for PST files.

Step 4. Global Configuration

Review the [Global Configuration](#) settings, in particular setting the desired Ownership determination and applying the [receive connector permissions](#) for the PST Enterprise service account so it can send the System Health report.

Step 5. PST Enterprise Client Deployment

The PST Enterprise Client must be run in order for PST files to be processed. Follow [How to Deploy the PST Enterprise Client](#) to start discovering PST files.

Step 6. Install Additional PST Enterprise Copy Agent Servers (Optional)

To install any additional Copy Agent servers for running copy or move PST policies, see [How to Install Additional PST Enterprise Copy Agent Servers](#).

Step 7. Policy Definitions

Create suitable policies to assign to the PST files on the [Policy Definitions](#).

Step 8. Review Discovered PST Files

Once the PST Enterprise Client is deployed, discovered PST files are reported in the [Assigned PSTs](#) and [Unassigned PSTs](#) tabs. You can then [assign a policy](#) to these PST files to process the data.

Figures

1. image2015-10-14 10:57:59.png

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.