


Audit Server Page

<https://campus.barracuda.com/doc/43222859/>

Use the **Audit Server** page to specify the server running the ArchiveOne Audit service:



The screenshot shows a dialog box titled "Audit Server" with a close button (X) in the top right corner. The main text reads: "Select the server that you want to use to capture all auditing information. By default this will be the server where ArchiveOne is installed." Below this is a note: "Note: If you have more than one ArchiveOne server and you want to combine all your auditing together, then choose one of them as your audit server and enter its name below." There is a label "Use this server for auditing" followed by a text input field containing "OS-FULL". Below the input field is a checkbox labeled "Use SSL to connect to the above audit server (you will also need to manually configure the Audit WebService to use SSL from within IIS on the above server)". At the bottom of the dialog are four buttons: "< Back", "Next >", "Cancel", and "Help".

You can change this setting if you have multiple ArchiveOne installations and want to use the same audit service for each. For more information, refer to [Advanced Auditing](#).

Figures

1. audit_server.png

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.