

Step 2 - Configure the Yosemite Server Backup Domain

https://campus.barracuda.com/doc/43223720/

To configure the backup domain, select **Domain Configuration** from the **File** menu. This command displays the **Properties of Yosemite Server Backup Domain** window for the domain. Select the particular property page you want to configure.

Set the Admin Password

Here is a short video about setting the admin password:



Yosemite Server Backup launches immediately once installation is complete on the master server. While an admin password is not required, it can provide additional data protection by limiting access to the backup domain Administrator.

- 1. Launch Yosemite Server Backup Administrator.
- 2. Select File > Domain Configuration.
- 3. In the navigation bar, click **Domain Security**.
- 4. Select Enable advanced domain security and click OK,
- 5. Expand the **Advanced** link in the navigation bar and click **Security**.
- 6. Right-click the **Admin** icon and select **Change Password**.
- 7. Leave the **Old password** field empty and enter a new password in the **New password** and **Verify password** fields.
- 8. Click OK.

Configure E-mail Settings

Jobs can be configured to automatically email logs to the job owner upon completion. Before Yosemite Server Backup can email logs, the service must be configured to use an email server. To configure Yosemite Server Backup to email job logs



- 1. Select **File > Domain Configuration**.
- 2. In the navigation pane, click **Email Settings**.
- 3. In the **Server address** text box, enter the host name or IP address of the mail server.
- 4. In the **Server port** text box, enter the SMTP port number. The default number is 25. If you are using a proxy server, you may need to enter a different port number.
- 5. In the **From address** text box, enter the email address of the job owner.
- 6. Select the job types that you want to send email alerts and notifications.

Backup jobs	Restore jobs	Copy jobs	Verify jobs	Device commands
Send logs	Send logs	Send logs	Send logs	Send logs
Send alerts	Send alerts	Send alerts	Send alerts	Send alerts

- 7. Select the number of minutes to wait before sending alerts.
- 8. Select **Send in HTML** if you want email to be formatted in HTML.
- 9. In the **Default domain recipients** text box, enter the email addresses of recipients to whom you want email alerts sent.

Configure Performance Settings

Performance settings can be configured to optimize resources consumed by Yosemite Server Backup.

Option	Description
Max number of	Controls how many clients can be started for all active backup jobs in the Backup Domain. This option is used to prevent packet loss from occurring if data is transmitted over a network with limited available bandwidth.
active selection	Controls how many hosts can build their selection list for all active backup jobs in the Backup Domain. This is used to limit use of the database and keep it responsive for active jobs.

Configure Alert Settings

By default, all alerts are logged. You can control the types of alerts that are logged in the operating system's event log by selecting the boxes next to **Error**, **Warning**, **Information**, or **License**. Barracuda Networks strongly recommend that you log **Error** and **Warning** alerts. An Alert button in the lower right corner of the status bar flashes when an alert is generated that requires attention.

Туре	Description
	An event has prevented a job from completing. For example, if there is no media in a backup device, Yosemite Server Backup generates an alert.
Warning	Indicates that a limitation is about to be reached,



Information	Provides non-critical information about system status.
IIICANCA	Indicates that the terms of a license agreement have been exceeded or that a license is about to expire,

Configure Domain Security

Yosemite Server Backup supports rich user, group and permission-based security policies. Contact Technical Support for more information. When Yosemite Server Backup is first installed, these features are disabled. The Administrator will not require a password to log in.

Warning

When security is disabled, anyone using the Administrator can gain access to your data. To prevent unauthorized access, turn on security and set a password for the **Admin** user.

Options	Description
Enable advanced domain security	Allows creation of users, enhancement of passwords, and the ability to set permissions for various objects. When enabled, Administrator displays a login screen at startup. All object property pages include an additional page, Permissions , and the Logon Controls properties of Users and Groups are enabled.
log in from remote	Allows remote login without a password; may allow unauthorized access to data. Disabling this option allows login from Master Server without a password.

Setting a User Password

When security is enabled, a new view, **Security**, appears under the **Advanced** link in the **Navigation** pane. Clicking it displays a list of Users and Groups. The system comes preconfigured with one User, **Admin**, and one Group, **Everyone**. To set a password for a user, select the user and click the **Change Password** command in the command bar. For many users, simply setting a password on the Admin user is sufficient to meet their security needs.

For more details about logon control properties, contact Technical Support.

Yosemite Server Backup



© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.