

Job Log Options

<https://campus.barracuda.com/doc/43224996/>

Yosemite Server Backup keeps a log of which files it processes while running a job. In addition to viewing the job log from the Status and Logs view, you can configure the job to e-mail it automatically to a designated e-mail address or save the log to a file for later viewing.

Log Type

Yosemite Server Backup has several different levels of logging control to communicate what was protected in a job.

Option	Description
Log only failed (default)	This setting will log only files that could not be backed up because of some failure.
Log only failed and not attempted	This setting is log files that could not be backed up because of a failure or because the machine hosting the file was offline or because the job was cancelled.
Log only completed	This setting logs only the files that were successfully protected.
Log all	This setting will log all files the job works on. Using this setting will generate a lot of log entries and can affect the length of the backup process.
None	This setting is not recommended. However, using it can speed up the backup process.

Log File Formats

Yosemite Server Backup can generate several file types. Select the log format that works best for you.

Format	Description
HTML	Choose this file type to save log files as fully formatted HTML files. These files can be read by most Internet browsers.
XML	Choose this file to save the log files as well-formed XML documents. These files can be read by most Internet browsers.
Excel CSV	Choose this file type to save the log files in a format that can be opened in Microsoft Excel. CSV stands for Comma Separated Value. The information saved to a file formatted for Excel CSV will display in columns and rows.
Plain Text	Choose this file type to save the log files in a format that can be read by any text editor.

Save Log to a File

- **Log Format** – Choose a format from the drop down list.
- **Log will be saved to this file** – Yosemite Server Backup lets you select a file in which to store the job logs. Click the **Browse** button to select a file. Yosemite Server Backup always saves a copy of the log in the catalog in addition to the settings you choose here.

E-mail log

- **Log Format** – Choose a format from the drop down list.
- **Log will be sent to** – Yosemite Server Backup lets you e-mail logs to one or more recipients. Enter a list of recipients separated by semicolons.

Auditing

In some cases, you may want positive confirmation that an object—such as a database—was backed up but you do not want to wade through the log file generated by selecting **Log All**. You can accomplish this by setting the **Audit** property on the object when you select it for backup. Simply locate the object in the **Selection** page of the job properties, right-click on the object, select **Properties**, and then select the **Enable Audit** box on the property page. By default, all Exchange and SQL databases are audited.

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.