

CC Sessions Page

<https://campus.barracuda.com/doc/43847256/>

The **Sessions** page lists open supervising sessions on administered Barracuda NG Firewall boxes. To access the Barracuda NG Control Center **Sessions** page, open the **CONTROL** tab and click the **Sessions** icon in the ribbon bar.

In this article:

Information Display

The data displayed on the **Sessions** page is similar to the information shown on each Barracuda NG Firewall (see: [Sessions Page](#)).

Filter Section →

Filter Icon ↑

Box	Cluster	Range ID	Service	IP	Info	Service Name	Peer	Admin	Start	PID
BO2-1	BranchOffice2	1		10.0.10...		box_login	0.0.0.0	root	317 d	3567
BO2-NG1	BranchOffice2	1		10.0.11...		boxconfig	10.0.10...	master	57 d	1155
BO2-NG1	BranchOffice3-4	1		10.0.11...	Branch Office 2	mamaccess:4...	10.0.10...	-	2 d	16127
BO2-NG1	BranchOffice3-4	1		10.0.11...	Branch Office 2	NGAdmin	10.0.10...	root	2 d	9752
DeployTest	DocHQ	1		10.0.10...		box_control	10.0.10...	mzoller	118 d	12496
DeployTest	DocHQ	1		10.0.10...		mamaccess:2...	10.0.10...	-	118 d	5964

List Display →

List Display

On the **Sessions** page, the listing is divided into the following columns:

- **Box** - The name of the Barracuda NG Firewall.
- **Cluster** - The name of the cluster the box resides in.
- **Range ID** - The name of the range that cluster and box belong to.
- **Service** - The following icons describe the service responsible for the session:
 - **Firewall** - Firewall control session (Service firewall_).
 - **User Login** - Login session.
 - **Blue Firewall Locked** - VPN session (Service VPN-Service_*vpn).
 - **Clock** - Log viewer session (Service box_logd).

- **Stats Green Tick** - Statistics viewer session (Service box_qstatd).
- **Red Circle Square** - Box control session (Service box_control).
- **Clog Wheel** - Barracuda NG Admin session (Service phiona).
- **Clog Wheel** - Indicates a sync operation.
- **IP** - The IP address of the Barracuda NG Firewall.
- **Info** - The optional box description as inserted into the **Description** field of the Box Config file.
- **Service Name** - The name of the service that has been accessed.
- **Peer** - The IP address from where the session was started.
- **Admin** - The name of the administrative account that has logged in.
- **Start** - The period that has passed since the session started.
- **PID** - The internal, unique process ID.

Double-clicking an entry opens a detail window summarizing all available information regarding the specific session.

The **Sessions** tab does not display configuration sessions, which, for example, are produced by locking configuration nodes. To find out about active configuration sessions, go to the [Config](#) section.

Filter Section

The filter section is accessible by clicking the filter icon on the top right of the page. Here you can filter the list entries by license, box, cluster, range ID, or by other information. The filter is applied as soon as you click the list. To remove filter settings, click the **Reset** (red cross) icon.

Context Menu

Right-clicking on a session opens the context menu, which provides the following options:

- **Refresh** - Refreshes the session display.
- **Kill Session** - Clicking this button terminates the selected session.
- **Arrange by Icons** - Lets you select the information details to be displayed on the page.
- **Tools** - Opens a selection that lets you export the list.

Figures

1. cc_sessions.png

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.