

Trusted Hosts

https://campus.barracuda.com/doc/45026241/

A trusted host group can be created with a set of trusted hosts, which can be associated with the service to enforce action for the trusted hosts.

For more information on trusted hosts, see <u>How to Configure Trusted Hosts</u> .

Creating a Trusted Host Group

URL: /v1/ trusted_host_groups						
Method: POST						
Description : Creates a trusted host group with the given name.						
Parameter Name	Data Type	Mandatory	Description			
	_ zata iype	Manuator y	Description			
Input Parameters:		Mandatory	Description			

Example:

Request:

curl http://192.168.0.1:8000/restapi/v1/trusted_host_groups -u 'eyJldCl6mFkbWluIn0=\n:' -X POST -H Content-Type:application/json -d '{"name":"Group1"}'

Response:

{"id":"Group1","token":"eyJldCWluIn0=\n"}

Deleting a Trusted Host Group

URL: /v1/ trusted_host_groups/{trusted_host_group_name}

Method: DELETE

Description: Deletes the given service group

Example:

<u>Trusted Hosts</u> 1/5



Request:

curl http://192.168.0.1:8000/restapi/v1/trusted_host_groups/Group1 -u 'eyJldkbWluIn0=\n:' -X DELETE

Response:

{"msg":"Successfully deleted","token":"eyJldbWluIn0=\n"}

Adding a Trusted Host Group

<pre>URL: /v1/ trusted_host_groups/{trusted_host_group_name}/trusted_hosts</pre>						
Method: POST						
Description : Creates a trusted host with the given name.						
Parameter Name	Data Type	Mandatory	Description			
Input Parameters:						
name	Alphanumeric	Yes	Name for the trusted host.			
address_version	Enumeration	Yes	Internet protocol version for the trusted host.			
ip_address	Alphanumeric	Yes	IP address of the trusted host.			
mask	Alphanumeric	Yes	Associated subnet mask.			
comments	Alphanumeric	Optional	Description about the trusted host.			

Example:

Request:

curl http://192.168.0.1:8000/restapi/v1/trusted_host_groups/Group1/trusted_hosts -u 'eyJldCluIn0=\n:' -X POST -H Content-Type:application/json -d '{"name":"Host1", "ip_address":"99.99.124.56", "address_version":"ipv4", "mask":"255.255.255.255", "comments":"raj"}'

Response:

{"id":"Host1","token":"eyJldWluIn0=\n"}

Updating a Trusted Host

<u>Trusted Hosts</u> 2 / 5



URL : /v1/ trusted_host_groups/{trusted_host_group_name}/trusted_hosts/(trusted_host_name)							
Method: PUT							
Description : Updates the values of given parameters.							
Parameter Name	Data Type	Mandatory	Description				
Input Parameters:							
ip_address	Alphanumeric	Optional	IP address of the trusted host.				
mask	Alphanumeric	Optional	Associated subnet mask.				
comments	Alphanumeric	Optional	Description about the trusted host.				

Example:

Request:

curl http://192.168.0.1:8000/restapi/v1/trusted_host_groups/Group1/trusted_hosts/Host1 -u 'eyJldCln0=\n:' -X PUT -H Content-Type:application/json -d '{"ip_address":"99.99.107.69", "mask":"255.255.0.0"}'

Response:

{"id":"Host1","token":"eyJldCWluIn0=\n"}

Deleting a Trusted Host

<pre>URL: /v1/ trusted_host_groups/{trusted_host_group_name}/trusted_hosts/(trusted_host_name)</pre>							
Method: DELETE							
Description : Deletes the given trusted host.							
Parameter Name	Data Type	Mandatory	Description				
Input Parameters:							
ip_address	Alphanumeric	Optional	IP address of the trusted host.				
mask	Alphanumeric	Optional	Associated subnet mask.				
comments	Alphanumeric	Optional	Description about the trusted host.				

Example:

Request:

<u>Trusted Hosts</u> 3 / 5

Barracuda Web Application Firewall



 $curl\ http://192.168.0.1:8000/restapi/v1/trusted_host_groups/group1/trusted_hosts/Host1-u-leyJldCl6ljEluIn0=\n:'-X\ DELETE$

Response:

 $\label{locality} \begin{tabular}{ll} \begin{$

<u>Trusted Hosts</u> 4 / 5

Barracuda Web Application Firewall



© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

<u>Trusted Hosts</u> 5 / 5