
Mail Gateway Configuration

<https://campus.barracuda.com/doc/46209174/>

The following article section provides step-by-step information on how to configure the Barracuda NextGen Firewall F-Series mail gateway service. To enable the mail gateway service you already need to have a server installed on your Barracuda NextGen Firewall F-Series box. To install the Barracuda NextGen Firewall F-Series mail gateway service, follow the steps described in the article: [How to Configure Services](#). The mail gateway service generates three log files, which can be viewed in the **Logs** interface:

- **servicename** - This file contains the general logging data of the mail gateway service.
- **pop3** - This file belongs to the POP3 scanner and is only generated when POP3 scanning is set to enabled.
- **qspool** - This file records transactions processed between the configuration and monitoring areas of the mail gateway service and the graphical administration tool Barracuda NextGen Admin.

In this Section

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.