


## Resources Page

<https://campus.barracuda.com/doc/46209176/>

The **Resources** page provides information about active processes on the Barracuda NextGen Firewall F-Series, such as the machine uptime, number of logged-in-users, load average, and memory usage. To access the **Resources** page, open the **CONTROL** tab on the Barracuda NextGen Firewall F-Series and click the **Resources** icon in the ribbon bar.



Name	Proc	%CPU	Num FD	Memory	Shared	Listen	Establ.	UDP	Syn Sent
TOTAL	209	10	3655	10191016	320536	71	38	98	0
VIRT1_HQDNS	2	0	44	62696	3320	11	0	10	0
VIRT1_HQDYN	3	0	19	25468	1732	2	2	0	0
VIRT1_HQFW1	1	0	3	103056	4256	0	0	0	0
VIRT1_HQMAIL	1	0	4	11056	4948	0	0	0	0
VIRT1_HQRLY	1	0	4	8948	3316	0	0	0	0
VIRT1_HQURL	2	0	13	142728	6060	0	0	2	0
VIRT1_HQVIR	2	1	28	469640	8404	2	0	1	0
VIRT1_HQVPN	8	0	92	1847856	15976	5	0	7	0
VIRT1_acs	2	0	19	96360	6044	4	0	0	0
acpfd	1	0	0	0	0	0	0	0	0

Resource information details are displayed in two sections: the processes section on the left and the system section on the right.

### Processes Section

The processes section displays all active processes on the Barracuda NextGen Firewall F-Series. The average load values are displayed at the top of the page.

Three average load values are provided:

- **First value** – Average load within the last minute.
- **Second value** – Average load within the last five minutes.
- **Third value** – Average load within the last fifteen minutes.

The **Processes** table shows information about active processes. You can also view detailed information about a selected entry and track each task to a single process.

Information for each process or process group is organized in the following columns:

- **Name** – The name of the process.

Memory usage is illustrated graphically by a status bar. Throughout the first section, 0 < memory < 70% the bar is green, for 70 %, memory < 90 % the bar is yellow, and for

memory 90 % the bar is red. The memory status affects the overall status of the processes view.

- **Proc** - The number of processes with the same name.
- **%CPU** - The percentage of CPU load that is used.
- **Num FD** - The number of file descriptors used by processes with this name.
- **Memory** - The amount of memory (in kB) that is used exclusively by processes with this name.
- **Shared** - Shared memory in kB used by processes with this name.
- **Listen** - The number of listening TCP sockets owned by processes with this name.
- **Establ.** - The number of established sockets owned by processes with this name.
- **UDP** - The number of UDP sockets owned by processes with this name.
- **Syn Sent** - The number of unanswered SYN packets sent by processes with this name / the number of unanswered SYN packets for which the time out has not yet expired.
- **Close** - The number of sockets owned by processes with this name.
- **Last ACK** - The number of sockets in state LAST\_ACK owned by processes with this name.

### Viewing Process Details

To view information about the system hardware, such as the mainboard, CPU, and PCI interfaces, click the **Mainboard Info** button on the top right of the list. To view more in-depth information about a process, select it from the table and click **Show Details**. The **Info Dialog** window opens with the following information about the selected process:

- The process IDs of all processes with the same name.
- Detailed list of all open files.
- The IP addresses and ports of listening TCP sockets.
- The local IP:port and remote IP:port combinations of all established sockets.
- The IP addresses and ports of UDP sockets.



---

## Tracking Tasks by PID

To track each task to a single process, click the **Single PID** check box. In the table, each process name is followed by its PID. This can be helpful for tasks such as ssh, which fork one process for each connection, or for the firewall processes.

## System Section

---

The system section displays the usage of RAM and disk space in real-time. For hardware systems, you can also view the temperature and fan speed. (CD-ROMs and floppy disks are not displayed.)

The following information is provided:

- **CPU** – Displays the current CPU load of the Barracuda NextGen Firewall F-Series.
- **Disk Space** – Displays real-time usage of all currently mounted file systems. Each file system is identified by its mount point. In a default installation of the Barracuda NextGen Firewall F-Series, at least the following file systems should be present:
  - / – Root directory.
  - **/boot** – Directory for boot images (usually located at the beginning of a disk).
  - **/phion0** – Directory for logs and statistical data.
- **RAM** – Displays the real-time usage of RAM.
- **Temperature** – Displays the temperature of the mainboard and CPU.
- **Fan Speed** – Displays the speed of the chassis fan.

## Figures

1. res\_page.png
2. res\_page\_02.png

© Barracuda Networks Inc., 2021 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.