

Barracuda Message Archiver Data Transfer IP Ranges

<https://campus.barracuda.com/doc/46894738/>

While it is not recommended practice, some networks may require that you lock down IP addresses/ranges per service. The following sections list the IP addresses used by the Barracuda Message Archiver. Firewall modifications must be made for outbound traffic only. The Barracuda Message Archiver does not require that you open any inbound ports since the appliance initiates the connection to our cloud.

The IP address ranges in the following lists are subject to change without notice. If this occurs, the Barracuda Message Archiver stops seeding data to the cloud.

You must open outbound ports to enable communication with AWS. Refer to this [AWS article](#) for a complete list of AWS IPs or use the [following list below](#) for the specific IPs that the Barracuda Message Archiver utilizes. See also [Barracuda Message Archiver Data Transfer IP Ranges FAQ](#).

Note: Ensure that you do not remove any of the current IPs you have set up for outbound ACLs.

AWS Open Outbound Ports: 1194 (TCP/UDP), 5120-5129 (TCP/UDP), 80, 443

US (us-east-2)

- 3.145.244.16/28

Canada (ca-central-1)

- 15.156.150.240/28

APAC China, APAC Australia, and Japan (ap-southeast-2)

- 3.27.87.192/28

Europe (eu-central-1)

- 3.77.79.144/28

United Kingdom (eu-west-2)

- 13.42.133.144/28

Open Outbound Ports: 80, 443 (TCP)

- 216.129.105.129/32
- 205.158.110.60/32
- 204.156.124.128/32
- 212.118.243.148/32
- 204.14.15.41/32
- 206.180.126.10/32
- 209.18.50.242/32
- 69.7.235.214/32
- 216.162.80.57/32

Open Outbound Ports: 1194 (TCP/UDP), 5120-5129 (TCP/UDP), 80, 443

USA

- 64.235.144.0/20
- 209.124.61.96/27
- 209.222.80.0/21

Canada

- 64.235.144.0/20
- 204.156.124.0/22
- 198.207.201.64/26

EMEA United Kingdom

- 64.235.144.0/20
- 64.235.158.0/24

EMEA Germany

- 64.113.52.0/24

APAC China

- 64.235.144.0/20
- 123.125.149.192/26

APAC Australia

- 175.45.106.0/24

Japan

- 124.35.43.160/29

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.