
Spam Filter Database Archiving and Updating

<https://campus.barracuda.com/doc/48202813/>

Because the SpamAssassin database may grow to a non-assessable size, it is not included in PAR files. If required, you must manually archive it. This article describes how to archive and update the database.

Archiving the Database on a Single Box

To archive the database, you can create a backup of the `/var/phion/preserve/spamd/<server_servicename>/root` directory.

Because of the highly dynamic behavior of SpamAssassin, it is not recommended that you restore the archived database (for example, after a crash recovery).

Barracuda Networks recommends that you create a backup of the training environment (the messages in the SPAM, HAM and FORGET folders). In a new setup, the spam filter may then be retrained with the original files. This method provides additional security because the service does not need to be stopped and restarted for archiving - the database takes care of the updating and restoring procedure.

Updating the Database on the HA Partner

To update the database in an HA setup, copy the contents of the `/var/phion/preserve/spamd/<server_servicename>/root` folder from the primary unit to the HA unit.

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.