

## Command Line Examples For Deploying the Barracuda WSA With EXE Installer

<https://campus.barracuda.com/doc/68354071/>

This article applies to installing the Barracuda WSA using the Barracuda Web Security Service. Note that the Barracuda WSA uses a Service Host URL provided on the **SUPPORT** tab of the Barracuda Web Security Service Manager. To find the **SERVICE\_URL** value for the .mst installation file, log into the Barracuda Web Security Service Manager, select the **SUPPORT** tab, and retrieve the **Service Host URL**.

Follow examples in the table below to install the Barracuda WSA from the command line of a Windows PC or laptop, or for use in a batch (.bat) file or GPO. See [Configuration Options for the Barracuda Web Security Agent](#) for a list of Barracuda WSA installation options.

### Command Line Examples with EXE Installer

File Type	Example command (type all on one line)	Comments
.exe	BarracudaWSASetup.exe /s /v" /qb SERVICE_MODE=1 AUTH_KEY=1111111111111111 SERVICE_URL=ple1.proxy.purewire.com SERVICE_PORT=8080	/qb: Shows the basic web interface installation boxes.
	BarracudaWSASetup.exe /s /v" /qn /lvmo SERVICE_MODE=1 AUTH_KEY=1111111111111111 SERVICE_URL=ple1.proxy.purewire.com SERVICE_PORT=8080	/qn: Doesn't show web interface installation boxes. /lvmo denotes level of logging. <sup>(1)</sup>
	BarracudaWSASetup.exe /s /v" /qn SERVICE_MODE=1 AUTH_KEY=1111111111111111 SERVICE_URL=ple1.proxy.purewire.com SERVICE_PORT=8080 USER_MODE=1	/qn: Doesn't show web interface installation boxes. USER_MODE=1: Doesn't show the icon in system tray (silent operation).
	BarracudaWSASetup.exe /v" /qn SERVICE_MODE=1 AUTH_KEY=1111111111111111 SERVICE_URL=ple1.proxy.purewire.com SERVICE_PORT=8080	/qn: Doesn't show web interface installation boxes. Removing /s makes the InstallShield Wizard come up and show the "preparing to install" process. The wizard closes automatically.

	<pre>BarracudaWSASetup.exe /s /v"/lvmo \setup.log /qn AUTH_KEY=122334455667 ALLOW_REMOVE=1 EXCEPTIONS=chrome.exe safari.exe APPLICATIONS=explorer.exe firefox.exe BYPASS=11.11.11.0;*.purewire.com;192.168.* ADS=1 PASSWORD=pass"</pre>	<p>./lvmo sets the level of logging; this example writes a log file to the setup directory called <b>setup.log</b>.</p>
--	---	---

<sup>(1)</sup> **Note: See Windows InstallShield (.exe) documentation for information about command line options.**

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.