

Config.remove

<https://campus.barracuda.com/doc/76285054/>

Use this method to remove the given value(s) from the list variable. This will not remove values from tied variables. For removing values from tied variables, use the config.delete method.

Parameters Allowed

The following parameters are used by the config.remove method and should be provided as part of the request XML in the HTTP POST request:

- **password** – A required parameter which the API uses to authenticate access to a page and which is set by your administrator.
- **parent_type** – A required parameter that tells the API about the class/scope of the parent container.
- **parent_path** – A required parameter which is the qualified name of a parent object.
- **variable** – A required parameter that specifies the variable for which values should be removed.
- **values** – A required parameter specifying a list of values to be removed.

Example: Removing values from a variable under global scope

Removes host/domain name values 'mytrustedrelay1.com' and 'mytrustedrelay2.com' from the mta_trusted_relay_host list. These **Trusted Relay Host/Domain** names are added or deleted on the **ADVANCED > Outbound** page in the web interface and represent trusted relays on the Barracuda Email Security Gateway.

Arguments

- parent_type: 'global',
- parent_path: ''
- variable: 'mta_trusted_relay_host'
- values: ['mytrustedrelay1.com', 'mytrustedrelay2.com']

Sample Request

```
<?xml version="1.0" encoding="UTF8"?>
<methodCall>
  <methodName>config.remove</methodName>
  <params>
```

```
<param>
<value>
<struct>
<member>
<name>parent_type</name>
<value>
<string>
<![CDATA[global]]>
</string>
</value>
</member>
<member>
<name>variable</name>
<value>
<string>
<![CDATA[mta_trusted_relay_host]]>
</string>
</value>
</member>
<member>
<name>values</name>
<value>
<array>
<data>
<value>
<string>
<![CDATA[mytrustedrelay1.com]]>
</string>
</value>
<value>
<string>
<![CDATA[mytrustedrelay2.com]]>
</string>
</value>
</data>
</array>
</value>
</member>
<member>
<name>parent_path</name>
<value>
<string></string>
</value>
</member>
</struct>
</value>
```

```
</param>
</params>
</methodCall>
```

Response

```
OK <?xml version="1.0" encoding="UTF8"?>
<methodResponse>
<params>
<param>
<value>
<struct>
<member>
<name>Result</name>
<value>
<string>
<![CDATA[200: OK]]>
</string>
</value>
</member>
</struct>
</value>
</param>
</params>
</methodResponse>
```

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.