

## User.list

<https://campus.barracuda.com/doc/76285066/>

This method simply lists all the user accounts currently on the system.

### Parameters Allowed

The following variable should be provided as part of the request XML in the HTTP POST request:

- **password** - A required parameter which the API uses to authenticate access to a page and which is set by your administrator.

### Sample Request

```
<?xml version="1.0" encoding="UTF8"?>
<methodCall>
  <methodName>user.list</methodName>
  <params>
    <param>
      <value>
        <struct/>
      </value>
    </param>
  </params>
</methodCall>
```

### Response

```
OK <?xml version="1.0" encoding="UTF8"?>
<methodResponse>
  <params>
    <param>
      <value>
        <array>
          <data>
            <value>
              <string>
                <![CDATA[test@xyz.com]]>
              </string>
            </value>
            <value>
              <string>
                <![CDATA[test@thisdomain.net]]>
              </string>
            </value>
          </data>
        </array>
      </value>
    </param>
  </params>
</methodResponse>
```

```
</string>
</value>
</data>
</array>
</value>
</param>
</params>
</methodResponse>
```

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.