

User.update_pref

<https://campus.barracuda.com/doc/76285070/>

This method updates the preferences for the user account specified. The output of a successful call is a simple '200 OK'.

Parameters Allowed

The following variables are used by the user.update_pref method. These variables should be provided as part of the request XML in the HTTP POST request.

- **password** - A required parameter which the API uses to authenticate access to a page and which is set by your administrator.
- **domain** - A required parameter that specifies the user account whose preference is to be updated.

First, use the config.set method to set the user- specific variables for preferences, then use this method to update the preferences.

Arguments

user: test@abcd.com

Sample Request

```
<?xml version="1.0" encoding="UTF8"?>
<methodCall>
  <methodName>user.update_pref</methodName>
  <params>
    <param>
      <value>
        <struct>
          <member>
            <name>user</name>
            <value>
              <string>
                <![CDATA[test@abcd]]>
              </string>
            </value>
          </member>
        </struct>
      </value>
    </param>
  </params>
</methodCall>
```

```
    </value>  
  </member>  
</struct>  
</value>  
</param>  
</params>  
</methodCall>
```

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.