


## How to Configure Manual Connectivity to Azure Virtual WAN

<https://campus.barracuda.com/doc/78808339/>

Connecting Barracuda CloudGen Firewalls to a Microsoft Azure Virtual WAN hubs in a manual fassion, requires to configure two IPsec IKEv2 VPN tunnels with the respective BGP setup. The configuration provides robust and redundant connection by introducing two active-active and fully automated Azure Virtual WAN site creation on Microsoft Azure. The finished deployment allows full connectivity between branch-office sites and resources in Azure Virtual Networks via the Azure VPN Hub.



### Before you begin

- This configuration requires CloudGen Firewall 7.2 and hotfix-886 (Azure vWAN).
- Create a new or modify an existing Azure Service Principle to allow firewall connection to your Azure account and Virtual WAN.

### PowerShell Script to Create Azure VPN Gateway

Use this script to create your Azure VPN gateway with BGP routing.

```
$ResourceGroupName = 'YOUR_RESOURCE_GROUP_NAME '  
$Location = 'West Europe '  
$VNetName = 'YOUR_VNET_NAME '  
$SubNet = 'frontend '  
$GWSubName = 'GatewaySubnet '  
$VNetPrefix = '172.16.200.0/24 '  
$SubNetPrefix = '172.16.200.0/25 '  
$GWSubPrefix = '172.16.200.128/28 '
```

```
$VNet1ASN = 65513
$GWName = 'VNetGW'
$GWIP = 'VNetGWIP'
$GWIPconf = 'gwipconf'
$LNGFName = 'onpremise'
$LNGFPrefix = '172.16.201.227/32'
$LNGFIP = 'YOUR_ONPREMISES_PUBLIC_IP_ADDRESS'
$LNGFASN = 65514
$BGPPeerIP = '172.16.201.227'
$ConnectionName = 'AzureToHome'
$sharedKey='supersecretpassword'

# use 'Standard' or 'HighPerformance' VPN Gateway SKU for BGP over IKEv2
$GatewaySKU = 'HighPerformance'

Write-Host 'Creating Resource Group'
New-AzureRmResourceGroup -Location $Location -Name $RG

Write-Host 'Creating Virtual Networks and Subnets'
$gwip = New-AzureRmPublicIpAddress -Name $GWIP -ResourceGroupName $RG -
Location $Location -AllocationMethod Dynamic
$front = New-AzureRmVirtualNetworkSubnetConfig -Name $SubNet -AddressPrefix
$SubNetPrefix
$gwsubl = New-AzureRmVirtualNetworkSubnetConfig -Name $GWSubName -
AddressPrefix $GWSubPrefix
$vnet = New-AzureRmVirtualNetwork -Name $VNetName -ResourceGroupName $RG -
Location $Location -AddressPrefix $VNetPrefix -Subnet $front,$gwsubl
#$vnet = Get-AzureRmVirtualNetwork -Name $VNetName -ResourceGroupName $RG
$subnet1 = Get-AzureRmVirtualNetworkSubnetConfig -Name $GWSubName -
VirtualNetwork $vnet
$gwipconf = New-AzureRmVirtualNetworkGatewayIpConfig -Name $GWIPconf -Subnet
$subnet1 -PublicIpAddress $gwip

Write-Host 'Creating Azure VPN Gateway. This may take a long time...'
$vnetgw = New-AzureRmVirtualNetworkGateway -Name $GWName -ResourceGroupName
$RG -Location $Location -Ipconfigurations $gwipconf -GatewayType Vpn -VpnType
RouteBased -GatewaySku HighPerformance -Asn $VNet1ASN

$lnggw = New-AzureRmLocalNetworkGateway -Name $LNGName -ResourceGroupName $RG
-Location $Location -GatewayIpAddress $LNGIP -AddressPrefix $LNGPrefix -Asn
$LNGASN -BgpPeeringAddress $BGPPeerIP

Write-Host 'Waiting 10 seconds and then creating the VPN connection...'
Start-Sleep -Seconds 10

$vpnconnection = New-AzureRmVirtualNetworkGatewayConnection -Name
```

```

$ConnectionName -ResourceGroupName $RG -VirtualNetworkGateway1 $vnetgw -
LocalNetworkGateway2 $lmgw -Location $Location -ConnectionType IPsec -
SharedKey $sharedkey -EnableBgp $true

Write-Host 'Azure VPN created. Retrieving configuration information... '
Write-Host ('Public IP Address for the Azure VPN Gateway: {0}' -f (Get-
AzureRmPublicIpAddress -Name "VNetGWIP" -ResourceGroupName $RG).IpAddress )

$lmgw = Get-AzureRmLocalNetworkGateway -Name $LNGName -ResourceGroupName $RG
$vnetgw = Get-AzureRmVirtualNetworkGateway -Name $GWName -ResourceGroupName
$RG

# Retrieve required configuration settings
Write-Host "`nAzure VPN Gateway BGP Settings:"
Write-Host ("`tASN: {0}" -f $vnetgw.BgpSettings.Asn )
Write-Host ("`tBGP Peering Address: {0}" -f
$vnetgw.BgpSettings.BgpPeeringAddress )
Write-Host "`nOnpremises NextGen Firewall BGP Settings:"
Write-Host ("`tASN: {0}" -f $lmgw.BgpSettings.Asn )
Write-Host ("`tBGP Peering Address: {0}" -f
$lmgw.BgpSettings.BgpPeeringAddress )
Write-Host ("`nVPN Connection Status: " -f $vpnconnection.ConnectionStatus)

```

## Step 1. Create a Dynamic Microsoft Azure VPN Gateway Using Azure Resource Manager and PowerShell

Use Azure PowerShell to create a routed-based VPN gateway.

1. Open Azure PowerShell.
2. Connect to your Azure account:

```
Login-AzureRmAccount
```

3. Enter your Azure account credentials and click **Login**.
4. Edit the PowerShell script to create an Azure VPN Gateway to match your needs.
5. Execute the PowerShell script to create the Azure VPN Gateway.

```

PS C:\Users\mzoller\Documents\Azure> .\AzureVPNGatewayBGP.ps1

ResourceGroupName : DOC-VPNGW-BGP
Location           : westeurope
ProvisioningState  : Succeeded
Tags               :
ResourceId         : /subscriptions/bde58b49-9951-466e-90e2-592c0920ce77/resourceGroups/DOC-VPNGW-BGP

```

This operation requires between 30 and 60 minutes to complete.

6. Write down the public IP address of the Azure VPN Gateway and BGP information for the local and remote BGP peers from the output of the PowerShell script.

```

Name           : onpremise
Etag           : W/"475c7506-f09c-458c-8288-1bb8463cdb9f"
Id            : /subscriptions/bde58b49-9951-466e-90e2-592c0920ce77/

Waiting 10 seconds and then creating the VPN connection...
Created Azure VPN. Retrieving configuration information
Public IP Address for the Azure VPN Gateway: 52.174.232.81

Azure VPN Gateway BGP Settings:
ASN: 65020
BGP Peering Address: 172.16.200.142

Onpremises NextGen Firewall BGP Settings:
ASN: 65021
BGP Peering Address: 172.16.201.227

PS C:\Windows\system32>

```

## Step 2. (optional) Get the VPN Gateway Public IP Address and BGP Settings

If you did not use the script to retrieve the public IP address and BGP peers, it is also possible to retrieve this information via PowerShell:

1. Open Azure PowerShell
2. Get the IP address assigned to the VPN gateway:

```
Get-AzureRmPublicIpAddress -Name PUBLIC_IP_NAME -ResourceGroupName
YOUR_RESOURCE_GROUP_NAME
```

```

PS C:\Windows\system32> Get-AzureRmPublicIpAddress -Name "VNetGWIP" -ResourceGroupName $RG

Name           : VNetGWIP
ResourceGroupName : DOC-VPNGW-BGP
Location       : westeurope
Id            : /subscriptions/.../resourceGroups/...
Etag           : W/"36cdebb6-1a2a-4f6b-9371-ea1cbdc8254c"
ResourceGuid   : 032b8e07-8156-464a-9a2f-f6145249220f
ProvisioningState : Succeeded
Tags           :
PublicIpAllocationMethod : Dynamic
IpAddress      : 52.233.142.119
PublicIpAddressVersion : IPv4
IdleTimeoutInMinutes : 4
IpConfiguration : {
  "Id": "/subscriptions/.../resourceGroups/.../providers/Microsoft.Network/vpnGateways/gwipconf"
}
DnsSettings    : null

```

3. Get the BGP settings for the local VPN endpoint:

```
$lnggw = Get-AzureRmLocalNetworkGateway -Name LOCAL_GATEWAY_NAME -
ResourceGroupName YOUR_RESOURCE_GROUP_NAME
$lngw.BgpSettingsText
```

```
PS C:\Windows\system32> $lmgw = Get-AzureRmLocalNetworkGateway -Name $LNGName -ResourceGroupName $RG
PS C:\Windows\system32> $lmgw.BgpSettingsText
{
  "Asn": 65021,
  "BgpPeeringAddress": "172.16.201.227",
  "PeerWeight": 0
}
PS C:\Windows\system32> |
```


4. Get the BGP setting for the remote VPN endpoint:

```
$vnetgw = Get-AzureRmVirtualNetworkGateway -Name AZURE_VPN_GATEWAY_NAME
-ResourceGroupName YOUR_RESOURCE_GROUP_NAME
$vnetgw.BgpSettingsText
```

```
PS C:\Windows\system32> $vnetgw = Get-AzureRmVirtualNetworkGateway -Name $GWName -ResourceGroupName $RG
PS C:\Windows\system32> $vnetgw.BgpSettingsText
{
  "Asn": 65020,
  "BgpPeeringAddress": "172.16.200.142",
  "PeerWeight": 0
}
PS C:\Windows\system32> |
```

### Step 3. Create VPN Next Hop Interfaces

1. Go to **CONFIGURATION > Configuration Tree > Box > Virtual Servers > your virtual server > Assigned Services > VPN > VPN Settings**.
2. Click **Lock**.
3. Click **Click here for Server Settings**.
4. Click the **Advanced** tab.
5. Click **Add** in the **VPN Next Hop Interface Configuration** section.
  - o **VPN Interface Index** - Enter a number between 0 and 99. Each interface index number must be unique.
  - o **MTU** - Enter 1398.
  - o **IP Addresses** - Enter the **BgpPeeringAddress** for the local VPN endpoint retrieved in Step 2.



6. Click **OK**.
7. Click **Send Changes** and **Activate**.

### Step 4. Add the VPN Next Hop Interface IP Address to the Virtual Server IPs

1. Go to **CONFIGURATION > Configuration Tree > Box > Virtual Servers > Server Properties.**
2. Click **Lock.**
3. Click **+** to add an entry to the **Additional IP** table. The **Additional IP** window opens.
4. Add the local BGP peering IP address as a virtual server IP address:
  - o **Additional IP** - Enter the IP address for the BGP peering address for the local BGP neighbor retrieved in Step 2 without the subnet mask.
  - o **Reply to Ping** - Select **yes**.

Additional IP	<input type="text" value="172.16.201.227"/>	
Label	<input type="text" value="IP6"/>	
Reply to Ping	<input type="text" value="yes"/>	
Description	<input type="text"/>	

5. Click **OK.**
6. Click **Send Changes** and **Activate.**

The VPN next hop interface is now listed on the **CONTROL > Network** page.

Interface/IP	Label	Ping	MAC of duplicate IP	Info
mon.ath0				
p1. Speed=Unknown!, Duplex=Unknown! (255)				
p3				
p4. Speed=100Mb/s, Duplex=Full				
p5				
p6				
pvpn0				
s. Speed=1000Mb/s, Duplex=Full				
vpn 10				
vpn10				
172.16.201.227/23	S1	ok	-	
fe80::200:ff:fe00:0/64		ok	-	
wifi0				


### Step 5. Configure IPsec IKEv2 Site-to-Site VPN on the CloudGen Firewall

Configure a site-to-site IKEv2 VPN tunnel on the CloudGen Firewall. The firewall is configured as the active VPN endpoint.

1. Go to **CONFIGURATION > Configuration Tree > Box > Virtual Servers > your virtual**


**server > Assigned Services > VPN-Service > Site to Site .**

2. Click the **IPsec IKEv2 Tunnels** tab.
3. Click **Lock**.
4. Right-click the table and select **New IKEv2 tunnel**. The **IKEv2 Tunnel** window opens.
5. In the **IKEv2 Tunnel Name** field, enter your tunnel name .
6. Set **Initiates Tunnel** to **Yes**.




7. Configure the **Authentication** settings:
  - o **Authentication Method** - Select **Pre-shared key**.
  - o **Shared Secret** - Enter the passphrase you used to create the virtual network gateway connection.

The shared secret can consist of small and capital characters, numbers, and non alpha-numeric symbols, except the hash sign (#).




8. Configure the **Phase 1** encryption settings:
  - o **Encryption** - Select **AES-256**.
  - o **Hash Meth.** - Select **SHA**.
  - o **DH Group** - Select **Group 2**.
  - o **Proposal Handling** - Select **Negotiate**.
  - o **Lifetime** - Enter 28800.

9. Configure the **Phase 2** encryption settings:
  - o **Encryption** - Select **AES-256**.
  - o **Hash Meth.** - Select **SHA**.
  - o **DH Group** - Select **Disable PFS**.
  - o **Proposal Handling** - Select **Strict**.
  - o **Lifetime (seconds)** - Enter 3600.
  - o **Lifetime (KB)** - Enter 0.



10. In the **Network Settings** section, click the **Advanced** tab:
  - o **One VPN Tunnel per Subnet Pair** - Clear the check box.
  - o **Universal Traffic Selectors** - Select the check box.
  - o **Force UDP Encapsulation** - Clear the check box.
  - o **IKE Reauthentication** - Select the check box.

- **Next Hop Routing** – Enter the remote BGP peering address from Step 2.
- **Interface Index** – Enter the index of the VPN next hop interface created in Step 3.



**Network Settings**  
General **Advanced**

One VPN Tunnel per Subnet Pair   
  Force UDP Encapsulation   
 Next Hop Routing:


Universal Traffic Selectors   
  IKE Reauthentication   
 Interface Index:

11. Configure the **Local Network** settings:

- **Local Gateway** – Enter the public IP address of the firewall, or use 0.0.0.0 if you are using a dynamic IP address.
- **Network Address** – Click + and enter the IP address assigned to the VPN next hop interface without the subnet mask.

12. Configure the **Remote Network** settings:

- **Remote Gateway** – Enter the gateway IP address of the Azure VPN Gateway in Step 2.
- **Network Address** – Click + and enter the Azure gateway subnet.



**Network Local**

Local Gateway:

Local ID:

Network address (e.g. 10.6.0.0/16)

**Network Remote**

Remote Gateway:

Remote ID:

Network address (e.g. 10.6.0.0/16)

**Dead Peer Detection**

Action:

Delay (seconds):

13. Click **OK**.

14. Click **Send Changes** and **Activate**.

The VPN tunnel to the Azure VPN Gateway is now established.

Name	Tunnel	Local IP	Peer IP	Transport	Encryption	Compression	bit/s	Start
F180toAzureVPNGW	IPSec-IKEv2	80.109.163.8	104.46.43.33	ESP	AES256	0%	0	2017-07-31 13:23
F180toAzureVPNGW	IPSec-IKEv2	80.109.163.8	104.46.43.33	ESP	AES256	0%	0	2017-07-31 13:23

## Step 6. Configure the BGP Service

Configure BGP routing to learn the subnets from the remote BGP peer behind the Azure VPN Gateway on the other side of the VPN tunnels.



### Step 6.1. Configure Routes to be Advertised via BGP

Only routes with the parameter **Advertise** set to **yes** will be propagated via BGP.

1. Go to **CONFIGURATION > Configuration Tree > Box > Network**.
2. Click **Lock**.
3. (optional) To propagate the management network, set **Advertise Route** to **yes**.
4. In the left menu, click **Routing**.
5. Double-click the **Routes** you want to propagate, and set **Advertise Route** to **yes**.
6. Click **OK**.
7. Click **Send Changes** and **Activate**.

### Step 6.2. Enable BGP


Configure the BGP setting for the BGP service on the firewall.

1. Go to **CONFIGURATION > Configuration Tree > Box > Virtual Servers > your virtual server > Assigned Services > OSPF-RIP-BGP-Service > OSPF/RIP/BGP Settings**.
2. From the **Run BGP Router** list, Select **yes**.
3. From the **Operations Mode** list, select **advertise-learn**.
4. Enter the local BGP peering IP address as the **Router ID**.



Operational Setup	
Run OSPF Router	no
Run RIP Router	no
Run BGP Router	yes
Hostname	
Operation Mode	advertise-learn
Router ID	172.16.201.227

5. In the left menu, click **BGP Router Setup**.
6. Enter the **AS Number** for the local BGP peer as per Step 2.
7. Enter the **Terminal Password**.



BGP Router Configuration		
AS Number	65021	
Terminal Password	Current	
	New	•••••
	Confirm	•••••
	Strength	□ □ □ □

8. In the left menu, expand **Configuration Mode** and click **Switch to Advanced Mode**.
9. Click the **Set** button for the **Advanced Settings**. The **Advanced Settings** window opens.
10. Set the **Hold timer** to 30 seconds.
11. Set the **Keep Alive Timer** to 10 seconds.
12. Click **OK**.

13. Click **Send Changes** and **Activate**.

### Step 6.3. Add a BGP Neighbor for the Azure VPN Gateway

To dynamically learn the routing of the neighboring network, set up a BGP neighbor for the Azure VPN Gateway.

1. In the left menu of the **OSPF/RIP/BGP Settings** page, click **Neighbor Setup IPv4**.
2. Click **Lock**.
3. In the left menu, expand **Configuration Mode** and click **Switch to Advanced Mode**.
4. Click **+** to add an entry to the **Neighbors** table. The **Neighbors** window opens.
5. Enter a **Name** and click **OK**.
6. In the **Neighbors** window, configure the following settings in the **Usage and IP** section:
  - **Neighbor IPv4** – Enter the remote BGP peer IP address.
  - **OSPF Routing Protocol Usage** – Select **no**.
  - **RIP Routing Protocol Usage** – Select **no**.
  - **BGP Routing Protocol Usage** – Select **yes**.

Usage and IP	
Neighbor IPv4	<input type="text" value="172.16.200.142"/>
Active	<input type="text" value="yes"/>
OSPF Routing Protocol Usage	<input type="text" value="no"/>
RIP Routing Protocol Usage	<input type="text" value="no"/>
BGP Routing Protocol Usage	<input type="text" value="yes"/>

7. In the **BGP Parameters** section, configure the following settings:
  - **AS Number**: Enter the ASN for the remote network as per the information from Step 2.
  - **Update Source**: Select **Interface**.
  - **Update Source Interface**: Enter the vpnr interface. E.g., vpnr10

BGP Parameters	
AS Number	<input type="text" value="65020"/>
Description	<input type="text"/>
Peer Group Affiliation	<input type="text"/>
Update Source	<input type="text" value="Interface"/>
Update Source Interface	<input type="text" value="vpnr10"/>
Update Source IPv4 Address	<input type="text"/>
Peer Filtering For Input	<input type="button" value="Set..."/> <input type="button" value="Clear"/> NOTSET: No section present
Peer Filtering For Output	<input type="button" value="Set..."/> <input type="button" value="Clear"/> NOTSET: No section present

8. Click **OK**.
9. Click **Send Changes** and **Activate**

Go to **CONTROL > Network > BGP**. The firewall is now learning and advertising networks to the

Azure VPN Gateway BGP peer.

Network	Next Hop	Metric	Local Pref	Weight	Path	Origin
<b>AS Incomplete</b>						
> 10.1.1.0/24	0.0.0.0	0		32768		Incomplete
<b>AS 65020</b>						
<b>Neighbor: 172.16.200.142</b>						
Prefixes Received: 2						
Up/Down-Time: 01:21:58						
Sent Messages: 252						
Received Messages: 280						
> 172.16.200.0/24	172.16.200.142			0	65020	IGP
> 172.16.201.227/32	172.16.200.142			0	65020	IGP

## Step 7. Create an Access Rule

Create a pass access rule to allow traffic from the local networks to the networks learned via BGP.

1. Go to **CONFIGURATION > Configuration Tree > Box > Virtual Servers > your virtual server > Assigned Services > Firewall > Firewall Rules**.
2. Click **Lock**.
3. Create a PASS access rule:
  - o **Bi-Directional** - Enable.
  - o **Source** - Select the local on-premises network(s) advertised via BGP.
  - o **Service** - Select the service you want to have access to the remote network, or select **ALL** for complete access.
  - o **Destination** - Select the network object containing the learned networks.
  - o **Connection Method** - Select **Original Source IP**.
4. Click **OK**.
5. Move the access rule up in the rule list, so that it is the first rule to match the firewall traffic.
6. Click **Send Changes** and **Activate**.

## Figures

1. vpn\_hub.png
2. azureVPNgwBGP\_01.png
3. azureVPNgwBGP\_02.png
4. azureVPNgwBGP\_03.png
5. azureVPNgwBGP\_04.png
6. azureVPNgwBGP\_05.png
7. azureVPNgwBGP\_06.png
8. azureVPNgwBGP\_07.png
9. azureVPNgwBGP\_08.png
10. GW\_01.png
11. GW\_02.png
12. GW\_03.png
13. GW\_04.png
14. GW\_05.png
15. GW\_06.png
16. VPNGW\_BGP\_01.png
17. VPNGW\_BGP\_02.png
18. VPNGW\_BGP\_03.png
19. VPNGW\_BGP\_04.png
20. VPNGW\_BGP\_05.png

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.