


Host and Forwarding Rules Page

<https://campus.barracuda.com/doc/79463239/>

The **Host / Forwarding Rules** pages give you a read-only view of the ruleset. Host and forwarding rules are used to manage traffic going through the Barracuda CloudGen Firewall. To access the **Host / Forwarding Rules** pages, go to the **FIREWALL** tab in the ribbon bar and click **Host Rules** or **Forwarding Rules**.

Host Rules Page

The **FIREWALL > Host Rules** page provides a read-only view of the Host Firewall ruleset together with the configuration menu that is available for Host Firewall rules. Note that all information displayed in this tab is purely informational.



| Action | Name | Features | Service | Source | Destination | Sche... | QoS | IPS Policy | Usage |
|--------|--------------------|----------|---|----------------------------------|---|---------|------|------------|--------------|
| Block | NO-ACCESS | | Any | Any | Ref: LocalRedrIPs , Ref: Lo... 127.0.0.0/8, 169.254.1.11 | Always | N.A. | N.A. | |
| Pass | MGMT-ACCESS-CC | | NGF-MGMT-BOX-CC ECHO , TCP 22, TCP 801... | Control Center | Ref: ManagementIPs , Ref: ... 10.17.94.113 | Always | ID 1 | 1 No Scan | |
| Pass | MGMT-ACCESS-CC-LIC | | NGF-MGMT-BOX-CC ECHO , TCP 22, TCP 801... | Control Center | VirtualBoxIP | Always | ID 1 | 1 No Scan | |
| Pass | HA-S-STATUS | | ICMP ECHO | Ref: mHA-Peers | ServerIPs 127.0.0.9 | Always | ID 1 | 1 No Scan | |
| Pass | HA-B-STATUS | | NGF-MGMT-C-STATUS TCP 801, UDP 801 | Ref: mHA-Peers Ref: dHA-Peers | Ref: ManBoxIP , Ref: Virtus... 10.17.94.113 | Always | ID 1 | 1 No Scan | |
| Pass | HA-CONF | | NGF-MGMT-CONF TCP 809 | dHA-Peers | Ref: ManBoxIP , Ref: transl... 10.17.94.113 | Always | ID 1 | 1 No Scan | |
| Pass | HA-SYNC | | NGF-MGMT-HA-SYNC TCP 801, TCP 805, TCP ... | Ref: mHA-Peers Ref: dHA-Peers | Ref: ManBoxIP , Ref: transl... 10.17.94.113 | Always | ID 1 | 1 No Scan | |
| Pass | MGMT-ACCESS-R | | NGF-MGMT-BOX ECHO , TCP 22, TCP 807 | BoxACL | VirtualBoxIP | Always | ID 1 | 1 No Scan | |
| Pass | MGMT-ACCESS-REST | | NGF-MGMT-REST TCP 8443 | BoxACL 0.0.0.0/0 | ManagementIPs 10.17.94.113 | Always | ID 1 | 1 No Scan | |
| Pass | MGMT-ACCESS-WEBUI | | HTTP+S TCP 443, TCP 80 | BoxACL 0.0.0.0/0 | ManagementIPs 10.17.94.113 | Always | ID 1 | 1 No Scan | |
| Pass | MGMT-ACCESS | | NGF-MGMT-BOX ECHO , TCP 22, TCP 807 | BoxACL 0.0.0.0/0 | ManagementIPs 10.17.94.113 | Always | ID 1 | 1 No Scan | 0 days (1... |
| Pass | MGMT-STATUS | | UDP 801 | BoxACL 0.0.0.0/0 | ManagementIPs 10.17.94.113 | Always | ID 1 | 1 No Scan | |
| Pass | MGMT-SNMP | | UDP 161 | SNMP-Peers 127.0.0.1 | ManagementIPs 10.17.94.113 | Always | ID 1 | 1 No Scan | |
| Pass | LL-IP-TUNNELS | | Ref: NGFPIP-TUNNEL , R... GRE, IP-ENCAP | RemoteLIPITunnelEnds | LocalLIPITunnelEnds | Always | ID 1 | 1 No Scan | |

To edit and create rules, you must access the **Host Firewall Rules** configuration page. For more information, see [Firewall Rule List Interface and Icons](#).

Forwarding Rules Page

The **FIREWALL > Forwarding Rules** page provides a read-only view of the Forwarding Firewall ruleset together with the configuration menu that is available for Forwarding Firewall rules. Note that all information displayed in this tab is purely informational.

DASHBOARD CONFIGURATION CONTROL FIREWALL LOGS STATISTICS EVENTS SSH

Monitor Live History Threat Scan Audit Log Shaping Users Dynamic Host Rules Forwarding Rules Refresh (F5) Disconnect

Rule Lists
Access Rules
Application Rules
Object Viewer...

Firewall Objects
Networks
Named Networks
Applications
URL Filter
SSL Inspection
File Content
User Agents
Services
User and Groups
Connections
Schedules
Interface Groups
Proxy ARPs
Generic IPS Patterns

Rule List Verification
Settings

Forwarding Rules - Rules

| Action | Name | Features | Service | Source | Destination | Application Policy | SSL Inspection Policy | User | Sche... | QoS | IP |
|-------------------------------------|-----------------------|----------|--|--|--|-----------------------|-----------------------|------|---------|------|----|
| 0 → Pass Dynamic NAT | BOX-BARRACUDA-CUD... | | Ref: ScreenConnect TCP 443, TCP 8040, TCP ... | Ref: Trusted LAN, Ref: WI... | Ref: connect.barracuda.com | No AppControl | N.A. | Any | Always | ID 2 | 1 |
| 1 → Block | BlockATDQuarantine | | Ref: Any ALLIP: ECHO, TCP, TC... | Ref: ATD Quarantine | Ref: Any 0.0.0.0/0 | N.A. | N.A. | Any | Always | N.A. | N |
| 2 → Pass Original Source IP | BOX-EVAL-MODE-BRIDGE | | Ref: Any ALLIP: ECHO, TCP, TC... | Ref: Eval Mode Bridged Ports 0.0.0.0/0 dev MGMT, 0.0.0... | Ref: Eval Mode Bridged Ports 0.0.0.0/0 dev MGMT, 0.0.0... | AppControl, URL FI | N.A. | Any | Always | ID 3 | 0 |
| 3 → App Redirect 192.168.200.200 | BOX-SETUP-MGMT-ACC... | | Ref: NGS-MGMT-BOX ECHO, TCP 22, TCP 807... | Ref: Private IPv4 Addresses 10.0.0.0/8, 172.16.0.0/12... | Ref: DHCP1 Local IP | No AppControl | N.A. | Any | Always | ID 2 | 0 |
| 4 → App Redirect 127.0.0.1:53 | BOX-LOCALDNSCACHE | | Ref: Any UDP 53 TCP 53 | Ref: Trusted LAN 10.17.94.0/24 | Ref: Any 0.0.0.0/0 | AppControl, URL FI | N.A. | Any | Always | ID 1 | 0 |
| 5 → Pass Dynamic NAT | BOX-LAN-2-INTERNET | | Ref: Any ALLIP: ECHO, TCP, TC... | Ref: Trusted LAN 10.17.94.0/24 | Ref: Internet 0.0.0.0/0, NOT 10.0.0.0/8... | AppControl, URL FI | N.A. | Any | Always | ID 4 | 0 |
| 6 → Pass Original Source IP | BOX-LAN-2-LAN | | Ref: Any ALLIP: ECHO, TCP, TC... | Ref: Trusted LAN 10.17.94.0/24 | Ref: Trusted LAN 10.17.94.0/24 | AppControl, URL FI | N.A. | Any | Always | ID 3 | 0 |
| 7 → Pass Original Source IP | BOX-LAN-2-VPN-SITE | | Ref: Any ALLIP: ECHO, TCP, TC... | Ref: Trusted LAN 10.17.94.0/24 | Ref: VPN-Networks 0.0.0.0/0 dev vpn0 | AppControl, URL FI | N.A. | Any | Always | ID 3 | 0 |
| 8 → Pass Original Source IP | BOX-VPN-SITE-2-SITE | | Ref: Any ALLIP: ECHO, TCP, TC... | Ref: VPN-Local-Networks 0.0.0.0/0 | Ref: VPN-Remote-Networks 0.0.0.0/0 dev vpn0 | AppControl, URL FI | N.A. | Any | Always | ID 3 | 0 |
| 9 → Pass Dynamic NAT | BOX-VPNCLIENTS-2-LAN | | Ref: Any ALLIP: ECHO, TCP, TC... | Ref: Any 0.0.0.0/0 | Ref: Trusted LAN 10.17.94.0/24 | AppControl, URL FI | N.A. | Any | Always | ID 3 | 0 |
| 10 → Block | BLOCKALL | | Ref: Any ALLIP: ECHO, TCP, TC... | Ref: Any 0.0.0.0/0 | Ref: Any 0.0.0.0/0 | N.A. | N.A. | Any | Always | N.A. | N |

To edit and create rules, you must access the **Forwarding Rules** configuration page. For more information, see [Firewall Rule List Interface and Icons](#).

Figures

1. h_rules.png
2. f_rules.png

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.