Web Interface Backup and Restore Page

https://campus.barracuda.com/doc/79463269/

Backup archives (PAR files) can be created via the web interface, Barracuda Firewall Admin, or command line. To create or restore backups on the web interface, go to the **Advanced > Backups** page. Restoring a PAR file replaces the current configuration.

Create a Backup

Create a PAR file containing the current firewall configuration.

1. Log into the web interface.
2. Go to **Advanced > Backups**.
3. In the **Manual Backups** section, click **Create PAR file**. The file downloads immediately.

Manual Backups		Help
Create Backup	Create PAR file	
	Create a backup file and save it on your client computer	

4. Save the file to your computer.

Restore from a Backup

1. Log into the web interface.
2. Go to **Advanced > Backup**.
3. In the **Restore Backups** section, click **Restore from PAR File**. The **Restore from PAR File** window opens.

Restore Backups		Help
Restore Backup	Restore from PAR file	
	Restore with backup file from your client computer	

4. Click **Select PAR file**, and select the backup file.

Restore from PAR file ⓘ

This will overwrite the complete configuration.
All present data will be replaced by the imported data.
Before continuing, create a backup to go back to this configuration.
NOTICE:
- The firmware will restart automatically after the configuration files have been replaced.
- Activate the new network configuration after the firmware restart.

Close   Select PAR file

5. Click **Open**. The backup process starts immediately. The firewall reboots and the login screen appears.

The firewall is now using the firewall configuration from the PAR file.

Figures

1. par_01.png
2. par_02.png
3. restore_par.png