

CampaignResult

<https://campus.barracuda.com/doc/79463961/>

Permission Required to use this API Endpoint

Email Campaign - Can Edit All

Get all outbound campaign results

This is all gathered campaign results for a campaign, containing data on which users clicked or otherwise interacted with the phishing exercise.

GET /rest/campaignresults/id/afterid

Parameters

Name	Type	Description
id	Integer	The Campaign ID.
afterid	Integer	Optional - Use when Paging is required. Each request now returns the maxIdReturned . Use this value as the afterid to retrieve the next page of records if necessary. See Paging below for more details.
access_token	String	Set the access token if you have not added it as an Authorization header.

Example Usage

```
curl -X GET -H "Authorization: Bearer XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX" -H  
"Cache-Control: no-cache"  
"https://api.phishline.com/phishline_example/rest/campaignresults/11"
```

Paging

Paging is required if the request will return more than 5,000 records. The HTTP status code will be set to **206 - Partial Content**.

To get subsequent pages you must pass the **maxIdReturned** from the current request to the next request as the **afterid**. Continue to do this until all the rows are returned and the **remainingRowCount** is zero and/or the HTTP status code returned is 200.

Example Usage with Paging

```
curl -X GET -H "Authorization: Bearer XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX" -H  
"Cache-Control: no-cache"  
"https://api.phishline.com/phishline_example/rest/campaigns/1234234234/563311  
"
```

Success Response Example

Note the following values indicate that paging is needed.

- **status** code changes from **200** to **206**
- **statusMessage** changes from **OK** to **PartialContent**
- **remainingRowCount** changes from zero to greater than zero

```
HTTP/1.1 200 OK  
{  
  "status": 200,  
  "statusMessage": "OK",  
  "statusDetails": {  
    "Total Results": 1  
  },  
  "entity": "campaignresult",  
  "jobid": 0,  
  "notifications": {  
    "API Token Expiration Date": "2019-09-21 11:15:09",  
    "Maximum API calls per hour": 1000,  
    "Your API calls in the last hour": 9  
  },  
  "totalRowCount": 1,  
  "pageRowCount": 1,  
  "remainingRowCount": 0,  
  "maxIdReturned": 1021,  
  "data": [  
    {  
      "outboundid": "1021",  
      "messageid": "e7fd0faacbd",  
      "status": "Sent",  
      "year": "2018",  
      "yearQuarter": "2018-Q3",  
      "yearMonth": "2018-07",  
      "yearWeek": "2018-27",  
      "dayOfWeek": "6",  
      "hourOfDay": "18",
```

```
"subject": "Background check requested",
"to": "user.example@phishline.com",
"cc": "",
"bcc": "",
"contentType": "multipart/alternative; charset=\"UTF-8\";
boundary=\"_010e7fd0faacbdg743477160_\"",
"replyTo": "\"Privacy Notifier\" <hrdept@corporateintranet.net>",
"sender": "\"Privacy Notifier\" <hrdept@corporateintranet.net>",
"locked": "1",
"sent": "1",
"sending": "0",
"sendAttempts": "1",
"sendAfter": "2018-07-08 18:31:00",
"scheduledTimezoneActual": "2018-07-08 18:31 (Friday)
America\\Chicago UTC-5",
"sendDate": "2018-07-08 18:31:05",
"campaignName": "Test Campaign from TestCafe",
"campaignType": "Email Campaign",
"campaignActive": "1",
"planName": "Assessing current user abilities",
"planid": "1",
"campaignCategory": "none",
"campaignStartDate": "2018-07-07 13:46:00",
"campaignEndDate": "2018-07-22 13:46:00",
"campaignCutoffDate": "2018-07-29 13:46:00",
"campaignEmailCountMax": "1",
"campaignModeSMS": "0",
"campaignModeVoice": "0",
"campaignModeAutomated": "0",
"campaignIntent": "Testing",
"campaignLifecycle": "Completed",
"campaignLocked": "0",
"emailaddressbookid": "21",
"addressBookName": "N\\A",
"addressBookActive": "0",
"addressBookCategory": "N\\A",
"emailserverid": "341",
"emailServerName": "corporateintranet.net - hrdept",
"emailServerType": "Email",
"emailServerActive": "1",
"emailServerSender": "hrdept@corporateintranet.net",
"emailServerReplyTo": "hrdept@corporateintranet.net",
"emailServerDailySendLimit": "0",
"emailServerMaxRetries": "6",
"emailServerRetryHourIncrement": "2",
"emailServerModeEmail": "0",
```

```
"emailServerModeSMS": "0",
"emailServerModeVoice": "0",
"emailServercentralphoneid": "0",
"emailServerCentralPhoneNumber": "0",
"emailtemplateid": "31",
"emailTemplateGUID": "aee2b7e43ae0562fc6e571b88874a4e3",
"emailTemplateName": "Background Check",
"emailTemplateType": "Email",
"emailTemplateActive": "1",
"emailTemplateCategory": "Legal",
"emailTemplateSenderName": "Privacy Notifier",
"emailTemplateSubject": "Background check requested",
"emailTemplateEnableHTML": "1",
"emailTemplateMaxAttachments": "0",
"emailTemplateModeEmail": "1",
"emailTemplateModeSMS": "0",
"emailTemplateModeVoice": "0",
"emailTemplateIsUrgent": "0",
"emailTemplateEnableInlineImages": "0",
"webserverid": "181",
"webServerName": "http:\\\\corporateintranet.net",
"webServerType": "Web Server",
"webServerActive": "1",
"webServerURL": "http:\\\\corporateintranet.net\\de44001f181",
"webServerModeVoice": "0",
"webServerURLSSL": "0",
"webServerURLHost": "corporateintranet.net",
"webServerURLTiny": "0",
"webtemplateid": "11",
"webTemplateGUID": "812798dd391ec4a869c2d89424583812",
"webTemplateName": "Employee Benefits Portal",
"webTemplateType": "Web Page",
"webTemplateActive": "1",
"webTemplateCategory": "Login",
"webTemplateURLBaseDir": "812798dd391ec4a869c2d894",
"webTemplateURLBaseFile": "index.php",
"link":
"http:\\\\corporateintranet.net\\de44001f181\\812798dd391ec4a869c2d894\\index
.php",
    "linkText": "Link",
    "attach":
"http:\\\\corporateintranet.net\\de44001f181\\812798dd391ec4a869c2d894\\downl
oad.php",
    "img":
"http:\\\\corporateintranet.net\\de44001f181\\812798dd391ec4a869c2d894\\img.p
hp",
```

```
"unsubscribe":  
"http:\\\\corporateintranet.net\\de44001f181\\812798dd391ec4a869c2d894\\unsubscribe.php",  
  "unsubscribeText": "Unsubscribe",  
  "webTemplateModeVoice": "0",  
  "webTemplateivrid": "0",  
  "webTemplateIVRName": "",  
  "webTemplateServerExplodedStatus": "Current",  
  "webTemplateServerExplodedPublished": "True",  
  "webTemplateServerExplodedValidated": "True",  
  "webTemplateServerExplodedLastPublished": "2018-09-07 22:23:01",  
  "webTemplateServerExplodedLastValidated": "2018-06-25 16:58:28",  
  "emailaddressid": "1021",  
  "addressAddress": "user.example@phishline.com",  
  "addressActive": "1",  
  "addressAtRestricted": "0",  
  "addressAtDomain": "@phishline.com",  
  "addressAnonymized": "0",  
  "addressFirstName": "User",  
  "addressLastName": "Example",  
  "addressFullName": "",  
  "addressPersonalTitle": "",  
  "addressNameSuffix": "",  
  "addressOrgArea": "N\\A",  
  "addressOrgLevel": "N\\A",  
  "addressOrgTenure": "N\\A",  
  "addressCompany": "",  
  "addressCountry": "",  
  "addressRegion": "",  
  "addressSite": "",  
  "addressLanguage": "",  
  "addressTimeZone": "",  
  "addressStreet": "",  
  "addressCity": "",  
  "addressState": "",  
  "addressZip": "",  
  "addressMobile": "",  
  "addressOtherMobile": "",  
  "addressSource": "",  
  "addressCustom1": "",  
  "addressCustom2": "",  
  "addressCustom3": "",  
  "addressCustom4": "",  
  "addressCustom5": "",  
  "addressCustom6": "",  
  "addressCustom7": "",
```

```
"addressCustom8": "",
"addressCustom9": "",
"addressCustom10": "",
"addressCustom11": "",
"addressCustom12": "",
"addressCustom13": "",
"addressCustom14": "",
"addressCustom15": "",
"addressCustom16": "",
"addressCustom17": "",
"addressCustom18": "",
"addressCustom19": "",
"addressCustom20": "",
"addressCustom21": "N\\A",
"addressCustom22": "N\\A",
"addressCustom23": "N\\A",
"addressCustom24": "N\\A",
"addressCustom25": "N\\A",
"addressCustom26": "N\\A",
"addressCustom27": "N\\A",
"addressCustom28": "N\\A",
"addressCustom29": "N\\A",
"addressCustom30": "N\\A",
"addressCustom31": "N\\A",
"addressCustom32": "N\\A",
"addressCustom33": "N\\A",
"addressCustom34": "N\\A",
"addressCustom35": "N\\A",
"addressCustom36": "N\\A",
"addressCustom37": "N\\A",
"addressCustom38": "N\\A",
"addressCustom39": "N\\A",
"addressCustom40": "N\\A",
"addressOffenderCategory": "Non-Offender",
"addressOffenderFailureNumber": "0",
"addressOffenderCampaignList": "",
"addressTraining": "0",
"addressTrainingPassed": "0",
"addressTrainingCompleted": "0",
"addressTotalEventPoints": "100",
"undeliverable": "0",
"outOfOffice": "0",
"senderAddressVerification": "0",
"replyReceived": "0",
"replyOrActivity": "0",
"opp": "0",
```

```
"activity": "0",
"oppPageView": "1",
"activityPageView": "0",
"oppImageView": "0",
"activityImageView": "0",
"oppFileDownload": "1",
"activityFileDownload": "0",
"oppLoginForm": "1",
"activityLoginForm": "0",
"activityUser": "0",
"activityPw": "0",
"oppFeedbackForm": "0",
"activityFeedbackForm": "0",
"activityTopic": "0",
"activitySender": "0",
"activityMessage": "0",
"oppFileUpload": "0",
"activityFileUpload": "0",
"oppCaptcha": "0",
"activityCaptcha": "0",
"oppUnsubscribePageView": "0",
"activityUnsubscribePageView": "0",
"activityUnsubscribeForm": "0",
"oppIncidentResponse": "0",
"activityIncidentResponse": "0",
"oppSmartAttachment": "0",
"activitySmartAttachment": "0",
"oppSmartAttachmentRunnable": "0",
"activitySmartAttachmentRunnable": "0",
"messageType": "Email",
"clickReporterActionSummary": "No Click and No Report",
"multiClicker": "0",
"osList": "N\\A",
"pluginsCPEList": "",
"messageEventPoints": "100",
    "lastSendAttemptError": "",
"messageTotalEventPoints": "0",
"programTermaddressid": "11",
"programRollingTermTargetedCount": "93",
"programRollingTermPageViewCount": "7",
"programRollingTermReportedCount": "0",
"programRollingTermPageViewRate": "7.53",
"programRollingTermReportedRate": "0.00",
"programRollingTermMultiClicker": "1",
"programRollingTermConsecutiveClicker": "1",
"programRollingTermChronicClicker": "0",
```

```

    "programRollingTermReportingDate": "2018-07-08",
    "programRollingTermReportingTermName": "2018-07",
    "firstSurveyTemplateStarted": "",
    "listSurveyTemplatesStarted": "",
    "timeInSecondsSpentOnPageForOutboundMessage": "0",
    "timeInMinutesSpentOnPageForOutboundMessage": "0.00",
    "timeInSecondsSpentTrainingForOutboundMessage": "0",
    "timeInMinutesSpentTrainingForOutboundMessage": "0.00",
    "firstClickTime": "0000-00-00 00:00:00",
    "firstReportedTime": "0000-00-00 00:00:00",
    "firstClickMinutes": "0",
    "firstReportedMinutes": "0",
    "emailTraining": "0",
    "emailTrainingPassed": "0",
    "emailTrainingCompleted": "0",
    "campaignid": "11"
  }
}

```

Success 200

Name	Type	Description
campaignresult	Object[]	A campaign outbound result record for a single email address.
campaignresult.activity	Boolean	
campaignresult.activityCaptcha	Boolean	Has the user of this email address ever submitted an image Captcha form?
campaignresult.activityFeedbackForm	Boolean	Has the user of this email address ever submitted a Feedback Form?
campaignresult.activityFileDownload	Boolean	Has the user of this email address ever performed an Action File Download?
campaignresult.activityFileUpload	Boolean	Has the user of this email address ever uploaded a file to a form?

Name	Type	Description
campaignresult.activityImageView	Boolean	Has the user of this email address ever performed an Action Image View?
campaignresult.activityIncidentResponse	Boolean	Has the user of this email address ever forwarded an email to an approved Incident Response Repository?
campaignresult.activityLoginForm	Boolean	Has the user of this email address ever submitted a Login form?
campaignresult.activityMessage	Boolean	
campaignresult.activityPageView	Boolean	
campaignresult.activityPw	Boolean	Has the user of this email address ever submitted a Password on a Login form?
campaignresult.activitySender	Boolean	
campaignresult.activitySmartAttachment	Boolean	Has the user of this email address ever arrived at a landing page due to an interaction with a Smart Attachment?
campaignresult.activitySmartAttachmentRunnable	Boolean	Has the user of this email address ever arrived at a landing page by Running/Executing a Smart Attachment EXE or macro?
campaignresult.activityTopic	Boolean	
campaignresult.activityUnsubscribeForm	Boolean	Has the user of this email address ever submitted an Unsubscribe form?
campaignresult.activityUnsubscribePageView	Boolean	Has the user of this email address ever viewed an Unsubscribe form?
campaignresult.activityUser	Boolean	
campaignresult.addressActive	Number	

Name	Type	Description
campaignresult.addressAddress	String	
campaignresult.addressAnonymized	String	Have the details of this email address entry been deactivated and replaced with Anonymous data?
campaignresult.addressAtDomain	String	The domain information, located to the right of the @ sign.
campaignresult.addressAtRestricted	Number	<i>Deprecated.</i> This field is no longer used and will be removed in a future release.
campaignresult.addressBookActive	Number	
campaignresult.addressBookCategory	String	
campaignresult.addressBookName	String	Name of the address book containing this address entry.
campaignresult.addressCity	String	The geographic City corresponding to this email address entry.
campaignresult.addressCompany	String	Organization associated with this email address book entry.
campaignresult.addressCountry	String	Geographic Country corresponding to this email address book entry.
campaignresult.addressCustom1	String	Custom email address attributes used for advanced campaign targeting and analysis.
campaignresult.addressCustom2	String	" "
campaignresult.addressCustom3	String	" "
campaignresult.addressCustom4	String	" "
campaignresult.addressCustom5	String	" "
campaignresult.addressCustom6	String	" "
campaignresult.addressCustom7	String	" "
campaignresult.addressCustom8	String	" "
campaignresult.addressCustom9	String	" "
campaignresult.addressCustom10	String	" "

Name	Type	Description
campaignresult.addressCustom11	String	" "
campaignresult.addressCustom12	String	" "
campaignresult.addressCustom13	String	" "
campaignresult.addressCustom14	String	" "
campaignresult.addressCustom15	String	" "
campaignresult.addressCustom16	String	" "
campaignresult.addressCustom17	String	" "
campaignresult.addressCustom18	String	" "
campaignresult.addressCustom19	String	" "
campaignresult.addressCustom20	String	" "
campaignresult.addressCustom21	String	" "
campaignresult.addressCustom22	String	" "
campaignresult.addressCustom23	String	" "
campaignresult.addressCustom24	String	" "
campaignresult.addressCustom25	String	" "
campaignresult.addressCustom26	String	" "
campaignresult.addressCustom27	String	" "
campaignresult.addressCustom28	String	" "
campaignresult.addressCustom29	String	" "
campaignresult.addressCustom30	String	" "
campaignresult.addressCustom31	String	" "
campaignresult.addressCustom32	String	" "
campaignresult.addressCustom33	String	" "
campaignresult.addressCustom34	String	" "
campaignresult.addressCustom35	String	" "
campaignresult.addressCustom36	String	" "
campaignresult.addressCustom37	String	" "
campaignresult.addressCustom38	String	" "
campaignresult.addressCustom39	String	" "
campaignresult.addressCustom40	String	" "
campaignresult.addressOffenderCategory	String	
campaignresult.addressOffenderFailureNumber	String	
campaignresult.addressOffenderCampaignList	String	

Name	Type	Description
campaignresult.addressFirstName	String	First name associated with the contact email address.
campaignresult.addressFullName	String	Complete name associated with the contact email address, usually consisting of the first and last name, but can also include a middle name.
campaignresult.addressLanguage	String	Language Code, typically the ISO language/region code, corresponding to this email address book entry.
campaignresult.addressLastName	String	Last name associated with the contact email address.
campaignresult.addressMobile	String	Phone number that can be used for text messaging tests.
campaignresult.addressNameSuffix	String	Name suffix (like Jr. or Sr.) associated with this email address.
campaignresult.addressOrgArea	String	Part of the organization, like department or division, corresponding to the email address entry.
campaignresult.addressOrgLevel	String	Title or management level corresponding to the email address entry.
campaignresult.addressOrgTenure	String	How long the user of this email address has been with the organization. Can be numerical or alphabetical entry.
campaignresult.addressOtherMobile	String	Additional mobile phone number????
campaignresult.addressPersonalTitle	String	Title associated with the contact email address, such as Dr., Mr., Ms., and so on.

Name	Type	Description
campaignresult.addressRegion	String	Geographic region where the email address is located, like EMEA or Northeast. You can also choose to use ISO region codes.
campaignresult.addressSite	String	Descriptor for the location of the email address, like Manufacturing or Downtown Branch.
campaignresult.addressSource	String	The source of the email address. This field can be an Open Source Intelligence source or perhaps data from human resources or a response from a certain marketing campaign.
campaignresult.addressState	String	Geographic state corresponding to the email address entry.
campaignresult.addressStreet	String	Geographic street address corresponding to the email address entry.
campaignresult.addressTimeZone	String	Time zone associated with this contact email address.
campaignresult.addressTotalEventPoints	Number	Points associated with this email address, as described in Points Manager , specified as a range from <i>at least</i> to <i>at most</i> .
campaignresult.addressTraining	Boolean	Has the user of this email address ever clicked on an Online Training Challenge?
campaignresult.addressTrainingCompleted	Boolean	Has the user associated with this email address ever completed a Training Challenge?

Name	Type	Description
campaignresult.addressTrainingPassed	Boolean	Has the user of this email address ever received a passing grade on a Training Challenge?
campaignresult.addressZip	String	Zip or other postal code for the geographical address corresponding to the email address entry.
campaignresult.attach	String	
campaignresult.bcc	String	
campaignresult.campaignActive	Number	Is this email address available for campaigns?
campaignresult.campaignCategory	String	
campaignresult.campaignCutoffDate	Date	
campaignresult.campaignEmailCountMax	Number	
campaignresult.campaignEndDate	Date	
campaignresult.campaignIntent	String	
campaignresult.campaignLifecycle	String	
campaignresult.campaignLocked	Boolean	Is the campaign locked because it is at least 30 days past the cutoff date?
campaignresult.campaignModeAutomated	Number	
campaignresult.campaignModeSMS	Number	
campaignresult.campaignModeVoice	Number	
campaignresult.campaignName	String	
campaignresult.campaignStartDate	Date	
campaignresult.campaignType	String	
campaignresult.cc	String	
campaignresult.clickReporterActionSummary	String	
campaignresult.contentType	String	
campaignresult.dayOfWeek	String	
campaignresult.emailaddressbookid	Number	
campaignresult.emailaddressid	Number	
campaignresult.emailcampaignid	Number	
campaignresult.emailServerActive	Number	

Name	Type	Description
campaignresult.emailServerDailySendLimit	Number	
campaignresult.emailserverid	Number	
campaignresult.emailServerMaxRetries	Number	
campaignresult.emailServerModeSMS	Number	
campaignresult.emailServerModeVoice	Number	
campaignresult.emailServerName	String	
campaignresult.emailServerReplyTo	String	
campaignresult.emailServerRetryHourIncrement	Number	
campaignresult.emailServerSender	String	
campaignresult.emailServerType	String	
campaignresult.emailServerCentralPhoneNumber	String	
campaignresult.emailServerModeEmail	String	
campaignresult.emailServercentralphoneid	String	
campaignresult.emailTemplateActive	Number	
campaignresult.emailTemplateCategory	String	
campaignresult.emailTemplateEnableHTML	Number	
campaignresult.emailTemplateEnableInlinelImages	Number	
campaignresult.emailTemplateGUID	String	
campaignresult.emailtemplateid	Number	
campaignresult.emailTemplateMaxAttachments	Number	
campaignresult.emailTemplateName	String	
campaignresult.emailTemplateSenderName	String	
campaignresult.emailTemplateSubject	String	
campaignresult.emailTemplateType	String	
campaignresult.emailTemplatelsUrgent	String	
campaignresult.emailTemplateModeEmail	String	
campaignresult.emailTemplateModeSMS	String	
campaignresult.emailTemplateModeVoice	String	
campaignresult.emailTraining	Boolean	
campaignresult.emailTrainingCompleted	Boolean	
campaignresult.emailTrainingPassed	Boolean	
campaignresult.firstClickMinutes	Number	
campaignresult.firstClickTime	Date	
campaignresult.firstReportedMinutes	Number	
campaignresult.firstReportedTime	Date	

Name	Type	Description
campaignresult.firstSurveyTemplateStarted	String	
campaignresult.hourOfDay	Number	
campaignresult.img	String	
campaignresult.link	String	
campaignresult.linkText	String	
campaignresult.listSurveyTemplatesStarted	String	
campaignresult.locked	Boolean	
campaignresult.messageid	String	
campaignresult.messageTotalEventPoints	Number	
campaignresult.programtermaddressid	Number	
campaignresult.timeInMinutesSpentOnPageForOutboundMessage	Number	
campaignresult.timeInMinutesSpentTrainingForOutboundMessage	Number	
campaignresult.timeInSecondsSpentOnPageForOutboundMessage	Number	
campaignresult.timeInSecondsSpentTrainingForOutboundMessage	Number	
campaignresult.webServerModeVoice	String	
campaignresult.webServerURLHost	String	
campaignresult.webServerURLSSL	String	
campaignresult.webServerURLTiny	String	
campaignresult.messageEventPoints	Number	
campaignresult.lastSendAttemptError	String	
campaignresult.messageType	String	
campaignresult.multiClicker	Boolean	
campaignresult.opp	Boolean	
campaignresult.oppCaptcha	Boolean	
campaignresult.oppFeedbackForm	Boolean	
campaignresult.oppFileDownload	Boolean	
campaignresult.oppFileUpload	Boolean	
campaignresult.opplImageView	Boolean	
campaignresult.opplIncidentResponse	Boolean	
campaignresult.oppLoginForm	Boolean	
campaignresult.oppPageView	Boolean	
campaignresult.oppSmartAttachment	Boolean	
campaignresult.oppSmartAttachmentRunnable	Boolean	
campaignresult.oppUnsubscribePageView	Boolean	
campaignresult.osList	String	

Name	Type	Description
campaignresult.outboundid	Number	
campaignresult.outOfOffice	Boolean	
campaignresult.planid	Number	
campaignresult.planName	String	
campaignresult.pluginsCPEList	String	
campaignresult.programRollingTermChronicClicker	Number	
campaignresult.programRollingTermConsecutiveClicker	Number	
campaignresult.programRollingTermMultiClicker	Number	
campaignresult.programRollingTermPageViewCount	Number	
campaignresult.programRollingTermPageViewRate	Number	
campaignresult.programRollingTermReportedCount	Number	
campaignresult.programRollingTermReportedRate	Number	
campaignresult.programRollingTermReportingDate	Date	
campaignresult.programRollingTermReportingTermName	String	
campaignresult.programRollingTermTargetedCount	Number	
campaignresult.replyOrActivity	Boolean	
campaignresult.replyReceived	Boolean	
campaignresult.replyTo	String	
campaignresult.scheduledTimezoneActual	String	
campaignresult.sendAfter	Date	
campaignresult.sendAttempts	Number	
campaignresult.sendDate	Date	
campaignresult.sender	String	
campaignresult.senderAddressVerification	Boolean	
campaignresult.sending	Boolean	
campaignresult.sent	Boolean	
campaignresult.status	String	
campaignresult.subject	String	
campaignresult.timeSpentOnPageDirty	Boolean	Does the time spent on page need to be recalculated?
campaignresult.to	String	
campaignresult.undeliverable	Boolean	
campaignresult.unsubscribe	String	
campaignresult.unsubscribeText	String	

Name	Type	Description
campaignresult.webServerActive	Number	
campaignresult.webserverid	Number	
campaignresult.webServerName	String	
campaignresult.webServerType	String	
campaignresult.webServerURL	String	
campaignresult.webTemplateActive	Number	
campaignresult.webTemplateCategory	String	
campaignresult.webTemplateGUID	String	
campaignresult.webtemplateid	Number	
campaignresult.webTemplateivrid	Number	
campaignresult.webTemplateIVRName	String	
campaignresult.webTemplateModeVoice	Number	
campaignresult.webTemplateName	String	
campaignresult.webTemplateServerExplodedLastPublished	Date	
campaignresult.webTemplateServerExplodedLastValidated	Date	
campaignresult.webTemplateServerExplodedPublished	String	
campaignresult.webTemplateServerExplodedStatus	String	
campaignresult.webTemplateServerExplodedValidated	String	
campaignresult.webTemplateType	String	
campaignresult.webTemplateURLBaseDir	String	
campaignresult.webTemplateURLBaseFile	String	
campaignresult.year	String	
campaignresult.yearMonth	String	
campaignresult.yearQuarter	String	
campaignresult.yearWeek	String	

Error 4xx

Name	Type	Description
NotAuthorized		Only authorized users can access this data.
NotFound		The id of the Campaign was not found.

Error Response Examples

HTTP/1.1 401 Not Authorized
 {

 "status": 401,

```
"statusMessage": "NotAuthorized",
"statusDetails": {
  "Reason": "Valid access token required. Please re-authenticate."
},
"entity": "unknown",
"jobid": 0,
"notifications": [],
"data": []
}
```

HTTP/1.1 404 Not Found

```
{
  "status": 404,
  "statusMessage": "Not Found",
  "statusDetails": {
    "Reason": "No campaign stats found for id 12342323."
  },
  "entity": "unknown",
  "jobid": 0,
  "notifications": [],
  "data": []
}
```

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.