

Web Activity

<https://campus.barracuda.com/doc/90444314/>

Permission Required to use this API Endpoint

One of the following permissions is required:

- Email Campaign – Can Edit All
- Email Campaign Results – Can View All

Get all web activity results

This is all gathered web activity, containing data on which users clicked or otherwise interacted with the phishing exercise.

GET /rest/webactivity/id/afterid?startdate=YYYY-MM-DD&enddate=YYYY-MM-DD

Parameters

Name	Type	Description
id	Integer	Optional. The Campaign ID. No ID, or an ID of "0" (zero), will return all web activity data. If you are using pagination and do not want to use a Campaign ID, you must use a "0". <i>Do not</i> send to /webactivity/afterid, because the afterid would be treated as the Campaign ID.
afterid	Integer	Optional. Use when Paging is required. Each request now returns the maxIdReturned. Use this value as the afterid to retrieve the next page of records if necessary. See Paging below for more details.
startdate	String	Optional. When set, data older than this date is ignored. YYYY-MM-DD format.
enddate	String	Optional. When set, data newer than this date is ignored. YYYY-MM-DD format.
access_token	String	Set the access token if you have not added it as an Authorization header.

Example Usage

```
curl -X GET -H "Authorization: Bearer XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX" -H  
"Cache-Control: no-cache"  
"https://api.phishline.com/phishline_example/rest/webactivity/11"
```

Paging

Paging is required if the request will return more than 5,000 records. The HTTP status code will be set to **206 - Partial Content**.

To get subsequent pages you must pass the **maxIdReturned** from the current request to the next request as the afterId. Continue to do this until all the rows are returned and the **remainingRowCount** is zero and/or the HTTP status code returned is 200.

Example Usage with Paging

```
curl -X GET -H "Authorization: Bearer XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX" -H  
"Cache-Control: no-cache"  
"https://api.phishline.com/phishline_example/rest/webactivity/11/233091"
```

Success Response Example

Note the following values indicate that paging is needed.

- **status** code changes from **200** to **206**
- **statusMessage** changes from **OK** to **PartialContent**
- **remainingRowCount** changes from zero to greater than zero

```
HTTP/1.1 200 OK  
{  
  "status": 200,  
  "statusMessage": "OK",  
  "statusDetails": [],  
  "entity": "webactivity",  
  "jobid": 0,  
  "notifications": {  
    "API Token Expiration Date": "2022-09-23 12:13:13",  
    "Maximum API calls per hour": 1000,  
    "Your API calls in the last hour": 27  
  },  
  "totalRowCount": 87,  
  "pageRowCount": 87,  
  "remainingRowCount": 0,  
  "maxIdReturned": 32251,  
  "data": [  
    {  
      "outboundid": "3051",  
      "actionType": "Click",  
      "actionPageView": "1",  
      "actionImageView": "0",  
      "actionFileDownload": "0",  
      "actionLoginForm": "0",
```

```
"actionLoginAuthorized": "0",
"actionUser": "0",
"actionUserValue": "N\\A",
"actionPw": "0",
"actionLoginCustom": "0",
"actionLoginCustomValue": "",
"actionFeedbackForm": "0",
"actionTopic": "0",
"actionSender": "0",
"actionMessage": "0",
"actionFileUpload": "0",
"actionFileUploadName": "N\\A",
"actionCaptcha": "0",
"actionCaptchaAuthorized": "0",
"actionUnsubscribePageView": "0",
"actionUnsubscribeForm": "0",
"actionUnsubscribeFormValue": "N\\A",
"actionSmartAttachment": "0",
"actionSmartAttachmentType": "N\\A",
"os": "Mac OS",
"httpUserAgent": "Mozilla\\5.0 (Macintosh; Intel Mac OS X 10.11;
rv:47.0) Gecko\\20100101 Firefox\\47.0",
"httpReferer": "N\\A",
"remoteAddr": "192.168.1.10",
"clientIPAddr": "N\\A",
"clientPCName": "N\\A",
"clientUserName": "N\\A",
"clientAdmin": "0",
"pageViewElapsedTimeInSeconds": "10",
"remoteAddrHostName": "Host 10.1.168.192.in-addr.arpa not found:
3(NXDOMAIN)",
"remoteAddrOrganization": "N\\A",
"remoteAddrCountryName": "N\\A",
"remoteAddrStateCode": "N\\",
"remoteAddrStateName": "N\\A",
"remoteAddrCityName": "N\\A",
"remoteAddrLatitude": "0.000000",
"remoteAddrLongitude": "0.000000",
"remoteAddrISPName": "NA",
"remoteAddrNetSpeed": "NA",
"remoteAddrUserType": "NA",
"remoteAddrAccuracyRadiusKM": "0",
"serverName": "neverclick.net",
"requestMethod": "GET",
"requestURI":
"\\/de44001f141\\/3b31046e21e0d61f38331f84\\/index.php?id=dc50f8cf4d50",
```

```
"requestTime": "2021-07-22 08:50:23",
"requestTimeZoneActual": "2021-07-22 08:50:23",
"requestTimeZoneActualText": "2021-07-22 08:50:23 (Friday)
America/Chicago UTC-6",
"requestDate": "0000-00-00",
"navigatorVersion": "N\\A",
"navigatorCookieEnabled": "0",
"navigatorPlatform": "N\\A",
"navigatorUserAgent": "N\\A",
"navigatorJavaEnabled": "N\\A",
"navigatorTaintEnabled": "N\\A",
"navigatorGeolocationAccuracy": "N\\A",
"navigatorGeolocationError": "N\\A",
"engineWebKit": "N\\A",
"campaignName": "Iframe test campaign (cnn.com)",
"planName": "Assessing current user abilities",
"planid": "1",
"campaignCategory": "General",
"campaignStartDate": "2021-07-22 08:43:00",
"campaignEndDate": "2021-07-23 08:43:00",
"campaignCutoffDate": "2021-07-24 08:43:00",
"campaignModePortableMedia": "0",
"campaignMediaReportingDate": "0000-00-00 00:00:00",
"addressBookName": "N\\A",
"addressBookCategory": "N\\A",
"emailServerName": "neverclick.net - advisor",
"emailTemplateName": "Background Check",
"emailTemplateCategory": "Legal",
"webServerName": "http:\\\\neverclick.net",
"webTemplateName": "testing-Iframe",
"webTemplateCategory": "General",
"outboundSubject": "Background check requested",
"outboundTo": "ryan.stone@phishline.com",
"outboundReplyTo": "\\\"Privacy Notifier\\\"
<advisor@neverclick.net>",
"outboundSender": "\\\"Privacy Notifier\\\"
<advisor@neverclick.net>",
"outboundSendDate": "2021-07-22 08:49:14",
"outboundUndeliverable": "0",
"outboundOutOfOffice": "0",
"outboundReplyReceived": "0",
"outboundActivityPageView": "1",
"addressAddress": "ryan.stone@phishline.com",
"addressActive": "1",
"addressAtRestricted": "0",
"addressAtDomain": "@phishline.com",
```

```
"addressAnonymized": "0",
"addressFirstName": "SampleFirstName",
"addressLastName": "SampleLastName",
"addressFullName": "SampleFullName",
"addressPersonalTitle": "SamplePersonalTitle",
"addressNameSuffix": "SampleNameSuffix",
"addressOrgArea": "N\\A",
"addressOrgLevel": "N\\A",
"addressOrgTenure": "N\\A",
"addressCompany": "N\\A",
"addressCountry": "N\\A",
"addressRegion": "N\\A",
"addressSite": "N\\A",
"addressLanguage": "N\\A",
"addressTimeZone": "N\\A",
"addressCity": "",
"addressState": "N\\A",
"addressZip": "",
"addressSource": "N\\A",
"addressManagerEmailAddress": "",
"addressManagerName": "",
"addressProgramTermGroup": "",
"addressProgramTermLevel": "",
"addressCustom1": "N\\A",
"addressCustom2": "N\\A",
"addressCustom3": "N\\A",
"addressCustom4": "N\\A",
"addressCustom5": "N\\A",
"addressCustom6": "N\\A",
"addressCustom7": "N\\A",
"addressCustom8": "N\\A",
"addressCustom9": "N\\A",
"addressCustom10": "N\\A",
"addressCustom11": "N\\A",
"addressCustom12": "N\\A",
"addressCustom13": "N\\A",
"addressCustom14": "N\\A",
"addressCustom15": "N\\A",
"addressCustom16": "N\\A",
"addressCustom17": "N\\A",
"addressCustom18": "N\\A",
"addressCustom19": "N\\A",
"addressCustom20": "N\\A",
"addressCustom21": "N\\A",
"addressCustom22": "N\\A",
"addressCustom23": "N\\A",
```

```
"addressCustom24": "N\\A",
"addressCustom25": "N\\A",
"addressCustom26": "N\\A",
"addressCustom27": "N\\A",
"addressCustom28": "N\\A",
"addressCustom29": "N\\A",
"addressCustom30": "N\\A",
"addressCustom31": "N\\A",
"addressCustom32": "N\\A",
"addressCustom33": "N\\A",
"addressCustom34": "N\\A",
"addressCustom35": "N\\A",
"addressCustom36": "N\\A",
"addressCustom37": "N\\A",
"addressCustom38": "N\\A",
"addressCustom39": "N\\A",
"addressCustom40": "N\\A",
"addressOffenderCategory": "Non-Offender",
"addressOffenderFailureNumber": "0",
"addressTraining": "0",
"addressTrainingPassed": "0",
"addressTrainingCompleted": "0",
"emailTraining": "0",
"emailTrainingPassed": "0",
"emailTrainingCompleted": "0",
"id": "9031",
"campaignid": "241"
},
{
  "outboundid": "3111",
  "actionType": "Click",
  "actionPageView": "1",
  "actionImageView": "0",
  "actionFileDownload": "0",
  "actionLoginForm": "0",
  "actionLoginAuthorized": "0",
  "actionUser": "0",
  "actionUserValue": "N\\A",
  "actionPw": "0",
  "actionLoginCustom": "0",
  "actionLoginCustomValue": "",
  "actionFeedbackForm": "0",
  "actionTopic": "0",
  "actionSender": "0",
  "actionMessage": "0",
  "actionFileUpload": "0",
```

```
"actionFileUploadName": "N\\A",
"actionCaptcha": "0",
"actionCaptchaAuthorized": "0",
"actionUnsubscribePageView": "0",
"actionUnsubscribeForm": "0",
"actionUnsubscribeFormValue": "N\\A",
"actionSmartAttachment": "0",
"actionSmartAttachmentType": "N\\A",
"os": "Mac OS",
"httpUserAgent": "Mozilla\\5.0 (Macintosh; Intel Mac OS X 10.11; rv:47.0) Gecko\\20100101 Firefox\\47.0",
"httpReferer": "N\\A",
"remoteAddr": "192.168.1.10",
"clientIPAddr": "N\\A",
"clientPCName": "N\\A",
"clientUserName": "N\\A",
"clientAdmin": "0",
"pageViewElapsedTimeInSeconds": "139",
"remoteAddrHostName": "Host 10.1.168.192.in-addr.arpa not found:
3(NXDOMAIN)",
"remoteAddrOrganization": "N\\A",
"remoteAddrCountryName": "N\\A",
"remoteAddrStateCode": "N\\",
"remoteAddrStateName": "N\\A",
"remoteAddrCityName": "N\\A",
"remoteAddrLatitude": "0.000000",
"remoteAddrLongitude": "0.000000",
"remoteAddrISPName": "NA",
"remoteAddrNetSpeed": "NA",
"remoteAddrUserType": "NA",
"remoteAddrAccuracyRadiusKM": "0",
"serverName": "neverclick.net",
"requestMethod": "GET",
"requestURI":
"\\de44001f141\\3b31046e21e0d61f38331f84\\index.php?id=9243c703b393b",
"requestTime": "2021-07-22 08:59:23",
"requestTimeZoneActual": "2021-07-22 08:59:23",
"requestTimeZoneActualText": "2021-07-22 08:59:23 (Friday)
America/Chicago UTC-6",
"requestDate": "0000-00-00",
"navigatorVersion": "N\\A",
"navigatorCookieEnabled": "0",
"navigatorPlatform": "N\\A",
"navigatorUserAgent": "N\\A",
"navigatorJavaEnabled": "N\\A",
"navigatorTaintEnabled": "N\\A",
```

```
"navigatorGeolocationAccuracy": "N\\A",
"navigatorGeolocationError": "N\\A",
"engineWebKit": "N\\A",
"campaignName": "iframe test campaign (firstmidwest.com)",
"planName": "Assessing current user abilities",
"planid": "1",
"campaignCategory": "General",
"campaignStartDate": "2021-07-22 08:56:00",
"campaignEndDate": "2021-07-23 08:56:00",
"campaignCutoffDate": "2021-07-24 08:56:00",
"campaignModePortableMedia": "0",
"campaignMediaReportingDate": "0000-00-00 00:00:00",
"addressBookName": "N\\A",
"addressBookCategory": "N\\A",
"emailServerName": "neverclick.net - noreply",
"emailTemplateName": "Online Bank Security Notice",
"emailTemplateCategory": "Financial",
"webServerName": "http:\\\\neverclick.net",
"webTemplateName": "testing-Iframe",
"webTemplateCategory": "General",
"outboundSubject": "Online Security Notification ",
"outboundTo": "ryan.stone@phishline.com",
"outboundReplyTo": "\\\"Security\\\" <noreply@neverclick.net>",
"outboundSender": "\\\"Security\\\" <noreply@neverclick.net>",
"outboundSendDate": "2021-07-22 08:58:49",
"outboundUndeliverable": "0",
"outboundOutOfOffice": "0",
"outboundReplyReceived": "0",
"outboundActivityPageView": "1",
"addressAddress": "ryan.stone@phishline.com",
"addressActive": "1",
"addressAtRestricted": "0",
"addressAtDomain": "@phishline.com",
"addressAnonymized": "0",
"addressFirstName": "SampleFirstName",
"addressLastName": "SampleLastName",
"addressFullName": "SampleFullName",
"addressPersonalTitle": "SamplePersonalTitle",
"addressNameSuffix": "SampleNameSuffix",
"addressOrgArea": "N\\A",
"addressOrgLevel": "N\\A",
"addressOrgTenure": "N\\A",
"addressCompany": "N\\A",
"addressCountry": "N\\A",
"addressRegion": "N\\A",
"addressSite": "N\\A",
```



```
"addressLanguage": "N/A",
"addressTimeZone": "N/A",
"addressCity": "",
"addressState": "N/A",
"addressZip": "",
"addressSource": "N/A",
"addressManagerEmailAddress": "",
"addressManagerName": "",
"addressProgramTermGroup": "",
"addressProgramTermLevel": "",
"addressCustom1": "N/A",
"addressCustom2": "N/A",
"addressCustom3": "N/A",
"addressCustom4": "N/A",
"addressCustom5": "N/A",
"addressCustom6": "N/A",
"addressCustom7": "N/A",
"addressCustom8": "N/A",
"addressCustom9": "N/A",
"addressCustom10": "N/A",
"addressCustom11": "N/A",
"addressCustom12": "N/A",
"addressCustom13": "N/A",
"addressCustom14": "N/A",
"addressCustom15": "N/A",
"addressCustom16": "N/A",
"addressCustom17": "N/A",
"addressCustom18": "N/A",
"addressCustom19": "N/A",
"addressCustom20": "N/A",
"addressCustom21": "N/A",
"addressCustom22": "N/A",
"addressCustom23": "N/A",
"addressCustom24": "N/A",
"addressCustom25": "N/A",
"addressCustom26": "N/A",
"addressCustom27": "N/A",
"addressCustom28": "N/A",
"addressCustom29": "N/A",
"addressCustom30": "N/A",
"addressCustom31": "N/A",
"addressCustom32": "N/A",
"addressCustom33": "N/A",
"addressCustom34": "N/A",
"addressCustom35": "N/A",
"addressCustom36": "N/A",
```

```

    "addressCustom37": "N\\A",
    "addressCustom38": "N\\A",
    "addressCustom39": "N\\A",
    "addressCustom40": "N\\A",
    "addressOffenderCategory": "Non-Offender",
    "addressOffenderFailureNumber": "0",
    "addressTraining": "0",
    "addressTrainingPassed": "0",
    "addressTrainingCompleted": "0",
    "emailTraining": "0",
    "emailTrainingPassed": "0",
    "emailTrainingCompleted": "0",
    "id": "9061",
    "campaignid": "251"
  },
  {
    "outboundid": "3121",
    "actionType": "Click",

```

DOCUMENTATION NOTE: Additional data truncated for brevity

```

  }
}

```

Success 200

Name	Type	Description
webactivity	Object[]	A web activity record for a single email address / campaign combination.
webactivity.outboundid	Number	The outbound record id.
webactivity.actionType	String	A summary description of the web activity. If a single activity falls in multiple types, the system assigns to most specific.
webactivity.actionPageView	Boolean	Clicked on a link.
webactivity.actionImageView	Boolean	Performed an action image view.
webactivity.actionFileDownload	Boolean	Performed an action file download.
webactivity.actionLoginForm	Boolean	Submitted a login form.
webactivity.actionLoginAuthorized	Boolean	Submitted a login form with both a user and password.
webactivity.actionUser	Boolean	Submitted a user field on a login form.

webactivity.actionUserValue	String	User value submitted on the login form. Blank or "N/A" indicated the user did not enter a value.
webactivity.actionPw	Boolean	Submitted a password on a login form.
webactivity.actionLoginCustom	Boolean	A value was entered in the login form text field.
webactivity.actionLoginCustomValue	String	The value entered in the login form text field.
webactivity.actionFeedbackForm	Boolean	Submitted a feedback form.
webactivity.actionTopic	Boolean	
webactivity.actionSender	Boolean	
webactivity.actionMessage	Boolean	
webactivity.actionFileUpload	Boolean	Uploaded a file to a form.
webactivity.actionFileUploadName	String	user value submitted in a file upload.
webactivity.actionCaptcha	Boolean	Submitted an image captcha form.
webactivity.actionCaptchaAuthorized	Boolean	Submitted a non-blank response on a captcha field.
webactivity.actionUnsubscribePageView	Boolean	Clicked an unsubscribe page.
webactivity.actionUnsubscribeForm	Boolean	Submitted an unsubscribe form.
webactivity.actionUnsubscribeFormValue	String	The value submitted in an unsubscribe form.
webactivity.actionSmartAttachment	Boolean	Performed a smart attachment open or link click.
webactivity.actionSmartAttachmentType	String	If available, the type of smart attachment that was initiated to get to the landing page.
webactivity.os	String	The operating system as reported by the browser.
webactivity.httpUserAgent	String	The HTTP user agent as reported by the browser.
webactivity.httpReferer	String	The HTTP referer as reported by the browser.
webactivity.remoteAddr	String	The remote address as reported by the browser.
webactivity.clientIPAddr	String	The IP address of the client machine.
webactivity.clientPCName	String	The name of the client machine.
webactivity.clientUserName	String	The user name logged into the client machine.
webactivity.clientAdmin	Boolean	The client PC user has administrator rights.

webactivity.pageViewElapsedTimeInSeconds	Number	The total number of seconds this page was detected as being open in the browser, only applies when activity is for Page View.
webactivity.remoteAddrHostName	String	The DNS host name derived from the users IP address.
webactivity.remoteAddrOrganization	String	The organization name derived from the user's IP address.
webactivity.remoteAddrCountryName	String	The country name derived from the users IP address.
webactivity.remoteAddrStateCode	String	The state code associated with this IP address.
webactivity.remoteAddrStateName	String	The state/region name associated with the IP address.
webactivity.remoteAddrCityName	String	The city name associated with the IP address.
webactivity.remoteAddrLatitude	String	The latitude associated with the IP address. This is NOT from the user's GPS - it is likely from the ISP.
webactivity.remoteAddrLongitude	String	The longitude associated with the IP address. This is NOT from the user's GPS - it is likely from the ISP.
webactivity.remoteAddrISPName	String	The Internet Service Provider (ISP) associated with the IP address.
webactivity.remoteAddrNetSpeed	String	The network type reported based on the IP address.
webactivity.remoteAddrUserType	String	The user type based on the IP address.
webactivity.remoteAddrAccuracyRadiusKM	Number	The approximate accuracy for the IP address latitude/longitude. This is NOT from the users GPS - it represents the ISP.
webactivity.serverName	String	The server name.
webactivity.requestMethod	String	The request method.
webactivity.requestURI	String	The request URI.
webactivity.requestTime	Date	The request date and time.
webactivity.requestTimeZoneActual	DateTime	The date/time of the request (converted to actual timezone).
webactivity.requestTimeZoneActualText	String	The date/time of the request (with full actual timezone text).
webactivity.requestDate	Date	The request date.
webactivity.navigatorVersion	String	
webactivity.navigatorCookieEnabled	String	
webactivity.navigatorPlatform	String	

webactivity.navigatorUserAgent	String	
webactivity.navigatorJavaEnabled	String	
webactivity.navigatorTaintEnabled	String	
webactivity.navigatorGeolocationAccuracy	String	
webactivity.navigatorGeolocationError	String	
webactivity.engineWebKit	String	
webactivity.campaignName	String	The campaign name.
webactivity.planName	String	The plan assigned to the campaign associated with the data.
webactivity.planid	Number	The plan # assigned to the campaign associated with the data.
webactivity.campaignCategory	String	The campaign category.
webactivity.campaignStartDate	Date	The current campaign start date.
webactivity.campaignEndDate	Date	The current campaign end date.
webactivity.campaignCutoffDate	Date	The current campaign cutoff date.
webactivity.campaignModePortableMedia	Date	Is the campaign a Portable Media Campaign?
webactivity.campaignMediaReportingDate	Date	The media reporting date for portable media campaigns only.
webactivity.addressBookName	String	The current address book name.
webactivity.addressBookCategory	String	The current address book category.
webactivity.emailServerName	String	The email server name.
webactivity.emailTemplateName	String	The email template name.
webactivity.emailTemplateCategory	String	The current category in the email template record.
webactivity.webServerName	String	The current web server name.
webactivity.webTemplateName	String	The current name of the web template record.
webactivity.webTemplateCategory	String	The current category of the web template record.
webactivity.outboundSubject	String	The "Subject" of the corresponding Outbound Message.
webactivity.outboundTo	String	The "To" in the corresponding Outbound Message.
webactivity.outboundReplyTo	String	The "Reply To" in the corresponding Outbound Message.
webactivity.outboundSender	String	The "Sender" for the corresponding Outbound Message.

webactivity.outboundSendDate	String	The send date of the corresponding outbound message.
webactivity.outboundUndeliverable	Boolean	Did the corresponding Outbound message Bounce?
webactivity.outboundOutOfOffice	Boolean	Did the corresponding Outbound message ever receive an Out Of Office notification?
webactivity.outboundReplyReceived	Boolean	Did the corresponding Outbound message ever receive a Reply?
webactivity.outboundActivityPageView	Boolean	Did the corresponding Outbound Message have at least one Page View?
webactivity.addressAddress	String	The current setting of the address in the email address record.
webactivity.addressActive	Boolean	Is the current email address record active?
webactivity.addressAtRestricted	Boolean	<i>Deprecated.</i> Is the current email address record restricted?
webactivity.addressAtDomain	String	The domain name used by this email address.
webactivity.addressAnonymized	Boolean	Has the email address record been anonymized?
webactivity.addressFirstName	String	The current first name for the email address record.
webactivity.addressLastName	String	The current last name in the email address record.
webactivity.addressFullName	String	The current full name in the email address record.
webactivity.addressPersonalTitle	String	The current personal title in the email address record.
webactivity.addressNameSuffix	String	The current name suffix in the email address record.
webactivity.addressOrgArea	String	The current organization area in the email address record.
webactivity.addressOrgLevel	String	The current organization level in the email address record.
webactivity.addressOrgTenure	String	The current organization tenure in the email address record.
webactivity.addressCompany	String	The company field for the email address associated with the event.
webactivity.addressCountry	String	The country field for the email address associated with the event.
webactivity.addressRegion	String	The region field for the email address associated with the event.

webactivity.addressSite	String	The site field for the email address associated with the event.
webactivity.addressLanguage	String	The language field for the email address associated with the event.
webactivity.addressTimeZone	String	The timezone field for the email address associated with the event.
webactivity.addressCity	String	The city field for the email address associated with the event.
webactivity.addressState	String	The state field for the email address associated with the event.
webactivity.addressZip	String	The zip code field for the email address associated with the event.
webactivity.addressSource	String	The source field for the email address associated with the event.
webactivity.addressManagerEmailAddress	String	The email address of this address book entries Manager or Supervisor.
webactivity.addressManagerName	String	The name of this address book entries Manager or Supervisor.
webactivity.addressProgramTermGroup	String	The program term group that this participant belongs to.
webactivity.addressProgramTermLevel	String	The program term level that this participant is at when this address was used.
webactivity.addressCustom1	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom2	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom3	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom4	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom5	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom6	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom7	String	This is a custom email address attribute used for advanced campaign targeting and analysis.

webactivity.addressCustom8	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom9	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom10	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom11	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom12	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom13	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom14	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom15	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom16	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom17	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom18	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom19	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom20	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom21	String	This is a custom email address attribute used for advanced campaign targeting and analysis.

webactivity.addressCustom22	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom23	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom24	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom25	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom26	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom27	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom28	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom29	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom30	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom31	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom32	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom33	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom34	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom35	String	This is a custom email address attribute used for advanced campaign targeting and analysis.

webactivity.addressCustom36	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom37	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom38	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom39	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressCustom40	String	This is a custom email address attribute used for advanced campaign targeting and analysis.
webactivity.addressOffenderCategory	String	Set to Offender if the Recipient has failed in last 3 campaigns.
webactivity.addressOffenderFailureNumber	Number	The number of consecutive tests where this Recipient has failed.
webactivity.addressTraining	Boolean	Has the Email Address # ever started an Online Training Challenge?
webactivity.addressTrainingPassed	Boolean	Has the Email Address # ever received a passing grade on a Training Challenge?
webactivity.addressTrainingCompleted	Boolean	Has the Email Address # ever completed a Training Challenge?
webactivity.emailTraining	Boolean	Was training started from the Training Challenge link in this email?
webactivity.emailTrainingPassed	Boolean	Did the training taken from the Training Challenge link in this email result in a passing score?
webactivity.emailTrainingCompleted	Boolean	Was training completed from the Training Challenge link in this email?
webactivity.id	Number	The unique identifier for this web activity.
webactivity.campaignid	Number	The campaign #. Error 4xx

Error 4xx

Name	Type	Description
NotAuthorized		Only authorized users can access this data.
NotFound		The id of the Campaign was not found.

Error Response Examples

HTTP/1.1 401 Not Authorized

```
{
  "status": 401,
  "statusMessage": "NotAuthorized",
  "statusDetails": {
    "Reason": "Valid access token required. Please re-authenticate."
  },
  "entity": "unknown",
  "jobid": 0,
  "notifications": [],
  "totalRowCount": 0,
  "pageRowCount": 0,
  "remainingRowCount": 0,
  "maxIdReturned": 0,
  "data": []
}
```

HTTP/1.1 404 Not Found

```
{
  "status": 404,
  "statusMessage": "NotFound",
  "statusDetails": {
    "NotFound": "No web activity found for id 1."
  },
  "entity": "unknown",
  "jobid": 0,
  "notifications": {
    "API Token Expiration Date": "2022-09-23 12:13:13",
    "Maximum API calls per hour": 1000,
    "Your API calls in the last hour": 30
  },
  "totalRowCount": 0,
  "pageRowCount": 0,
  "remainingRowCount": 0,
  "maxIdReturned": 0,
  "data": []
}
```

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.