

Get Account

<https://campus.barracuda.com/doc/93193798/>

Retrieves account information for the Barracuda ESS product under a Barracuda account.

Endpoint

GET /beta/accounts/{account_id}/ess

Request header

Name	Required	Description	Type
access_token	Required	The access token issued by the authorization server.	String

Path parameter

Name	Required	Description	Type
account_id	Required	The Barracuda Cloud Control account ID.	String

Response

Entry	Description	Data Type
accountName	The account name.	String
accountId	The Barracuda Cloud Control account ID.	String
region	The region in which the account is hosted.	String
status	The account status. ACTIVE (The account is active and in good standing.) SUSPENDED (The service continues to scan for viruses only; configured policies are no longer applied, spam is not blocked, and spooling is disabled.) DISABLED (All mail to your domains is rejected by the service.)	Enumeration

Sample Request

```
curl -X GET  
"https://api.barracudanetworks.com/beta/accounts/{account_id}/ess" \  
--header "Authorization: Bearer {access_token}"
```

Sample Response

```
{  
  "accountName": "Barracuda Networks Co",  
  "accountId": "5584599",  
  "region": "US",  
  "status": "ACTIVE"  
}
```

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.