

Adding the Backup Agent to the Allow List

https://campus.barracuda.com/doc/93197215/

To guarantee communications are not impeded between the Backup Agent and IBU servers you may need to add some specific IP addresses, ports, and services to the Allow list.


You can find the list of recommended Allow list items in the table below.

Allow list Items

Country	Host Name	IP Address	Ports	Services
US + CA	relay02.intronis.com	40.67.135.231	(both inbound and outbound)	BackupAgent.exe BackupExtender.exe BackupUpdater.exe BackupCLI.exe BackupStatusIcon.exe
CA	adapter. ca. cloud backup. bk 1. on line backup solution. com	20.200.93.220		
UK	installer-api.echo.intronis.com api.echo.intronis.com relay01.echo.intronis.com relay02.echo.intronis.com bk1.echo.onlinebackupsolution.com manage.echo.barracudamsp.com adapter.uk.cloudbackup.bk1.onlinebackupsolution.com	20.108.56.143 172.166.173.56 172.166.173.57 172.166.173.58		

^{*}Your specific Backup Agent may be configured to use a different port. To verify which port it is using, check the **Remoting Port** option in the **Network Settings** section of **Preferences** (in the Backup Monitor, not the management portal).





Barracuda Intronis Backup



Figures

1. remotingport.png

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.