

---

## VMware

<https://campus.barracuda.com/doc/93198281/>

### Overview

---

- [VMware Standard vs QuickSpin](#)
- [Enabling the UUID Attribute for VMware Backups](#)
- [Enabling TLS 1.0 in vSphere 6.5](#)
- [Self-signed SSL Certificates](#)
- [Adding a New ESXi or vCenter Server](#)
- [Changing Server Credentials](#)

### VMware Standard

---

---

- [Creating a VMware Standard Backup Set](#)
- [Editing VMware Standard Backup Sets](#)
- [Removing VMware Standard Backup Sets](#)
- [Deleting VMware Standard Backup Data](#)
- [Restoring a VMware Standard Backup](#)

### VMware QuickSpin

---

---

- [Creating a VMware QuickSpin Backup Set](#)
- [Editing VMware QuickSpin Backup Sets](#)
- [Removing VMware QuickSpin Backup Sets](#)
- [Deleting VMware QuickSpin Backup Data](#)
- [Restoring VMware QuickSpin Backups](#)

### VMware QuickSpin Restore at the Object Level

---

---

- [Restoring VMware QuickSpin at the Object Level](#)

## Troubleshooting

---

---

- [VMware Snapshot Quiesce Fails due to VMware Snapshot Provider Issue](#)
- [Application Failed to Quiesce](#)
- [High Memory Usage During VMware Backups](#)
- [Resetting Changed Block Tracking \(CBT\)](#)
- [Does Intronis back up VMware virtual machines running Linux?](#)

© Barracuda Networks Inc., 2022 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.