

Partner Single Serial Usage

<https://campus.barracuda.com/doc/96770897/>

This API call allows the partner to check the usage of a single serial number.

Authentication is done using OAuth2 token.

Scope: ROLE_PARTNERS_READ

Request Format

GET v2/partners/<partnerUsername>/serialStatus/<serialNumber>

Input Parameters

The following table provides the input parameters and descriptions.

Parameter	Description
partnerUsername	String, partner username.

Output Parameters

The following table provides the output parameters and descriptions.

Parameter	Description	
data	Integer, data: Array of objects with:	
	productId	Integer, id of the newly created activation request.
	serial_number	String, the product serial number for the provision
	serial_status	Integer, status of the provision serial possible values: (0:Inactive 1:Active 2:Available 3:RMA needed 4:Pending 5:SSG Pending 6:Provision Failed 7:Activation Failed 8:Returned 9:Retired 10:Replaced 11:RMA requested 12:RMA issued 14:Cancelled)

Response Example

```
{  
  
  "data": {  
  
    "product_id": 94644,  
  
    "serial_number": "321321",  
  
    "serial_status": 4  
  
  }  
  
}
```

Output Data

Response status: 200 OK

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.