
Get registered Hyper-V hosts

<https://campus.barracuda.com/doc/96772135/>

This fetches a list of hosts previously created by a previous Register/Create API call.

This section includes the following topics:

- Input Parameters
- Output Parameters

Input Parameters

None.

Output Parameters

Array of registered hosts, each containing the same information as documented for the output of the Register host API.

Example GET

GET /v2/accounts/test_acc/computers/0000/restore/hyperv/host/list

Input Parameters

None.

Output Parameters

Response status: 200 Accepted (for online operation).

Example Response

```
{  
  
  "data": [  
  
    {  
  
      "identifier": {  
  
        "id": 2  
  
      },  
  
      "hostName": "win-3buj2mbr3re",  
  
      "serverState": 0,  
  
      "serverStateReason": 0,  
  
      "hostUnsupportedReason": 0,  
  
      "hostUnsupported": false  
  
    },  
  
    {  
  
      "identifier": {  
  
        "id": 3  
  
      },  
  
      "hostName": "10.12.144.208",  
  
      "serverState": 0,  
  
    }  
  
  ]  
}
```

```
"serverStateReason": 0,  
  
"hostUnsupportedReason": 0,  
  
"hostUnsupported": false  
  
}  
  
]  
  
}
```

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.