

GET List of Backup Sets with Restorable Revisions

<https://campus.barracuda.com/doc/96772251/>

This API allows you to GET List of Backup Sets with Restorable Revisions

Input Parameters

None.

Output Parameters

The following table provides the parameters and descriptions.

Parameter	Description
type	Type of record for this API call, only BackupSet is possible.
id	Integer value. ID of the record. Use this parameter for subsequent browse requests, for the next level.
name	String value. Name of the backup set.
hasChildren	Boolean. Indicates whether a subsequent browse at the Folder or File level is possible.

Example

Array of backup sets that contain restorable revisions, with the following structure:

```
{  
  
  "type": "BackupSet",  
  
  "items": [  
  
    {  
  
      "type": "BackupSet",
```

```
"id": 17,  
  
"name": "BACKUP SET NAME",  
  
"hasChildren": true,  
  
}  
  
]  
  
}
```

Example GET

GET
/v2/accounts/{accountUsername}/computers/{subaccountId}/restore/filesandfolders/browse/backups
et/list

Example Output

```
{  
  
  "data": {  
  
    "items": [  
  
      {  
  
        "type": "BackupSet",  
  
        "id": 5,  
  
        "name": "Files and Folders 1",  
  
        "path": "",
```

```
"hasChildren": true,  
  
"backupTime": "0001-01-01T00:00:00"  
  
}  
  
]  
  
}  
  
}
```

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.