

## Partner Plan

<https://campus.barracuda.com/doc/97518009/>

URI	/v1/partners/{username}/plans/{plan_id}
URI Parameters	<ul style="list-style-type: none"> <li>username (string)</li> <li>plan_id (int)</li> </ul>
Methods	GET, PUT, DELETE

### GET /v1/partners/{username}/plans/{plan\_id}

Gets a partner's branded plan

Scope	partners_read
Request Body Parameters	<ul style="list-style-type: none"> <li>n/a</li> </ul>
Response Attributes	<ul style="list-style-type: none"> <li>name (string)</li> <li>setup_price (decimal) - price of setup to be added during the first month of billing</li> <li>base_usage (int) - bytes of base usage</li> <li>base_price (decimal) - base price of the plan</li> <li>extra_usage (int) - bytes of overusage blocks</li> <li>extra_price (decimal) - price of each overusage block</li> <li>computers (int) - number of computers included before charging for extra computers</li> <li>computers_usage (int) - bytes of available usage added for each extra computer</li> <li>computers_price (decimal) - price for each extra computer</li> <li>local_backup_price (decimal) - price of a local backup subscription</li> <li>vm_host_price (decimal) - price of a QuickSpin host license</li> <li>disk_image_price (decimal) - price of a DiskImage license</li> <li>es_seat_price(decimal) - price of each ECHOShare seat</li> <li>es_connection_price(decimal)-price of each ECHOShare connection</li> <li>es_cost_extra_block(decimal) - cost of each ECHOShare extra block</li> </ul>

### Example JSON

Request:

GET /v1/partners/barracuda/plans/10 HTTP/1.1

Host: api.intronis.com

Authorization: OAuth vF9dft4qmT

Accept: application/json

Response:

HTTP/1.1 200 OK

Content-Type: application/json

```
{  
  
  "name": "20g Monthly",  
  
  "setup_price": 0.00,  
  
  "base_usage": 21474836480,  
  
  "base_price": 19.95,  
  
  "extra_usage": 1073741824,  
  
  "extra_price": 0.95,  
  
  "computers": 10,  
  
  "computers_usage": 5368709120,  
  
  "computers_price": 4.95,  
  
  "local_backup_price": 4.95,  
  
  "vm_host_price": 60,  
  
  "disk_image_price": 60,
```

```
"es_seat_price": 30,  
"es_connection_price": 25,  
"es_cost_extra_block": 50  
}
```

## Example XML

---

Request:

GET /v1/partners/barracuda/plans/10 HTTP/1.1

Host: api.intronis.com

Authorization: OAuth vF9dft4qmT

Accept: application/xml

Response:

HTTP/1.1 200 OK

Content-Type: application/xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<plan>
```

```
  <name>20g Monthly</name>
```

```
<setup_price>0.00</setup_price>

<base_usage>21474836480</base_usage>

<base_price>19.95</base_price>

<extra_usage>1073741824</extra_usage>

<extra_price>0.95</extra_price>

<computers>10</computers>

<computers_usage>5368709120</computers_usage>

<computers_price>4.95</computers_price>

<local_backup_price>4.95</local_backup_price>

<vm_host_price>60</vm_host_price>

<disk_image_price>60</disk_image_price>

<es_seat_price>30</es_seat_price>

<es_connection_price>25</es_connection_price>

<es_cost_extra_block>50</es_cost_extra_block>

</plan>
```

## **PUT /v1/partners/{username}/plans/{plan\_id}**

Edits a partner's branded plan.

Scope	partners_write
-------	----------------

Request Body Parameters	<ul style="list-style-type: none"> <li>• name (string)</li> <li>• setup_price (decimal) – price of setup to be added during the first month of billing</li> <li>• base_usage (int) – bytes of base usage</li> <li>• base_price (decimal) – base price of the plan</li> <li>• extra_usage (int) – bytes of overusage blocks</li> <li>• extra_price (decimal) – price of each overusage block</li> <li>• computers (int) – number of computers included before charging for extra computers</li> <li>• computers_usage (int) – bytes of available usage added for each extra computer</li> <li>• computers_price (decimal) – price for each extra computer</li> <li>• local_backup_price (decimal) – price of a local backup subscription</li> <li>• vm_host_price (decimal) – price of a QuickSpin host license</li> <li>• disk_image_price (decimal) – price of a DiskImage license</li> <li>• es_seat_price(decimal) – price of each ECHOShare seat</li> <li>• es_connection_price(decimal)-price of each ECHOShare connection</li> <li>• es_cost_extra_block(decimal) – cost of each ECHOShare extra block</li> </ul>
Response Attributes	<ul style="list-style-type: none"> <li>• n/a</li> </ul>

## Example JSON

Request:

PUT /v1/partners/barracuda/plans/10 HTTP/1.1

Host: api.intronis.com

Authorization: OAuth vF9dft4qmT

Content-Type: application/json

```
{
  "name": "20g Monthly",
  "setup_price": 0.00,
  "base_usage": 21474836480,
```

```
"base_price": 19.95,  
"extra_usage": 1073741824,  
"extra_price": 0.95,  
"computers": 10,  
"computers_usage": 5368709120,  
"computers_price": 4.95,  
"local_backup_price": 4.95,  
"vm_host_price": 60,  
"disk_image_price": 60,  
"es_seat_price": 30,  
"es_connection_price": 25,  
"es_cost_extra_block": 50  
}
```

Response:

HTTP/1.1 204 No Content

## Example XML

---

Request:

PUT /v1/partners/barracuda/plans/10 HTTP/1.1

Host: api.intronis.com

Authorization: OAuth vF9dft4qmT

Content-Type: application/xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<plan>
```

```
<name>20g Monthly</name>
```

```
<setup_price>0.00</setup_price>
```

```
<base_usage>21474836480</base_usage>
```

```
<base_price>19.95</base_price>
```

```
<extra_usage>1073741824</extra_usage>
```

```
<extra_price>0.95</extra_price>
```

```
<computers>10</computers>
```

```
<computers_usage>5368709120</computers_usage>
```

```
<computers_price>4.95</computers_price>
```

```
<local_backup_price>4.95</local_backup_price>
```

```
<vm_host_price>60</vm_host_price>
```

```
<disk_image_price>60</disk_image_price>
```

```
<es_seat_price>30</es_seat_price>
```

```
<es_connection_price>25</es_connection_price>
```

```
<es_cost_extra_block>50</es_cost_extra_block>
```

```
</plan>
```

Response:

HTTP/1.1 204 No Content

## **DELETE /v1/partners/{username}/plans/{plan\_id}**

Deletes a partner's branded plan.

Scope	partners_write
Request Body Parameters	• n/a
Response Attributes	• n/a

## **Example**

Request:

DELETE /v1/partners/barracuda/users/tech\_user HTTP/1.1

Host: api.intronis.com

Authorization: OAuth vF9dft4qmT

Response:



HTTP/1.1 204 No Content

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.