

Partner User Password Changer Controller

<https://campus.barracuda.com/doc/97518022/>

URI	/v1/partners/{username}/users/{user_username}/password
URI Parameters	<ul style="list-style-type: none">username (string)user_username (string)
Methods	POST

POST /v1/partners/{username}/users/{user_username}/password

Changes a partner user's password.

Scope	partners_write
Request Body Parameters	<ul style="list-style-type: none">current_password (string) - the user's current passwordnew_password (string) - the new password to be saved to the user
Response Attributes	<ul style="list-style-type: none">n/a

Example JSON

Request:

POST /v1/partners/barracuda/users/tech_user/password HTTP/1.1

Host: api.intronis.com

Authorization: OAuth vF9dft4qmT

Content-Type: application/json

```
{  
  
  "current_password": "password",  
  
  "new_password": "password1"
```

}

Response:

HTTP/1.1 204 No Content

Example XML

Request:

POST /v1/partners/barracuda/users/tech_user/password HTTP/1.1

Host: api.intronis.com

Authorization: OAuth vF9dft4qmT

Content-Type: application/xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<password>
```

```
  <current_password>password</current_password>
```

```
  <new_password>password1</new_password>
```

```
</password>
```

Response:

HTTP/1.1 204 No Content

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.