

How to Configure Azure Route Tables (UDR) using Azure Portal and ARM

<https://campus.barracuda.com/doc/98209991/>

Azure Route Tables, or User Defined Routing, allow you to create network routes so that your CloudGen Firewall VM can handle the traffic both between your subnets and to the Internet. For the network interfaces to be allowed to receive and forward traffic, IP forwarding must be enabled. When different route types are present in a UDR route table, user defined routes are preferred over the default system routes. When multiple routes match the destination, the more specific route is used. The default system routes always present in an Azure route table allow the following:

- Traffic within the virtual network
- Traffic to the Internet
- Traffic between different virtual networks using the Azure VPN Gateway
- Traffic from the virtual network to networks connected via the Azure VPN Gateway

Limitations

- Multiple network interfaces in one subnet are not supported for stand-alone firewall VMs.


Before You Begin

- Deploy a Barracuda CloudGen Firewall F. For more information, see [Microsoft Azure Deployment](#).

Step 1. Create an Azure Route Table

Create a route table in the networking resource group.

1. Log in to the Azure Portal: <https://portal.azure.com>.
2. Click + **Create a resource**.




3. Enter route table in the search box and press **Enter**.

4. Select **Route table**.

[Home](#) > [Create a resource](#) >

Marketplace ...



The screenshot shows the Azure Marketplace interface. On the left is a navigation sidebar with sections: 'Get Started' (containing 'Service Providers'), 'Management' (containing 'Private Marketplace' and 'Private Offer Management'), 'My Marketplace' (containing 'Favorites', 'Recently created', and 'Private plans'), and 'Categories' (containing 'Networking (3)' and 'Security (2)'). The main area has a search bar with 'route table' entered. Below the search bar are two checkboxes: 'Azure benefit eligible only' and 'Azure services only'. It says 'Showing 1 to 5 of 5 results for 'route table'. Clear search'. Two results are shown: 'Route table' by Microsoft (Azure Service) and 'VNS3 NATe 6.x - NAT Gateway Appliance' by Cohesive Networks (Virtual Machine). The 'Route table' result is highlighted with an orange box around its 'Create' button. The 'VNS3' result shows a price of 'Starts at US\$0.005/hour'.

5. Click **Create**.

6. In the **Route table** window, specify the following settings:

- **Subscription** – Select the Azure Subscription.
- **Resource Group** – Select an already existing resource group, or click **create new** and enter a unique resource group name to create a new resource group.
- **Region** – Select the Azure datacenter where you want to deploy your VM. The route table must be in the same location as the virtual network and the VMs.
- **Name** – Enter the route table name.

Create Route table ...

Basics Tags Review + create

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ

Resource group * ⓘ

[Create new](#)

Instance details

Region * ⓘ


Name * ⓘ

Propagate gateway routes * ⓘ ☒ Yes ☐ No

7. Click **Review + create**.

8. Review your settings and click **Create**.

Wait for the route table deployment to finish.




Step 2. Add Routes

Create user defined routes to use your firewall VM as a gateway. If you want traffic between two subnets to pass through the firewall VM, you must also create routes to each subnet using the firewall VM as the gateway.

The Microsoft Azure Linux Agent (waagent) communicates over the first interface. If multiple NICs and static IP addresses are used on an Azure firewall and the metric of the default route on the 2nd NIC is lower than on the first, you must add single-host routes, pointing at the first NIC's

gateway: 168.63.129.16/32 and 169.254.169.254/32; both via eth0.

1. Log in to the Azure Portal: <https://portal.azure.com>.
2. Open the route table created in step 1.
3. In the **Settings** column, click **Routes**.



4. In the **Routes** window, click **+ Add**.
5. In the **Add route** column, enter:
 - **Route name** – Enter a unique route name.
 - **Destination type** – Select **IP Address**. Enter the destination IP address range in CIDR. Use 0.0.0.0/0 to create a default route.
 - **Next hop type** – Select **Virtual appliance**.
 - **Next hop address** – Enter the private IP address of the CloudGen Firewall VM. If you are using an HA cluster, enter the IP address of the active firewall VM.

A screenshot of the 'Add route' dialog box in the Azure Portal. The dialog has a title bar with '2-vnetCGA-rt' and a close button. Below the title bar is a description: 'A user defined route (UDR) is a static route that overrides Azure's default system routes, or adds a route to a subnet's route table. Learn more'. There are five input fields, each with an orange border and a green checkmark on the right: 'Route name' with value 'CGFDefaultRoute', 'Destination type' with value 'IP Addresses', 'Destination IP addresses/CIDR ranges' with value '0.0.0.0/0', 'Next hop type' with value 'Virtual appliance', and 'Next hop address' with value '10.1.1.10'. On the left side of the dialog, there is a sidebar with a '+ Add' button (highlighted with an orange box) and a search bar.

6. Click **Add**.
7. (optional) Create additional routes.

The routes you created are now accessible via your **Route Tables** column.

Step 3. Associate the Route Table with the Subnets

Assign the routing table to the subnets.

It is not possible to associate more than one routing table with a subnet.

1. Log in to the Azure Portal: <https://portal.azure.com>.
2. Open the route table created in step 1.
3. In the **Settings** column, click **Subnets**.

Settings

Configuration

Routes

Subnets

Properties

Locks

4. In the **Subnets** column, click **+ Associate** to add a subnet.

| Subnets ☆ ...

×

+ Associate

Search subnets

Name ↑↓

Address range ↑↓

Virtual network ↑↓

Security group ↑↓

5. In the **Associate subnet** column, expand **Virtual network** and select the virtual network.
6. Expand **Subnet** and select the subnet.
7. Click **OK**.
8. (optional) Associate additional subnets with the route table.


The subnets associated with this route table are now accessible via the **Subnets** section of your route tables column:

Step 4. Enable IP Forwarding for the Network Interfaces of the Firewall VM


Enable IP forwarding for all attached network interfaces of the firewall VM. This enables the firewall for

forward traffic with a destination IP address that does not match its own private IP address.

1. Log in to the Azure Portal: <https://portal.azure.com>.
2. Open the network interface attached to your firewall VM.



3. In the **Settings** column, click **IP configurations**.
4. Select the checkbox to **Enable IP forwarding**.



5. Click **Apply**.

The Barracuda CloudGen Firewall VM can now forward traffic from backend VMs to the Internet.

Next Steps

- Configure Azure cloud integration. For more information, see [How to Configure Azure Cloud Integration Using ARM](#).
- Create access rules to allow traffic from the backend VMs to the Internet. For more information, see [Access Rules](#).

Figures

1. create_res.png
2. rt_select.png
3. create_rt.png
4. udr_portal_04.png
5. settings_col.png
6. add_rt.png
7. settings_sub.png
8. as_sub.png
9. net_if.png
10. ip_fw.png

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.