

Outbound Analysis Results

<https://campus.barracuda.com/doc/99617779/>

Permission Required to use this API Endpoint

A user with API access must have one of the following permissions:

- Email Campaign - Can Edit All
- Email Campaign Results - Can View All

For more information, see how to [set up a user account with API access](#).

Get all outbound analysis results

This is all gathered outbound analysis, containing data on what emails were sent out from a campaign.

GET /rest/outboundanalysis/id/afterid?startdate=YYYY-MM-DD&enddate=YYYY-MM-DD

Parameters

Name	Type	Description
id	Integer	Optional. The Campaign ID. No ID, or an ID of "0" (zero), will return all outbound analysis data. If you are using pagination and do not want to use a Campaign ID, you must use a "0". Do not send to /outboundanalysis/afterid, because the afterid would be treated as the Campaign ID.
afterid	Integer	Optional. Use when Paging is required. Each request now returns the maxIdReturned. Use this value as the afterid to retrieve the next page of records if necessary. See Paging below for more details.
startdate	String	Optional. When set, data older than this date is ignored. YYYY-MM-DD format.
enddate	String	Optional. When set, data newer than this date is ignored. YYYY-MM-DD format.
access_token	String	Set the access token if you have not added it as an Authorization header.

Example Usage

```
curl -X GET -H "Authorization: Bearer XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX" -H
```

```
"Cache-Control: no-cache"  
"https://api.phishline.com/phishline_example/rest/outboundanalysis/11"
```

Paging

Paging is required if the request will return more than 5,000 records. The HTTP status code will be set to **206 - Partial Content**.

To get subsequent pages you must pass the **maxIdReturned** from the current request to the next request as the **afterId**. Continue to do this until all the rows are returned and the **remainingRowCount** is zero and/or the HTTP status code returned is **200**.

Example Usage with Paging

```
curl -X GET -H "Authorization: Bearer XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX" -H  
"Cache-Control: no-cache"  
"https://api.phishline.com/phishline_example/rest/outboundanalysis/11/233091"
```

Success Response Example

Note the following values indicate that paging is needed.

- **status** code changes from **200** to **206**
- **statusMessage** changes from **OK** to **PartialContent**
- **remainingRowCount** changes from **zero** to greater than **zero**

```
HTTP/1.1 200 OK { "status": 200, "statusMessage": "OK", "statusDetails": [],  
{  
  "status": 200,  
  "statusMessage": "OK",  
  "statusDetails": [],  
  "entity": "outboundanalysis",  
  "jobid": 0,  
  "notifications": {  
    "API Token Expiration Date": "2024-06-20 09:58:27",  
    "Maximum API calls per hour": 1000,  
    "Your API calls in the last hour": 59  
  },  
  "totalRowCount": 1459,
```

```
"pageRowCount": 1459,
"remainingRowCount": 0,
"maxIdReturned": 26706,
"data": [
  {
    "id": "19991",
    "messageid": "c84ec6955d8b6ee1e60b407aede929c2",
    "status": "Sent",
    "timezoneActual": "America\\Chicago",
    "timezoneActualSendDate": "2022-01-23 19:54:05",
    "timezoneActualSendAfter": "2022-01-23 19:54:00",
    "timezoneActualDayOfWeek": "1",
    "dayOfWeekText": "Sun",
    "timezoneActualDayOfWeekText": "Sun",
    "subject": "Need your help",
    "to": "exampleuser@barracuda.com",
    "challengeLinkList": "",
    "locked": "1",
    "sent": "1",
    "sending": "0",
    "sendAttempts": "1",
    "sendAfter": "2022-01-23 19:54:00",
    "scheduledTimezoneActual": "2022-01-23 19:54 (Sunday)
America\\Chicago UTC-6",
    "sendDate": "2022-01-23 19:54:05",
    "campaignid": "581",
    "campaignName": "Example Campaign Name",
    "campaignType": "Email Campaign",
    "planName": "",
    "planid": "0",
    "campaignCategory": "General",
    "campaignStartDate": "2022-01-23 07:23:00",
    "campaignEndDate": "2022-01-24 07:23:00",
    "campaignCutoffDate": "2022-01-25 07:23:00",
    "campaignIntent": "Testing",
    "campaignLifecycle": "Completed",
    "campaignLocked": "1",
    "campaignModePortableMedia": "0",
    "campaignMediaReportingDate": "0000-00-00 00:00:00",
    "campaignExcludeFromProgramStats": "0",
    "addressBookName": "Book 6 in Group 1",
    "addressBookCategory": "General",
    "emailserverid": "511",
    "emailServerName": "deals@neverclick.net",
    "emailServerType": "Email",
    "emailtemplateid": "1",
```

```
"emailTemplateName": "13 Threats Business Email Compromise",
"emailTemplateType": "Email",
"emailTemplateCategory": "Corporate",
"emailTemplateEnableInlineImages": "0",
"emailTemplateIsUrgent": "0",
"webserverid": "141",
"webServerName": "http:\\\\neverclick.net",
"webServerType": "Web Server",
"webServerURL": "http:\\\\neverclick.net\\/de1b67fb141",
"webtemplateid": "1",
"webTemplateName": "13 Threats Business Email Com",
"webTemplateType": "Web Page",
"webTemplateCategory": "Security",
"webTemplateIVRName": "",
"addressAddress": "exampleuser@barracuda.com",
"addressActive": "1",
"domainAuthValidated": "1",
"addressAtDomain": "@barracuda.com",
"addressAnonymized": "0",
"addressFirstName": "Test",
"addressLastName": "User",
"addressFullName": "",
"addressPersonalTitle": "",
"addressNameSuffix": "",
"addressHireDate": "0000-00-00",
"addressOrgArea": "",
"addressOrgLevel": "",
"addressOrgTenure": "",
"addressCompany": "",
"addressCountry": "",
"addressRegion": "",
"addressSite": "",
"addressLanguage": "",
"addressTimeZone": "",
"addressCity": "",
"addressState": "",
"addressZip": "",
"addressMobile": "",
"addressOtherMobile": "",
"addressSource": "",
"addressManagerEmailAddress": "",
"addressManagerName": "",
"addressProgramTermGroup": "",
"addressProgramTermLevel": "",
"addressAdhocClickRiskCategory": "",
"addressAdhocClickCount": "0",
```

```
"addressAdhocClickStartTime": "0000-00-00 00:00:00",
"addressAdhocClickEndTime": "0000-00-00 00:00:00",
"addressAdhocClickRunTime": "0000-00-00 00:00:00",
"addressCustom1": "",
"addressCustom2": "",
"addressCustom3": "",
"addressCustom4": "",
"addressCustom5": "",
"addressCustom6": "",
"addressCustom7": "",
"addressCustom8": "",
"addressCustom9": "",
"addressCustom10": "",
"addressCustom11": "",
"addressCustom12": "",
"addressCustom13": "",
"addressCustom14": "",
"addressCustom15": "",
"addressCustom16": "",
"addressCustom17": "",
"addressCustom18": "",
"addressCustom19": "",
"addressCustom20": "",
"addressCustom21": "",
"addressCustom22": "",
"addressCustom23": "",
"addressCustom24": "",
"addressCustom25": "",
"addressCustom26": "",
"addressCustom27": "",
"addressCustom28": "",
"addressCustom29": "",
"addressCustom30": "",
"addressCustom31": "",
"addressCustom32": "",
"addressCustom33": "",
"addressCustom34": "",
"addressCustom35": "",
"addressCustom36": "",
"addressCustom37": "",
"addressCustom38": "",
"addressCustom39": "",
"addressCustom40": "",
"addressOffenderCategory": "Non-Offender",
"addressOffenderFailureNumber": "0",
"addressOffenderCampaignList": null,
```

```
"addressTraining": "0",
"addressTrainingPassed": "0",
"addressTrainingCompleted": "0",
"addressTotalEventPoints": "7400",
"undeliverable": "0",
"outOfOffice": "0",
"senderAddressVerification": "0",
"replyReceived": "0",
"replyOrActivity": "0",
"activity": "0",
"activityPageView": "0",
"activityImageView": "0",
"activityFileDownload": "0",
"activityLoginForm": "0",
"activityUser": "0",
"oppPw": "0",
"activityPw": "0",
"oppLoginCustom": "0",
"activityLoginCustom": "0",
"activityFeedbackForm": "0",
"activityTopic": "0",
"activitySender": "0",
"activityMessage": "0",
"activityFileUpload": "0",
"activityCaptcha": "0",
"activityUnsubscribePageView": "0",
"activityUnsubscribeForm": "0",
"activityIncidentResponse": "0",
"activitySmartAttachment": "0",
"messageType": "Email",
"clickReporterActionSummary": "No Click and No Report",
"multiClicker": "0",
"osList": "N\\A",
"messageTotalEventPoints": "100",
"lastSendAttemptError": "",
"programRollingTermTargetedCount": "91",
"programRollingTermPageViewCount": "0",
"programRollingTermReportedCount": "0",
"programRollingTermPageViewRate": "0.00",
"programRollingTermReportedRate": "0.00",
"programRollingTermMultiClicker": "0",
"programRollingTermConsecutiveClicker": "0",
"programRollingTermChronicClicker": "0",
"programRollingTermTrainingList": "",
"programRollingTermReportingDate": "2022-01-23",
"programRollingTermReportingTermName": "2022-01",
```

```

    "firstSurveyTemplateStarted": "",
    "listSurveyTemplatesStarted": null,
    "timeInSecondsSpentOnPageForOutboundMessage": "0",
    "timeInMinutesSpentOnPageForOutboundMessage": "0.00",
    "minMachineClickTestScore": null,
    "maxMachineClickTestScore": null,
    "firstClickTime": "0000-00-00 00:00:00",
    "firstReportedTime": "0000-00-00 00:00:00",
    "firstClickMinutes": "0",
    "firstReportedMinutes": "0",
    "activityIncidentResponseReporter": "",
    "emailTraining": "0",
    "emailTrainingPassed": "0",
    "emailTrainingCompleted": "0",
    "ivrConfirmationValidated": "0",
    "ivrMaxStepCompleted": "0"
  },
  DOCUMENTATION NOTE: Additional data truncated for brevity
]
}

```

Success 200

Name	Type	Description
outboundanalysis	Object[]	An outbound analysis record for a single message sent in a campaign.
outboundanalysis.id	bigint	A system assigned unique record identifier.
outboundanalysis.messageid	char	A globally unique message identifier.
outboundanalysis.status	varchar	The status of the outbound email message.
outboundanalysis.timezoneActual	varchar	The timezone the campaign was scheduled in
outboundanalysis.timezoneActualSendDate	datetime	Send date (converted to actual timezone)

outboundanalysis.timezoneActualSendAfter	datetime	Send after (converted to actual timezone)
outboundanalysis.timezoneActualDayOfWeek	char	Send date day of week number (Sunday=1) (converted to actual timezone)
outboundanalysis.dayOfWeekText	char	Send date day of week converted to short text format
outboundanalysis.timezoneActualDayOfWeekText	char	Send date day of week converted to short text format (converted to actual timezone)
outboundanalysis.subject	varchar	The email message subject.
outboundanalysis.to	varchar	The 'to' address.
outboundanalysis.challengeLinkList	text	List of training links include in email.
outboundanalysis.locked	tinyint	Is the outbound message locked to prevent delivery attempts?
outboundanalysis.sent	tinyint	Has the outbound message delivery already been attempted without server errors?
outboundanalysis.sending	tinyint	A sent attempt is marked as in- progress right now.
outboundanalysis.sendAttempts	int	The number of send attempts tried so far.
outboundanalysis.sendAfter	datetime	All unlocked, unsent messages will attempt delivery some time after the 'send after' date and time.

outboundanalysis.scheduledTimezoneActual	varchar	The "Send After" date/time in the context of the Schedule Based Upon" setting.
outboundanalysis.sendDate	datetime	The actual date of the last delivery attempt.
outboundanalysis.campaignid	int	The campaign #.
outboundanalysis.campaignName	varchar	The campaign name.
outboundanalysis.campaignType	varchar	The type of campaign.
outboundanalysis.planName	varchar	The plan assigned to the campaign associated with the data.
outboundanalysis.planid	int	The plan # assigned to the campaign associated with the data.
outboundanalysis.campaignCategory	varchar	The campaign category.
outboundanalysis.campaignCategory	varchar	The campaign category.
outboundanalysis.campaignStartDate	datetime	The current campaign start date.
outboundanalysis.campaignEndDate	datetime	The current campaign end date.
outboundanalysis.campaignCutoffDate	datetime	The current campaign cutoff date.
outboundanalysis.campaignIntent	varchar	The objective of the campaign.
outboundanalysis.campaignLifecycle	varchar	The system assigned status of a campaign, used for reporting.

outboundanalysis.campaignLocked	tinyint	Is the campaign locked because it is atleast 30 days past the cutoff date?
outboundanalysis.campaignModePortableMedia	tinyint	Is the campaign a Portable Media Campaign?
outboundanalysis.campaignMediaReportingDate	datetime	The earliest time data will be collected during "Go Live" stage.
outboundanalysis.campaignExcludeFromProgramStats	tinyint	When checked, this activity is excluded from Program Statistics.
outboundanalysis.addressBookName	varchar	The current address book name.
outboundanalysis.addressBookCategory	varchar	The current address book category.
outboundanalysis.emailserverid	int	The email server #
outboundanalysis.emailServerName	varchar	The email server name.
outboundanalysis.emailServerType	varchar	Email Server Type
outboundanalysis.emailtemplateid	int	The email template #.
outboundanalysis.emailTemplateName	varchar	The email template name.
outboundanalysis.emailTemplateType	varchar	Email Template Type
outboundanalysis.emailTemplateCategory	char	The current category in the email template record.

outboundanalysis.emailTemplateEnableInlineImages	tinyint	Are Inline Images enabled in the email template record?
outboundanalysis.emailTemplateIsUrgent	tinyint	Sends the email with highest priority by adding X-Priority=1 to the header.
outboundanalysis.webserverid	int	The web server #.
outboundanalysis.webServerName	char	The current web server name.
outboundanalysis.webServerType	varchar	Web Server Type
outboundanalysis.webServerURL	varchar	The current url in the web server record.
outboundanalysis.webtemplateid	int	The web template #.

outboundanalysis.webTemplateName	char	The current name of the web template record.
outboundanalysis.webTemplateType	varchar	Web Template Type
outboundanalysis.webTemplateCategory	char	The current category of the web template record.
outboundanalysis.webTemplateIVRName	char	Voice Application Name
outboundanalysis.addressAddress	varchar	The current setting of the address in the email address record.
outboundanalysis.addressActive	tinyint	Is the current email address record active?

outboundanalysis.domainAuthValidated	tinyint	Is the domain authorized and validated to receive campaign emails?
outboundanalysis.addressAtDomain	varchar	The domain name used by this email address.
outboundanalysis.addressAnonymized	tinyint	Has the email address record been anonymized?
outboundanalysis.addressFirstName	varchar	The current first name for the email address record.
outboundanalysis.addressLastName	varchar	The current last name in the email address record.
outboundanalysis.addressFullName	varchar	The current full name in the email address record.

outboundanalysis.addressPersonalTitle	varchar	The current personal title in the email address record.
outboundanalysis.addressNameSuffix	varchar	The current name suffix in the email address record.
outboundanalysis.addressHireDate	date	The date the user was hired.
outboundanalysis.addressOrgArea	varchar	The current organization area in the email address record.
outboundanalysis.addressOrgLevel	varchar	The current organization level in the email address record.
outboundanalysis.addressOrgTenure	varchar	The current organization tenure in the email address record.

outboundanalysis.addressCompany	varchar	The company field for the email address associated with the event.
outboundanalysis.addressCountry	varchar	The country field for the email address associated with the event.
outboundanalysis.addressRegion	varchar	The region field for the email address associated with the event.
outboundanalysis.addressSite	varchar	The site field for the email address associated with the event.
outboundanalysis.addressLanguage	varchar	The language field for the email address associated with the event.
outboundanalysis.addressTimeZone	varchar	The timezone field for the email address associated with the event.

outboundanalysis.addressCity	varchar	The city field for the email address associated with the event.
outboundanalysis.addressState	varchar	The state field for the email address associated with the event.
outboundanalysis.addressZip	varchar	The zip code field for the email address associated with the event.
outboundanalysis.addressMobile	varchar	The mobile field for the email address associated with the event.
outboundanalysis.addressOtherMobile	varchar	The phone field for the email address associated with the event.
outboundanalysis.addressSource	varchar	The source field for the email address associated with the event.

outboundanalysis.addressManagerEmailAddress	varchar	The email address of this address book entries Manager or Supervisor.
outboundanalysis.addressManagerName	varchar	The name of this address book entries Manager or Supervisor.
outboundanalysis.addressProgramTermGroup	varchar	The program term group that this participant belongs to.
outboundanalysis.addressProgramTermLevel	varchar	The program term level that this participant is at when this address was used.
outboundanalysis.addressAdhocClickRiskCategory	varchar	The risk category calculated by the adhoc click count utility.
outboundanalysis.addressAdhocClickCount	int	The adhoc click count for the specified date range accross all campaigns.

outboundanalysis.addressAdhocClickStartTime	datetime	The earliest send time included in the adhoc click count and risk category.
outboundanalysis.addressAdhocClickEndTime	datetime	The latest send time included in the adhoc click count and risk category.
outboundanalysis.addressAdhocClickRunTime	datetime	The timestamp of the adhoc click count utility.
outboundanalysis.addressCustom1	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom2	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.

outboundanalysis.addressCustom3	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom4	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom5	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom6	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom7	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.

outboundanalysis.addressCustom8	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom9	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom10	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom11	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom12	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.

outboundanalysis.addressCustom13	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom14	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom15	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom16	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom17	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.

outboundanalysis.addressCustom18	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom19	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom20	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom21	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom22	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.

outboundanalysis.addressCustom23	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom24	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom25	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom26	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom27	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.

outboundanalysis.addressCustom28	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom29	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom30	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom31	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom32	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.

outboundanalysis.addressCustom33	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom34	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom35	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom36	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom37	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.

outboundanalysis.addressCustom38	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom39	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressCustom40	varchar	This is a custom email address attribute used for advanced campaign targeting and analysis.
outboundanalysis.addressOffenderCategory	varchar	Set to Offender if the Recipient has failed in last 3 campaigns.
outboundanalysis.addressOffenderFailureNumber	int	The number of consecutive tests where this Recipient has failed.

outboundanalysis.addressOffenderCampaignList	text	The list of campaigns that make up the Offender Failure Number.
outboundanalysis.addressTraining	tinyint	Has the Email Address # ever started an Online Training Challenge?
outboundanalysis.addressTrainingPassed	tinyint	Has the Email Address # ever received a passing grade on a Training Challenge?
outboundanalysis.addressTrainingCompleted	tinyint	Has the Email Address # ever completed a Training Challenge?
outboundanalysis.addressTotalEventPoints	int	The total sum of event points accumulated by this Email Address Id.
outboundanalysis.undeliverable	tinyint	After sending the email

outboundanalysis.outOfOffice	tinyint	At least one 'Out of Office' email reply was received that corresponded to this outbound message.
outboundanalysis.senderAddressVerification	tinyint	At least one 'Sender Address Verification' email reply was received that corresponded to this outbound message.
outboundanalysis.replyReceived	tinyint	At least one email reply was received that corresponded to this outbound message.
outboundanalysis.replyOrActivity	tinyint	There was at least one Reply or web-based Action related to this outbound message.
outboundanalysis.activity	tinyint	At least one web-based activity was triggered from this outbound email message.
outboundanalysis.activityPageView	tinyint	At least one Landing Page was accessed with information from this outbound email message.

outboundanalysis.activityImageView	tinyint	At least one Image was downloaded with information from this outbound email message.
outboundanalysis.activityFileDownload	tinyint	At least one File Download was performed with information from this outbound email message.
outboundanalysis.activityLoginForm	tinyint	At least one Login Form was submitted with information from this outbound email message.
outboundanalysis.activityUser	tinyint	At least one Login Form User field was submitted with information from this outbound email message.
outboundanalysis.oppPw	tinyint	The web page associated with this email provided an opportunity for the user to submit a Login Form Password.

outboundanalysis.activityPw	tinyint	At least one Login Form Password was submitted with information from this outbound email message.
outboundanalysis.oppLoginCustom	tinyint	The web page associated with this email provided an opportunity for the user to submit a Login Form Text Field.
outboundanalysis.activityLoginCustom	tinyint	Value entered in the login form text field.
outboundanalysis.activityFeedbackForm	tinyint	At least one Feedback Form was submitted with information from this outbound email message.
outboundanalysis.activityTopic	tinyint	At least one Feedback Form Topic field was submitted with information from this outbound email message.

outboundanalysis.activitySender	tinyint	At least one Feedback Form Sender field was submitted with information from this outbound email message.
outboundanalysis.activityMessage	tinyint	At least one Feedback Form Message field was submitted with information from this outbound email message.
outboundanalysis.activityFileUpload	tinyint	At least one File Upload was submitted with information from this outbound email message.
outboundanalysis.activityCaptcha	tinyint	At least one Captcha was submitted with information from this outbound email message.
outboundanalysis.activityUnsubscribePageView	tinyint	At least one Unsubscribe Page was accessed with information from this outbound email message.

outboundanalysis.activityUnsubscribeForm	tinyint	At least one Unsubscribe Form was submitted with information from this outbound email message.
outboundanalysis.activityIncidentResponse	tinyint	Was at least one copy of this email forwarded to an approved incident response repository?
outboundanalysis.activitySmartAttachment	tinyint	Was there at least one smart attachment link followed for this email?
outboundanalysis.messageType	varchar	The type of message that will be sent
outboundanalysis.clickReporterActionSummary	varchar	A brief summary of events that happened for this email.
outboundanalysis.multiClicker	tinyint	The Web Page was accessed from the email more than one time.

outboundanalysis.osList	varchar	The list of operating systems detected when the web page was accessed.
outboundanalysis.messageTotalEventPoints	int	The total event points for this outbound message
outboundanalysis.lastSendAttemptError	text	The error message from last send attempt if there was an error.
outboundanalysis.programRollingTermTargetedCount	bigint	The count of messages sent to this email address within the rolling term where the campaign intent is to test.
outboundanalysis.programRollingTermPageViewCount	bigint	The count of messages sent to this email address with at least one click within the rolling term.
outboundanalysis.programRollingTermReportedCount	bigint	The count of messages sent to this email address with at least one FW: Incident Response within the rolling term.

outboundanalysis.programRollingTermPageViewRate	decimal	The percentage of messages sent to this email address with at least one Page View within this rolling term.
outboundanalysis.programRollingTermReportedRate	decimal	The percentage of messages sent to this email address with at least one FW: Incident Response within this rolling term.
outboundanalysis.programRollingTermMultiClicker	tinyint	This email address has more than one Term Page Views Counts.
outboundanalysis.programRollingTermConsecutiveClicker	tinyint	This email address has clicked on the link in more than one consecutively sent message within the reporting term.
outboundanalysis.programRollingTermChronicClicker	tinyint	This email address has clicked on the link in every sent message within the reporting term.
outboundanalysis.programRollingTermTrainingList	text	The list of training that has been completed by this email address within the rolling term.

outboundanalysis.programRollingTermReportingDate	date	The date that is being used to determine the Term.
outboundanalysis.programRollingTermReportingTermName	char	The Term that this message is using.
outboundanalysis.firstSurveyTemplateStarted	varchar	The first training started for this outbound message.
outboundanalysis.listSurveyTemplatesStarted	text	The list of each training started for this outbound message.
outboundanalysis.timeInSecondsSpentOnPageForOutboundMessage	int	The number of seconds spent on the Landing Page for this outbound email.
outboundanalysis.timeInMinutesSpentOnPageForOutboundMessage	decimal	The number of minutes spent on the Landing Page for this outbound email.

outboundanalysis.minMachineClickTestScore	int	Score indicating the likelihood this click was produced by a machine rather than by a human. The higher the score
outboundanalysis.maxMachineClickTestScore	int	Score indicating the likelihood this click was produced by a machine rather than by a human. The higher the score
outboundanalysis.firstClickTime	datetime	The time of the first Page View for this outbound message.
outboundanalysis.firstReportedTime	datetime	The time that the first Incident Response was received for this outbound message.
outboundanalysis.firstClickMinutes	int	The number of minutes between this message being sent and the Page View.
outboundanalysis.firstReportedMinutes	int	The number of minutes between this message being sent and the first Incident Response.

outboundanalysis.activityIncidentResponseReporter	varchar	The email address SAT received the email report from. This may differ from the email address the email was sent to originally.
outboundanalysis.emailTraining	tinyint	Was training started from the Training Challenge link in this email?
outboundanalysis.emailTrainingPassed	tinyint	Did the training taken from the Training Challenge link in this email result in a passing score?
outboundanalysis.emailTrainingCompleted	tinyint	Was training completed from the Training Challenge link in this email?
outboundanalysis.ivrConfirmationValidated	tinyint	Did the user enter a confirmation code they were sent from the voice application?
outboundanalysis.ivrMaxStepCompleted	bigint	What is the maximum step the user completed for the voice application?

Error 4xx

Name	Type	Description
NotAuthorized		Only authorized users can access this data.
NotFound		The id of the Campaign was not found.

Error Response Examples

HTTP/1.1 401 Not Authorized

```
{
  "status": 401,
  "statusMessage": "NotAuthorized",
  "statusDetails": {
    "Reason": "Valid access token required. Please re-authenticate."
  },
  "entity": "unknown",
  "jobid": 0,
  "notifications": [],
  "totalRowCount": 0,
  "pageRowCount": 0,
  "remainingRowCount": 0,
  "maxIdReturned": 0,
  "data": []
}
```

HTTP/1.1 404 Not Found

```
{
  "status": 404,
  "statusMessage": "NotFound",
  "statusDetails": {
    "NotFound": "No email outbounds found for id 12322132."
  },
  "entity": "unknown",
  "jobid": 0,
  "notifications": {
    "API Token Expiration Date": "2024-06-20 09:58:27",
    "Maximum API calls per hour": 1000,
    "Your API calls in the last hour": 60
  },
  "totalRowCount": 0,
  "pageRowCount": 0,
  "remainingRowCount": 0,
}
```

```
"maxIdReturned": 0,  
"data": []  
}
```

© Barracuda Networks Inc., 2024 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.