

How to Activate Text-Based Configuration

<https://campus.barracuda.com/doc/46208945/>

You can view and configure the DHCP server settings in a text configuration file. Note that if you manually configure the DHCP server in a text configuration file, all of the settings that have been made in the user interface are disabled.

Before You Begin

Before you can view and configure the DHCP server in a text configuration file, enable advanced pool configuration in the DHCP service setup. For more information, see [How to Configure Advanced DHCP Settings](#).

View the Configuration File

To view the DHCP server configuration in read-only text:

1. Go to **CONFIGURATION > Configuration Tree > Box > Virtual Servers > your virtual server > Assigned Services > DHCP-Service > DHCP Enterprise Configuration**.
2. From the left **Configuration Mode** menu, select **Advanced View**.
3. In the left navigation pane, select **GUI as Text**.
4. Click **Lock**.
5. Enable **Show GUI as Text**.
6. Click **Send Changes** and **Activate**.

In the **GUI Corresponding Text** table, the DHCP server configuration is displayed in read-only text.

Configure the DHCP Server Text Configuration File

The DHCP server text configuration file must be created directly on the Barracuda NextGen Firewall F-Series when configuring a managed NextGen Firewall F-Series.

1. Go to **CONFIGURATION > Configuration Tree > Box > Virtual Servers > your virtual server > Assigned Services > DHCP-Service > DHCP Enterprise Configuration**.
2. From the left **Configuration Mode** menu, select **Advanced View**.

3. In the left navigation pane, select **Text Based Configuration**.
4. Click **Lock**.
5. Enable **Use Free Format**.

When you enable this setting, all of the settings that have been made in the user interface are disabled. To re-enable the settings that are made in the user interface, disable **Use Free Format**.
6. In the **Free Format Text** table, enter the configurations for the DHCP server. Use the following syntax:
option
7. For more information on the commands and syntax that can be used, see <http://www.daemon-systems.org/man/dhcp-options.5.html>.
8. Click **Send Changes** and **Activate**.

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.