

Schedule Objects

<https://campus.barracuda.com/doc/48202943/>

To restrict rules to specific times and intervals, configure schedule objects and use them as an additional matching criteria. Schedule objects provide time granularity in minutes. When schedule objects are evaluated, the time of the firewall it is running on is used. The F-Series Firewall, the client running NextGen Admin, and, if applicable, the NextGen Control Center must use the correct time for their respective time zones. Using NTP is highly recommended. A schedule object consists of two time configuration elements that can be combined or used separately:

- **Recurring schedule** - Configure the schedule to be active during specific days and intervals by selecting weekdays and time from a list.
- **Restrict to time interval** - Configure the schedule to be active during a specific interval by specifying a date and time span.

The F-Series Firewall, the client running NextGen Admin, and, if applicable, the NextGen Control Center must use the correct time for their respective time zones. Using NTP is highly recommended. For more information, see [How to Configure Time Server \(NTP\) Settings](#).

For information on how to create schedule objects, see [How to Create and Apply Schedule Objects](#).

Recurring schedules

You can restrict the schedule to a specific day and time interval, e.g., every week from Monday at 09:00 until Wednesday at 15:30, by selecting the **Enable Recurring Schedule** check box. Selecting this option expands the configuration and provides the **Recurring Schedule** table, where you specify the days and times for the schedule to be active.

A time schedule entry can cover up to one week, starting on Mon-00:00, and ending on Mo 0:00 of the next week. To enable the schedule for an interval crossing the Mo 00:00 threshold, split the entry. E.g., Fri-15:00 to Mo 0:00 and Mon-00:00 to Tue-10:30.

Schedule ✕

Object Name Save

Comment

Enable Recurring Schedule

Recurring Schedule + 📄 ✕

From (Day)	From (Time)	To (Day)	To (Time)
<input checked="" type="checkbox"/> Mon	00:00	Tue	10:30
<input checked="" type="checkbox"/> Fri	15:00	Mon	23:59
		Tue	
		Wed	
		Thu	
		Fri	
		Sat	
		Sun	
		-Same day-	

Restrict to time interval

Terminate existent sessions Block if schedule does not match i

Time interval

Selecting the **Restrict to time interval** checkbox lets you restrict the schedule to a date and time span by specifying the dates and times in the fields provided by the section.

Schedule ✕

Object Name Save

Comment

Enable Recurring Schedule

Restrict to time interval to


Terminate existent sessions Block if schedule does not match i

Schedule object options

- **Terminate existing sessions** – By default, sessions that match the rule using the schedule object stay active until they are closed or time out. Selecting the **Terminate existing sessions** check box immediately terminates active sessions as soon as the time restriction configured in the schedule applies. Sessions are not terminated between two time intervals that directly follow each other. (E.g, Tue 8:00 - Tue 9:00 and Tue 9:00 - Tue 10:00)
- **Block if schedule does not match** – When you enable this option, the connection is blocked when the time schedule does not match, since no further access rule will be evaluated.

Legacy time restriction settings for access rules

Existing **Time Restrictions (Edit Rule > Advanced > Miscellaneous > Time Restriction)** for an access rule override the schedule objects of an access rule. Barracuda Networks recommends configuring schedule objects instead of time restrictions in an access rule. Barracuda NextGen Firewall F-Series firmware 6.1 or later no longer supports legacy time restrictions. Use schedule objects instead.



Edit Rule: HTTP-OfflineAuthentication [Advanced]	
Statistics Entry	Yes
Log Session State Changed	No
Own Log File	No
Service Statistics	No
Eventing	None
Application Log Policy	Default
Miscellaneous	
Authentication	No Inline Authentication
IP Counting Policy	Default Policy
Time Restriction	Deprecated, use schedule
Clear DF Bit	No

Figures

1. FW_Schedule 01.png
2. FW_Schedule02.png
3. FW_Schedule03.png

© Barracuda Networks Inc., 2019 The information contained within this document is confidential and proprietary to Barracuda Networks Inc. No portion of this document may be copied, distributed, publicized or used for other than internal documentary purposes without the written consent of an official representative of Barracuda Networks Inc. All specifications are subject to change without notice. Barracuda Networks Inc. assumes no responsibility for any inaccuracies in this document. Barracuda Networks Inc. reserves the right to change, modify, transfer, or otherwise revise this publication without notice.